

HALLIBURTON


Sussex Pass


5"=100'

Database File: brown_usxaa_aa3-15.db
Dataset Pathname: pass2
Presentation Format: cbldig
Dataset Creation: Tue Aug 07 10:23:14 2007 by Log Halliburton Casedho
Charted by: Depth in Feet scaled 1:240

| | | |
|----|------------------|-----|
| 5 | Collar Locator | -1 |
| 30 | Gamma Ray (GAPI) | 130 |

| | | | | | |
|---|--------------------------|-----|-----|------------------|------|
| 0 | Amplified Amplitude (mV) | 30 | 200 | Variable Density | 1200 |
| 0 | Amplitude (mV) | 100 | | | |






1700


1750


1800

1850



Top of Cement







1900


1950

2000

2050

2100








2150

2200

2250

2300







2350

2400

2450

2500







2550

2600

2650

2700







2750

2800

2850

2900








2950

3000

3050

3100







3150


3200

3250

3300

3350







3300


3400

3450

3500

3550







3600

3650

3700

3750








3800

3850

3900

3950








4000

4050

4100

4150








4200

4250

4300

4350







4400

4450

4500

4550







4600


4650

4700

4750

4800








4950

4900

4950

5000





200

Variable Density

1200

HALLIBURTON

Sussex Pass



5"=100'

HALLIBURTON

Main Log

5"=100'




Database File: brown_usxaa_aa3-15.db
Dataset Pathname: pass1
Presentation Format: cbldig
Dataset Creation: Tue Aug 07 10:03:05 2007 by Log Halliburton, Casedhc
Charted by: Depth in Feet scaled 1:240




200

Variable Density

1200








5100

5150

5200

5250







5300

5350

5400

5450






5500


5550

5600

5650

5700








5750

5800

5850

5900







5950

6000

6050

6100








6150

6200

6250

6300







6350


Short Joint

6400

6450

6500





6550

6600

6650


Collar Locator

Gamma Ray


Amplitude


6700

Short Joint



Amplified Amplitude







TD 6780

6750

6800



| | | |
|---|------------------|-----|
| 5 | Collar Locator | -1 |
| 0 | Gamma Ray (GAPI) | 150 |

| | | |
|---|--------------------------|-----|
| 0 | Amplified Amplitude (mV) | 30 |
| 0 | Amplitude (mV) | 100 |

| | | |
|-----|------------------|------|
| 200 | Variable Density | 1200 |
|-----|------------------|------|

HALLIBURTON

Main Log

5"=100'