

EIFERT PC E11-634N
EIFERT PC E11-654N

T6N - R65W - 6th P.M.
SECTION 11: NE1/4 SE1/4
WELD COUNTY, CO

Map Unit Description

Weld County, Colorado, Southern Part

51 Otero sandy loam, 1 to 3 percent slopes

Setting

Elevation: 4700 to 5250 feet
Mean annual precipitation: 12 to 15 inches
Mean annual air temperature: 48 to 52 degrees F
Frost-free period: 130 to 180 days

Composition

Otero and similar soils: 85 percent
Minor components: 15 percent

Description of Otero

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Eolian deposits and/or mixed outwash

Properties and Qualities

Slope: 1 to 3 percent
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.57 to 5.95 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 10 percent
Gypsum maximum: 0 percent
Available water capacity: Moderate (about 7.7 inches)

Interpretive Groups

Land capability classification (irrigated): 3e
Land capability (non irrigated): 4e
Ecological site: Sandy Plains (R067BY024CO)

Typical Profile

0 to 12 inches: sandy loam
12 to 60 inches: fine sandy loam

Minor Components

Kim

Percent of map unit: 10 percent

Vona

Percent of map unit: 5 percent

EIFERT PC E11-634N
EIFERT PC E11-654N
T6N - R65W - 6th P.M.
SECTION 11: NE14 SE14
WELD COUNTY, CO

Map Unit Description

Weld County, Colorado, Southern Part

64 Thedalund loam, 1 to 3 percent slopes

Setting

Elevation: 4900 to 5250 feet
Mean annual precipitation: 13 to 15 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 130 to 160 days

Composition

Thedalund and similar soils: 90 percent
Minor components: 10 percent

Description of Thedalund

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Residuum weathered from shale

Properties and Qualities

Slope: 1 to 3 percent
Depth to restrictive feature: 20 to 40 inches to Paralithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or high (0.06 to 2.00 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 15 percent
Gypsum maximum: 0 percent
Available water capacity: Low (about 4.9 inches)

Interpretive Groups

Land capability classification (irrigated): 4s
Land capability (non irrigated): 4e
Ecological site: Loamy Plains (R067BY002CO)

Typical Profile

0 to 8 inches: loam
8 to 29 inches: loam
29 to 33 inches: weathered bedrock

Minor Components

Ulm

Percent of map unit: 10 percent

EIFERT PC E11-63HN
EIFERT PC E11-65HN

Map Unit Description

Weld County, Colorado, Southern Part

T6M - R6SW - 6th D.M.
SECTION 11: NE^{1/4} SE^{1/4}
WELD COUNTY, CO

65 Thedalund loam, 3 to 9 percent slopes

Setting

Elevation: 4900 to 5250 feet
Mean annual precipitation: 13 to 15 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 130 to 160 days

Composition

Thedalund and similar soils: 80 percent
Minor components: 20 percent

Description of Thedalund

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Residuum weathered from shale

Properties and Qualities

Slope: 3 to 9 percent
Depth to restrictive feature: 20 to 40 inches to Paralithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or high (0.06 to 2.00 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 15 percent
Gypsum maximum: 0 percent
Available water capacity: Low (about 4.9 inches)

Interpretive Groups

Land capability classification (irrigated): 4e
Land capability (non irrigated): 6e
Ecological site: Loamy Plains (R067BY002CO)

Typical Profile

0 to 8 inches: loam
8 to 29 inches: loam
29 to 33 inches: weathered bedrock

Minor Components

Ulm

Percent of map unit: 7 percent

Renohill

Percent of map unit: 6 percent

Terry

Percent of map unit: 6 percent

Otero

Percent of map unit: 1 percent