



Database File: barrowtr72211b.db
 Dataset Pathname: pass2
 Presentation Format: cbldig
 Dataset Creation: Fri Jul 22 13:59:33 2011 by Log Open-Cased 110302
 Charted by: Depth in Feet scaled 1:240

400	Travel Time (usec)	200
0	GR (GAPI)	200
0	DEVI (°)	10

0	Amplitude (mV)	100
9	Collar Locator	-1

200 Variable Density 1200







200


250

300

350

400








450

500

550

600







650

700

750

800






850


900

950

1000

1050







1100

1150

1200

1250






1300


1350


1400


1450

1500










1950

2000


2050


2100

2150



Short Joint →







Database File: barrowtr72211b.db
 Dataset Pathname: pass1
 Presentation Format: cbldig
 Dataset Creation: Fri Jul 22 13:51:45 2011 by Log Open-Cased 110302
 Charted by: Depth in Feet scaled 1:240

400	Travel Time (usec)	200
0	GR (GAPI)	200
0	DEVI (°)	10

0	Amplitude (mV)	100
9	Collar Locator	-1

200 Variable Density 1200





Calibration Report

Database File: barrowtr72211b.db
 Dataset Pathname: pass1
 Dataset Creation: Fri Jul 22 13:51:45 2011 by Log Open-Cased 110302

Gamma Ray Calibration Report

Serial Number:	080616		
Tool Model:	275D_INC		
Performed:	Wed May 04 17:31:09 2011		
Calibrator Value:	200.0	GAPI	
Background Reading:	50.0	cps	
Calibrator Reading:	250.0	cps	
Sensitivity:	1.0000	GAPI/cps	

Inclinometer Calibration Report

Performed:	Wed May 04 17:39:54 2011			
	Low Read.	High Read.	Low Ref.	High Ref.
X Accelerometer	-3585.20	3595.40	-1.00	1.00 gee

