

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:
400192549

Oil and Gas Location Assessment

New Location Amend Existing Location Location#: 414231

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:
414231
Expiration Date:
09/13/2014

This location assessment is included as part of a permit application.

1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 100185
Name: ENCANA OIL & GAS (USA) INC
Address: 370 17TH ST STE 1700
City: DENVER State: CO Zip: 80202-5632

3. Contact Information

Name: Heather Mitchell
Phone: (720) 876-3070
Fax: (720) 876-4070
email: heather.mitchell@encana.com

4. Location Identification:

Name: N. Parachute Number: MF O04 696
County: GARFIELD
Quarter: 9 Section: 4 Township: 6S Range: 96W Meridian: 6 Ground Elevation: 6024

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1515 feet FSL, from North or South section line, and 1486 feet FEL, from East or West section line.
Latitude: 39.550864 Longitude: -108.107636 PDOP Reading: 2.0 Date of Measurement: 02/11/2008
Instrument Operator's Name: Robert Kay

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text" value="0"/>	Drilling Pits: <input type="text" value="0"/>	Wells: <input type="text" value="32"/>	Production Pits: <input type="text" value="0"/>	Dehydrator Units: <input type="text" value="0"/>
Condensate Tanks: <input type="text" value="1"/>	Water Tanks: <input type="text" value="1"/>	Separators: <input type="text" value="8"/>	Electric Motors: <input type="text" value="0"/>	Multi-Well Pits: <input type="text" value="0"/>
Gas or Diesel Motors: <input type="text" value="0"/>	Cavity Pumps: <input type="text" value="0"/>	LACT Unit: <input type="text" value="0"/>	Pump Jacks: <input type="text" value="0"/>	Pigging Station: <input type="text" value="0"/>
Electric Generators: <input type="text" value="0"/>	Gas Pipeline: <input type="text" value="2"/>	Oil Pipeline: <input type="text" value="0"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text" value="0"/>
Gas Compressors: <input type="text" value="0"/>	VOC Combustor: <input type="text" value="0"/>	Oil Tanks: <input type="text" value="0"/>	Fuel Tanks: <input type="text" value="0"/>	

Other: 6 meter houses

6. Construction:

Date planned to commence construction: 05/16/2012 Size of disturbed area during construction in acres: 5.50
Estimated date that interim reclamation will begin: 05/01/2013 Size of location after interim reclamation in acres: 1.70
Estimated post-construction ground elevation: 6011 Will a closed loop system be used for drilling fluids: Yes
Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
Other: Recycle and bury

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
Surface Owner: Fee State Federal Indian
Mineral Owner: Fee State Federal Indian
The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: 20100017 Gas Facility Surety ID: _____ Waste Mgmt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
Distance, in feet, to nearest building: 5660, public road: 2550, above ground utilit: 2694
, railroad: 28540, property line: 2222

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: Nihill channery loam, 6 to 25 % slopes - #47

NRCS Map Unit Name: Rock Outcrop-torriorthents complex, very steep - #62
NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No
Plant species from: NRCS or, field observation Date of observation: 06/29/2011
List individual species: Musk Thistle

- Check all plant communities that exist in the disturbed area.
- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
 - Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
 - Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
 - Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
 - Mountain Riparian (Cottonwood, Willow, Blue Spruce)
 - Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
 - Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
 - Alpine (above timberline)
 - Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes
Distance (in feet) to nearest surface water: 20, water well: 2471, depth to ground water: 50
Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes
Is the location within a Rule 317B Surface Water Suppl Area buffer zone:
 No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone
If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:

This pad will be reclaimed to the area the south of the pad location

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.
Signed: _____ Date: 08/12/2011 Email: heather.mitchell@encana.com
Print Name: Heather Mitchell Title: Regulatory Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.
COGCC Approved: *David S. Nashin* Director of COGCC Date: 9/14/2011
CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.

The access road will be constructed to prevent sediment migration from the access road to nearby surface water or any drainages leading to other nearby surface waters. Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.

Well pad and access road to the well pad will be gravel surfaced. Operator must install adequately sized culverts that cross any drainages leading to the stream. Operator must ensure secondary containment for any potential volume of fluids that may be released from the pad/access road in the vicinity of all stream, intermittent stream, ditch, and drainage crossings.

The location is in an area of high runoff/run-on potential from the proposed pad area to the north; therefore the pad shall be constructed as quickly as possible and appropriate BMPs need to be in place both during and after well pad construction, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff. Slopes with potential for runoff should be stabilized immediately following pad construction.

Because of proximity of the well pad to both nearby surface water and steep slopes to the north, operator will grade the well pad surface to slope away from the stream towards a central collection point on the well pad.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

Changed distance to property line to 2222' per operator's instructions and attached OTHER plat.

Attachment Check List

Att Doc Num	Name
2034005	CORRESPONDENCE
2537513	LOCATION DRAWING
2537514	MINERAL LEASE MAP
400192549	FORM 2A SUBMITTED
400192555	REFERENCE AREA PICTURES
400192556	REFERENCE AREA PICTURES
400192557	REFERENCE AREA PICTURES
400192558	REFERENCE AREA PICTURES
400192559	LOCATION PICTURES
400192565	ACCESS ROAD MAP
400192567	HYDROLOGY MAP
400192569	NRCS MAP UNIT DESC
400192570	MULTI-WELL PLAN
400192571	LOCATION DRAWING
400192572	CONST. LAYOUT DRAWINGS
400195577	NRCS MAP UNIT DESC

Total Attach: 16 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	Initiated/Completed OGLA Form 2A review on 08-02-11 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks only, access road/pad gravelled and sediment control, slope control, and cuttings low moisture content COAs from operator on 08-29-11; received concurrence from operator on 08-29-11; passed by CDOW on 08-17-11 with operator submitted BMPs (with permit application) and WMP acceptable; passed OGLA Form 2A review on 09-13-11 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks only, access road/pad gravelled and sediment control, slope control, and cuttings low moisture content COAs.	8/29/2011 11:09:47 AM
DOW	The well pad depicted on this application lies within the boundary of the CPW-Encana Wildlife Mitigation Plan. The terms and conditions of the WMP including BMPs and COAs are applicable to this site. on Wednesday, August 17, 2011 at 11:55 A.M.	8/17/2011 11:56:12 AM
Permit	Returned to draft. Missing Plugging bond. Missing the applicant box on the surface owner is question.	8/15/2011 7:34:59 AM

Total: 3 comment(s)

BMP

<u>Type</u>	<u>Comment</u>
Storm Water/Erosion Control	<ul style="list-style-type: none">• Maintain a minimum of five feet of soil cover between the pipeline and the lowest point of the drainage or water body channel.• Install pipeline crossings at right angles to the drainages, wetlands and perennial water bodies, where appropriate, economically and technically feasible.
Construction	<ul style="list-style-type: none">• Use solar panels as an alternative energy source for on-location production equipment, where appropriate, economically and technically feasible.• Use multiple gathering lines placed in a single trench to minimize disturbance and construction, where appropriate, economically and technically feasible.• Install trench plugs (sloped to allow wildlife or livestock to exit the trench should they enter) at known wildlife or livestock trails to allow safe crossing on long spans of open trench, where appropriate, economically and technically feasible.• Use solar panels as an alternative energy source for on-location production equipment, where appropriate, economically and technically feasible.• Use multiple gathering lines placed in a single trench to minimize disturbance and construction, where appropriate, economically and technically feasible.• Install trench plugs (sloped to allow wildlife or livestock to exit the trench should they enter) at known wildlife or livestock trails to allow safe crossing on long spans of open trench, where appropriate, economically and technically feasible.
Wildlife	<ul style="list-style-type: none">• Prohibit Encana employees and contractors from carrying projectile weapons. Except during company organized events.• Prohibit pets on property.• Strategically apply fugitive dust control measures, including enforcing established speed limits on Encana private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources• Perform biological surveys (on-site) for each new development, using the most recent data sets for wildlife and aquatic resources.• Utilize the Encana Wildlife Resources Matrix to identify and document (where appropriate) potential impacts or concerns during the project planning phase for proposed drilling operations and construction of roads, pads and pipelines.

Total: 3 comment(s)