

CEMENT JOB REPORT



CUSTOMER ENCANA OIL & GAS (USA) INC		DATE 09-SEP-11	F.R. # 1001851600		SERV. SUPV. DELBERT S GALLEGOS	
LEASE & WELL NAME WHITE #14-1(A14OU) - API 05077091710000		LOCATION 14-8S-96W		COUNTY-PARISH-BLOCK Mesa Colorado		
DISTRICT Grand Junction		DRILLING CONTRACTOR RIG #		TYPE OF JOB Plug & Abandon		
SIZE & TYPE OF PLUGS		LIST-CSG-HARDWARE		PHYSICAL SLURRY PROPERTIES		
NONE				SACKS OF CEMENT	SLURRY WGT PPG	SLURRY YLD FT³
				WATER GPS	PUMP TIME HR:MIN	Bbl SLURRY
						Bbl MIX WATER
MATERIALS FURNISHED BY BJ						
Class G Cement				356	15.8	1.15
Available Mix Water 150 Bbl.				Available Displ. Fluid 150 Bbl.		TOTAL
						73 42.45
HOLE		TBG-CSG-D.P.			COLLAR DEPTHS	
SIZE	% EXCESS	DEPTH	SIZE	WGT.	TYPE	DEPTH
			5.5	17	CSG	1040
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH		TOP CONN
SIZE	WGT	TYPE	DEPTH	TOP	BTM	SIZE
				2410	2410	2.375
						1502
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	CAL. MAX PSI	OP. MAX
VOLUME	UOM	TYPE	WGT.	BUMP PLUG	TO REV.	SQ. PSI
0	BBLs			0	0	0
				MAX TBG PSI	MAX CSG PSI	MIX WATER
				0	0	water truck


EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING:

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES	2800 PSI
						CIRCULATING WELL - RIG <input type="checkbox"/> BJ <input checked="" type="checkbox"/>	
04:15						convoy and safety meeting	
04:30						leave yard for location	
05:30						pump stuck wont go into full lock cant climb hill	
06:50						grader here to pull pump truck	
07:15						arrive to location	
07:20						JSA and tailgate meeting	
07:30						spot trucks and rig iron and hoses	
08:10						pre job safety	
08:26	2800	0	.5	1	WATER	pressure test lines to 2800psi	
08:29	200	0	3.6	7	WATER	pump water spacer to establish circulation	
08:32					CEMENT	batch cement to 15.8ppg	
08:34	128	0	2.8	3	CEMENT	start downhole with cement weigh on mudscales	
08:41	107	0	2.6	20	CEMENT	rate pressure	
08:50	118	0	2.6	40	CEMENT	rate pressure	
08:59	0	0	0	64	CEMENT	cement to surface shut down wash up lines to pit	
09:00						wait on rig to cut casing	
11:30						we will need to top out cement fell back	
11:49					CEMENT	batch cement to 15.8ppg	
11:55	56	0	2	4	CEMENT	pumped 4bbls cement to top out mixed 9 all together	
12:15						end job	

BUMPED PLUG Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	PSI TO BUMP PLUG	TEST FLOAT EQUIP. Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	BBL.CMT RETURNS/ REVERSED	TOTAL BBL. PUMPED 83	PSI LEFT ON CSG 0	SPOT TOP OUT CEMENT Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	SERVICE SUPERVISOR SIGNATURE:
--	-------------------------	--	----------------------------------	--------------------------------	-----------------------------	--	--



BJ Services JobMaster Program Version 3.50
Job Number: 1001851600
Customer: Encana
Well Name: White 14-1





BJ Services JobMaster Program Version 3.50
Job Number: 1001851600
Customer: Encana
Well Name: White 14-1

