TIMBER COLLECTED SOUTHERN SUPERIOR REGION, ONTARIO
LOCATION OF SAMPLE TREES AND SAMPLE PLOTS, TOWNSHIPS, AREAS
AND ALL WATER BODIES, ETC.




Calibration Report

Database File: cblgulley17-15.db
Dataset Pathname: pass3
Dataset Creation: Fri Dec 17 10:31:52 2010 by Log Std Casedhole 10081

Gamma Ray Calibration Report

| | | |
|---|---|---|
| Serial Number: | ttsfemp | |
| Tool Model: | tempbit | |
| Performed: | Tue Sep 21 09:37:35 2010 | |
| Calibrator Value: | 1.0 | GAPI |
| Background Reading: | 0.0 | cps |
| Calibrator Reading: | 1.0 | cps |
| Sensitivity: | 1.0000 | GAPI/cps |

CBL Calibration Report

| | | | |
|---|---|---|---|
| Serial Number: | 111 | | |
| Tool Model: | TelCo_OCI | | |
| Performed: | Fri Dec 17 10:18:02 2010 | | |
| Depth: | 976.525 | ft | |
| Casing Diameter: | 4.500 | in | |
| | 3' Spacing | 5' Spacing | |
| Signal Zero: | 0.600 | 0.600 | mV |
| Calibrated Amplitude: | 61.196 | 61.196 | mV |
| Reading at Signal Zero: | 0.026 | 0.026 | V |
| Reading in Free Pipe: | 2.416 | 2.461 | V |
| Gain: | 33.364 | 32.773 | |
| Offset: | 0.331 | 0.337 | |