



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form). Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b).

RECEIVED
9/22/2011

1. OGCC Operator Number: 96850	4. Contact Name Karolina Blaney	Complete the Attachment Checklist OP OGCC
2. Name of Operator: Williams Production RMT	Phone: 970 683 2295	
3. Address: 1058 County Road 215	Fax: 970 285 9573	
City: Parachute State: CO Zip: 81635		
5. API Number 05-045-17027	OGCC Facility ID Number 338293	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number KP 24-17	Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): SE SW-17-6S-91W-6M		Surface Equip Diagram
9. County: Garfield	10. Field Name: Kokopelli	Technical Info Page <input checked="" type="checkbox"/>
11. Federal, Indian or State Lease Number:		Other <input checked="" type="checkbox"/>

General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qr is substantive and requires a new permit)									
Change of Surface Footage from Exterior Section Lines:	<table border="1"> <tr> <td></td> <td>FNU/SL</td> <td></td> <td>FEL/FWL</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>		FNU/SL		FEL/FWL				
	FNU/SL		FEL/FWL						
Change of Surface Footage to Exterior Section Lines:									
Change of Bottomhole Footage from Exterior Section Lines:									
Change of Bottomhole Footage to Exterior Section Lines:									
Bottomhole location Qtr/Sec, Twp, Rng, Mer									
Latitude	Distance to nearest property line								
Longitude	Distance to nearest lease line								
Ground Elevation	Distance to nearest well same formation								
	Distance to nearest bldg, public rd, utility or RR								
	Is location in a High Density Area (rule 603b)? Yes/No <input type="checkbox"/>								
	Surface owner consultation date:								
GPS DATA:									
Date of Measurement	PDOP Reading Instrument Operator's Name								
<input type="checkbox"/> CHANGE SPACING UNIT									
Formation	Formation Code Spacing order number Unit Acreage Unit configuration								
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):									
Effective Date:									
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual									
<input type="checkbox"/> CHANGE WELL NAME									
From:	NUMBER								
To:									
Effective Date:									
<input type="checkbox"/> ABANDONED LOCATION:									
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No									
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No									
Date Ready for Inspection:									
<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS									
Date well shut in or temporarily abandoned:									
Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No									
MIT required if shut in longer than two years. Date of last MIT									
<input type="checkbox"/> SPUD DATE:									
<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (5 mos from date casing set)									
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK *submit cbl and cement job summaries									
Method used	Cementing tool setting/perf depth Cement volume Cement top Cement bottom Date								
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.									
Final reclamation will commence on approximately	<input type="checkbox"/> Final reclamation is completed and site is ready for inspection.								

Technical Engineering/Environmental Notice

<input type="checkbox"/> Notice of Intent		<input type="checkbox"/> Report of Work Done	
Approximate Start Date:		Date Work Completed:	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)			
<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal	
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste	
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans	
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: Background	for Spills and Releases	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 9/22/2011 Email: Karolina.Blaney@Williams.com
 Print Name: Karolina Blaney Title: Environmental Specialist

COGCC Approved

Title:

Date:

CONDITIONS OF APPROVAL, IF ANY:

FOR
Chris Canfield
EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____ API Number: _____

2. Name of Operator: _____ OGCC Facility ID # _____


3. Well/Facility Name: _____ Well/Facility Number: _____

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS



Legend

- Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

KP 24-17

**Arsenic Background Sample Location Map
T6S R91W, Section 17**

August 25, 2011



Report of Analysis

Client Sample ID: KP 24-17

Lab Sample ID: T85059-1

Matrix: SO - Soil

Date Sampled: 08/22/11

Date Received: 08/23/11

Percent Solids: 84.6

Project: KP 24-17 Cuttings & Background

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.3	0.70	0.12	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Barium	5230	70	0.48	mg/kg	5	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Cadmium	0.37	0.35	0.019	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Calcium	41800	350	1.8	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Copper	14.3	1.7	0.077	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Lead	11.9	0.70	0.070	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Mercury	0.029	0.019	0.0074	mg/kg	1	08/30/11	08/30/11 TW	SW846 7471A ²	SW846 7471A ⁴
Nickel	25.9	2.8	0.079	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Selenium	0.20 U	0.70	0.20	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Silver	0.10 J	0.70	0.081	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³
Zinc	43.1	1.4	0.12	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ³

(1) Instrument QC Batch: MA6057

(2) Instrument QC Batch: MA6071

(3) Prep QC Batch: MP15583

(4) Prep QC Batch: MP15642

RL = Reporting Limit

MDL = Method Detection Limit

U = Indicates a result < MDL

J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	KP 24-17 B-1	Date Sampled:	08/05/10
Lab Sample ID:	D16024-2	Date Received:	08/06/10
Matrix:	SO - Soil	Percent Solids:	94.4
Project:	KP 24-17, KP 34-17		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.3	0.30	mg/kg	5	08/10/10	08/13/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA897
(2) Prep QC Batch: MP2560

RL = Reporting Limit

Report of Analysis

Client Sample ID:	KP 24-17 B-2	Date Sampled:	08/05/10
Lab Sample ID:	D16024-3	Date Received:	08/06/10
Matrix:	SO - Soil	Percent Solids:	93.9
Project:	KP 24-17, KP 34-17		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.8	0.30	mg/kg	5	08/12/10	08/12/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA895
(2) Prep QC Batch: MP2568

RL = Reporting Limit

Report of Analysis

Client Sample ID:	KP 24-17 B-3	Date Sampled:	08/05/10
Lab Sample ID:	D16024-4	Date Received:	08/06/10
Matrix:	SO - Soil	Percent Solids:	93.3
Project:	KP 24-17, KP 34-17		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.8	0.29	mg/kg	5	08/12/10	08/12/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA895
(2) Prep QC Batch: MP2568

RL = Reporting Limit

Report of Analysis

Client Sample ID:	KP 24-17 B-4	Date Sampled:	08/05/10
Lab Sample ID:	D16024-5	Date Received:	08/06/10
Matrix:	SO - Soil	Percent Solids:	94.1
Project:	KP 24-17, KP 34-17		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.1	0.30	mg/kg	5	08/12/10	08/12/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA895
(2) Prep QC Batch: MP2568

RL = Reporting Limit

Report of Analysis

Client Sample ID:	KP 24-17 B-5	Date Sampled:	08/05/10
Lab Sample ID:	D16024-6	Date Received:	08/06/10
Matrix:	SO - Soil	Percent Solids:	83.2
Project:	KP 24-17, KP 34-17		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.6	0.32	mg/kg	5	08/12/10	08/12/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA895
(2) Prep QC Batch: MP2568

RL = Reporting Limit

Report of Analysis

Client Sample ID:	KP 24-17-B-6	Date Sampled:	08/22/11
Lab Sample ID:	T85059-2	Date Received:	08/23/11
Matrix:	SO - Soil	Percent Solids:	93.8
Project:	KP 24-17 Cuttings & Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.4	0.65	0.11	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA6057
(2) Prep QC Batch: MP15583

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	KP 24-17-B-7	Date Sampled:	08/22/11
Lab Sample ID:	T85059-3	Date Received:	08/23/11
Matrix:	SO - Soil	Percent Solids:	93.2
Project:	KP 24-17 Cuttings & Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.3	0.64	0.11	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA6057
(2) Prep QC Batch: MP15583

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	KP 24-17-B-8	Date Sampled:	08/22/11
Lab Sample ID:	T85059-4	Date Received:	08/23/11
Matrix:	SO - Soil	Percent Solids:	94.1
Project:	KP 24-17 Cuttings & Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.0	0.63	0.11	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA6057
(2) Prep QC Batch: MP15583

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	KP 24-17-B-9	Date Sampled:	08/22/11
Lab Sample ID:	T85059-5	Date Received:	08/23/11
Matrix:	SO - Soil	Percent Solids:	95.4
Project:	KP 24-17 Cuttings & Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.2	0.62	0.10	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA6057
(2) Prep QC Batch: MP15583

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	KP 24-17-B-10	Date Sampled:	08/22/11
Lab Sample ID:	T85059-6	Date Received:	08/23/11
Matrix:	SO - Soil	Percent Solids:	95.8
Project:	KP 24-17 Cuttings & Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	2.8	0.59	0.10	mg/kg	1	08/24/11	08/27/11 EG	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA6057
(2) Prep QC Batch: MP15583

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL