

FORM
4
Rev 12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2109

DOCUMENT
#2216215

SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

RECEIVED
9/15/2011

1. OGCC Operator Number: 96850	4. Contact Name: Karolina Blaney	Complete the Attachment Checklist OP OGCC
2. Name of Operator: Williams Production RMT	Phone: 970 683 2295	
3. Address: 1058 County Road 215 City: Parachute State: CO Zip: 81635	Fax: 970 285 9573	
5. API Number 05-045-07441	OGCC Facility ID Number 335243	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number RMV 129-29	Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): NESE-29-65-94W-06M		Surface Eqmt Diagram
9. County: Garfield	10. Field Name: Rulison	Technical Info Page
11. Federal, Indian or State Lease Number:		Other

General Notice

☐ CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bottomhole location Qtr/Sec, Twp, Rng, Mer

Latitude _____ Distance to nearest property line _____ Distance to nearest bldg, public rd, utility or RR _____

Longitude _____ Distance to nearest lease line _____ Is location in a High Density Area (rule 603b)? Yes/No _____

Ground Elevation _____ Distance to nearest well same formation _____ Surface owner consultation date: _____

GPS DATA:

Date of Measurement _____ POOP Reading _____ Instrument Operator's Name _____

☐ CHANGE SPACING UNIT

Formation	Formation Code	Spacing order number	Unit Acreage	Unit configuration

☐ Remove from surface bond
Signed surface use agreement attached

☐ CHANGE OF OPERATOR (prior to drilling):

Effective Date: _____

Plugging Bond: ☐ Blanket ☐ Individual

☐ CHANGE WELL NAME

From: _____ NUMBER _____

To: _____

Effective Date: _____

☐ ABANDONED LOCATION:

Was location ever built? ☐ Yes ☐ No

Is site ready for inspection? ☐ Yes ☐ No

Date Ready for inspection: _____

☐ NOTICE OF CONTINUED SHUT IN STATUS

Date well shut in or temporarily abandoned: _____

Has Production Equipment been removed from site? ☐ Yes ☐ No

MIT required if shut in longer than two years. Date of last MIT _____

☐ SPUD DATE: _____

☐ REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

☐ SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK

*submit cbl and cement job summaries

Method used	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom	Date

☐ RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.

Final reclamation will commence on approximately _____ ☐ Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

☐ Notice of Intent

Approximate Start Date: _____

☐ Report of Work Done

Date Work Completed: _____

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: Background	for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 9/15/2011 Email: Karolina.Blaney@Williams.com

Print Name: Karolina Blaney Title: Environmental Specialist

COGCC Approved: Chris Canfield Title: FOR Date: 09/22/2011

CONDITIONS OF APPROVAL IF ANY: EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____ API Number: _____

2. Name of Operator: _____ OGCC Facility ID # _____


3. Well/Facility Name: _____ Well/Facility Number: _____

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS



Legend

- Background Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

RMV 129-29
Arsenic Background Sample Location Map
T6S R94W, Section 29

November 18, 2010



Report of Analysis

Client Sample ID: RMV 129-29

Lab Sample ID: T63908-1

Matrix: SO - Soil

Project: RMV 129-29

Date Sampled: 11/17/10

Date Received: 11/18/10

Percent Solids: 80.5

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analized By	Method	Prep Method
Arsenic ^a	4.3	0.65	0.14	mg/kg	5	11/23/10	12/04/10 ANJ	SW846 6020A ⁴	SW846 3050B ⁷
Barium ^b	4840	64	0.19	mg/kg	5	11/23/10	11/30/10 NS	SW846 6010B ³	SW846 3050B ⁵
Cadmium	0.064 U	0.32	0.064	mg/kg	1	11/23/10	11/30/10 NS	SW846 6010B ³	SW846 3050B ⁵
Chromium	17.2	0.64	0.045	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Copper	23.0	1.6	0.083	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Lead	21.3	0.64	0.26	mg/kg	1	11/23/10	11/30/10 NS	SW846 6010B ³	SW846 3050B ⁵
Mercury	0.043	0.020	0.0081	mg/kg	1	11/23/10	11/23/10 CN	SW846 7471A ¹	SW846 7471A ⁶
Nickel	10.7	2.6	0.083	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Selenium	0.37 J	0.64	0.15	mg/kg	1	11/23/10	11/30/10 NS	SW846 6010B ³	SW846 3050B ⁵
Silver	0.27 J	0.64	0.051	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Zinc	46.5	1.3	0.26	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵

(1) Instrument QC Batch: MA5274

(2) Instrument QC Batch: MA5278

(3) Instrument QC Batch: MA5284

(4) Instrument QC Batch: N:MA25471

(5) Prep QC Batch: MP13393

(6) Prep QC Batch: MP13396

(7) Prep QC Batch: N:MP55810

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

(b) Elevated reporting limit due to sample over calibration range.

RL = Reporting Limit

MDL = Method Detection Limit

U = Indicates a result < MDL

J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	RMV 129-29-B-1	Date Sampled:	11/17/10
Lab Sample ID:	T63908-2	Date Received:	11/18/10
Matrix:	SO - Soil	Percent Solids:	77.3
Project:	RMV 129-29		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.7	0.69	0.14	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278
(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	RMV 129-29-B-2	Date Sampled:	11/17/10
Lab Sample ID:	T63908-3	Date Received:	11/18/10
Matrix:	SO - Soil	Percent Solids:	87.0
Project:	RMV 129-29		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.7	0.60	0.12	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278
(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	RMV 129-29-B-3	Date Sampled:	11/17/10
Lab Sample ID:	T63908-4	Date Received:	11/18/10
Matrix:	SO - Soil	Percent Solids:	85.0
Project:	RMV 129-29		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.5	0.61	0.12	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278
(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	RMV 129-29-B-4	Date Sampled:	11/17/10
Lab Sample ID:	T63908-5	Date Received:	11/18/10
Matrix:	SO - Soil	Percent Solids:	66.8
Project:	RMV 129-29		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.9	0.80	0.16	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278
(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	1MV 129-29-B-5	Date Sampled:	11/17/10
Lab Sample ID:	T63908-6	Date Received:	11/18/10
Matrix:	SO - Soil	Percent Solids:	82.9
Project:	RMV 129-29		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.5	0.62	0.12	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278
(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL