


|                 |                  |                 |                |
|-----------------|------------------|-----------------|----------------|
| <b>Well</b>     | WF03C-27 K22 596 | <b>Client</b>   | Encana         |
| <b>Field</b>    | N. Parachute     | <b>SIR No.</b>  | 347754         |
| <b>Engineer</b> | B. Farnham       | <b>Job Type</b> | 9 5/8" Surface |
| <b>Country</b>  | United States    | <b>Job Date</b> | 6/13/2010      |




**Well** WF03C-27 K22 596  
**Field** N. Parachute  
**Engineer** B. Farnham  
**Country** United States

**Client** Encana  
**SIR No.** 347754  
**Job Type** 9 5/8" Surface  
**Job Date** 6/13/2010

Lead Slurry - 06/14/2010 00:58:32 to 06/14/2010 01:11:39



Tail Slurry - 06/14/2010 01:12:45 to 06/14/2010 01:19:50





# Cementing Service Report

|                           |                             |
|---------------------------|-----------------------------|
| <b>Customer</b><br>Encana | <b>Job Number</b><br>347754 |
|---------------------------|-----------------------------|

|  |  |  |                                 |
|--|--|--|---------------------------------|
| <b>Well</b><br>WF03C-27 K22 596 WF03C-27 K22 596 | <b>Location (legal)</b><br>Patterson 303 | <b>Schlumberger Location</b><br>Grand Junction | <b>Job Start</b><br>Jun/13/2010 |
|--|--|--|---------------------------------|

|                              |                                     |                            |                            |                             |                           |
|------------------------------|-------------------------------------|----------------------------|----------------------------|-----------------------------|---------------------------|
| <b>Field</b><br>N. Parachute | <b>Formation Name/Type</b><br>shale | <b>Deviation</b><br>15 deg | <b>Bit Size</b><br>12.3 in | <b>Well MD</b><br>1750.0 ft | <b>Well TVD</b><br>0.0 ft |
|------------------------------|-------------------------------------|----------------------------|----------------------------|-----------------------------|---------------------------|

|                           |                                   |            |                         |                        |                             |
|---------------------------|-----------------------------------|------------|-------------------------|------------------------|-----------------------------|
| <b>County</b><br>Garfield | <b>State/Province</b><br>Colorado | <b>BHP</b> | <b>BHST</b><br>100 degF | <b>BHCT</b><br>86 degF | <b>Pore Press. Gradient</b> |
|---------------------------|-----------------------------------|------------|-------------------------|------------------------|-----------------------------|

|                                  |                |  |                     |  |  |  |  |
|----------------------------------|----------------|--|---------------------|--|--|--|--|
| <b>Well Master</b><br>0631185820 | <b>API/UWI</b> |  | <b>Casing/Liner</b> |  |  |  |  |
|----------------------------------|----------------|--|---------------------|--|--|--|--|

|                                  |                           |                            |                  |                 |                      |              |               |
|----------------------------------|---------------------------|----------------------------|------------------|-----------------|----------------------|--------------|---------------|
| <b>Rig Name</b><br>patterson 303 | <b>Drilled For</b><br>Gas | <b>Service Via</b><br>Land | <b>Depth, ft</b> | <b>Size, in</b> | <b>Weight, lb/ft</b> | <b>Grade</b> | <b>Thread</b> |
|----------------------------------|---------------------------|----------------------------|------------------|-----------------|----------------------|--------------|---------------|

|                      |                          |   |       |        |      |  |  |
|----------------------|--------------------------|---|-------|--------|------|--|--|
| <b>Offshore Zone</b> | <b>Well Class</b><br>New | <b>Well Type</b><br>New Well Completion | 120.0 | 16.000 | 84.0 |  |  |
|----------------------|--------------------------|---|-------|--------|------|--|--|

|   |                                    |                                       |                          |  |  |  |  |
|---|------------------------------------|---------------------------------------|--------------------------|--|--|--|--|
| <b>Drilling Fluid Type</b><br>Bentonite | <b>Max. Density</b><br>9.20 lb/gal | <b>Plastic Viscosity</b><br>18.000 cP | <b>Tubing/Drill Pipe</b> |  |  |  |  |
|---|------------------------------------|---------------------------------------|--------------------------|--|--|--|--|

|                                  |                                   |                               |  |  |  |  |
|----------------------------------|-----------------------------------|-------------------------------|--|--|--|--|
| <b>Service Line</b><br>Cementing | <b>Job Type</b><br>9 5/8" Surface | <b>Perforations/Open Hole</b> |  |  |  |  |
|----------------------------------|-----------------------------------|-------------------------------|--|--|--|--|

|  |  |  |             |                |                     |                       |
|--|--|--|-------------|----------------|---------------------|-----------------------|
| <b>Max. Allowed Tub. Press</b><br>2500 psi | <b>Max. Allowed Ann. Press</b><br>1500 psi | <b>WH Connection</b><br>Single Cement head | <b>Top,</b> | <b>Bottom,</b> | <b>No. of Shots</b> | <b>Total Interval</b> |
|--|--|--|-------------|----------------|---------------------|-----------------------|

|   |  |  |                             |                                  |                                  |                                   |
|---|--|--|-----------------------------|----------------------------------|----------------------------------|-----------------------------------|
| <b>Service Instructions</b>   |  |  |                             |                                  |                                  |                                   |
| Cement 9 5/8" casing @ 1750ft in 12.25" OH with:<br>20 bbl water<br>249 sks 12.5 ppq NPR lead<br>136 sks 14.0 ppq NPR tail<br>Displace with water |  |  |                             |                                  |                                  |                                   |
|   |  |  | <b>Treat Down</b><br>Casing | <b>Displacement</b><br>132.2 bbl | <b>Packer Type</b>               | <b>Packer Depth</b>               |
|   |  |  | <b>Tubing Vol.</b>          | <b>Casing Vol.</b><br>132.2 bbl  | <b>Annular Vol.</b><br>106.0 bbl | <b>Openhole Vol.</b><br>250.0 bbl |

|  |   |                     |  |                    |  |  |
|--|---|---------------------|--|--------------------|--|--|
| <b>Casing/Tubing Secured</b> <input checked="" type="checkbox"/> | <b>1 Hole Vol. Circulated prior to Cement</b> <input checked="" type="checkbox"/> | <b>Casing Tools</b> |  | <b>Squeeze Job</b> |  |  |
|--|---|---------------------|--|--------------------|--|--|

|                                 |                           |                     |
|---------------------------------|---------------------------|---------------------|
| <b>Lift Pressure</b><br>868 psi | <b>Shoe Type</b><br>Guide | <b>Squeeze Type</b> |
|---------------------------------|---------------------------|---------------------|

|  |   |                                |                  |
|--|---|--------------------------------|------------------|
| <b>Pipe Rotated</b> <input type="checkbox"/> | <b>Pipe Reciprocated</b> <input type="checkbox"/> | <b>Shoe Depth</b><br>1750.0 ft | <b>Tool Type</b> |
|--|---|--------------------------------|------------------|

|                              |                       |                          |                        |                   |
|------------------------------|-----------------------|--------------------------|------------------------|-------------------|
| <b>No. Centralizers</b><br>0 | <b>Top Plugs</b><br>1 | <b>Bottom Plugs</b><br>0 | <b>Stage Tool Type</b> | <b>Tool Depth</b> |
|------------------------------|-----------------------|--------------------------|------------------------|-------------------|

|                                   |  |  |                         |                       |
|-----------------------------------|--|--|-------------------------|-----------------------|
| <b>Cement Head Type</b><br>Single |  |  | <b>Stage Tool Depth</b> | <b>Tail Pipe Size</b> |
|-----------------------------------|--|--|-------------------------|-----------------------|

|   |   |  |                             |                        |
|---|---|--|-----------------------------|------------------------|
| <b>Job Scheduled For</b><br>Jun/13/2010 23:00 | <b>Arrived on Location</b><br>Jun/13/2010 23:00 | <b>Leave Location</b><br>Jun/14/2010 05:00 | <b>Collar Type</b><br>Float | <b>Tail Pipe Depth</b> |
|---|---|--|-----------------------------|------------------------|

|  |  |  |                                |                        |
|--|--|--|--------------------------------|------------------------|
|  |  |  | <b>Collar Depth</b><br>45.0 ft | <b>Sqz. Total Vol.</b> |
|--|--|--|--------------------------------|------------------------|

| Date       | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message                             |
|------------|------------------|-----------------------|---------------|--------------|------------|-------------------------------------|
| 06/13/2010 | 23:52:42         |                       |               |              |            | Started Acquisition                 |
| 06/14/2010 | 00:13:54         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:13:55         |                       |               |              |            | Start Job                           |
| 06/14/2010 | 00:13:55         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:13:59         |                       |               |              |            | Rig Up Per Std. 5                   |
| 06/14/2010 | 00:13:59         |                       |               |              |            | Verify Flow/Vol. Rate @ 2.5 bbl/min |
| 06/14/2010 | 00:13:59         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:14:01         |                       |               |              |            | Held Safety Mtg.                    |
| 06/14/2010 | 00:14:01         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:14:03         |                       |               |              |            | Flow 2 bbl H2O Fill up line         |
| 06/14/2010 | 00:14:03         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:14:12         | 1                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:14:42         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:15:12         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:15:42         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:16:12         | 1                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:16:42         | 2                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:17:12         | 1                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:17:42         | 1                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:18:12         | 1                     | 0.0           | 8.37         | 0.0        |                                     |
| 06/14/2010 | 00:18:42         | 1                     | 0.0           | 8.37         | 0.0        |                                     |

| Well                              |                  | Field                 |               | Job Start    | Customer   |         | Job Number |
|-----------------------------------|------------------|-----------------------|---------------|--------------|------------|---------|------------|
| WF03C-27 K22 596 WF03C-27 K22 596 |                  | N. Parachute          |               | Jun/13/2010  | Encana     |         | 347754     |
| Date                              | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message |            |
| 06/14/2010                        | 00:19:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:20:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:20:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:21:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:21:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:22:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:22:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:23:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:23:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:24:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:24:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:25:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:25:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:26:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:26:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:27:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:27:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:28:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:28:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:29:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:29:42         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:30:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:30:42         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:31:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:31:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:32:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:32:42         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:33:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:33:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:34:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:34:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:35:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:35:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:36:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:36:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:37:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:37:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:38:12         | 2                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:38:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:39:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:39:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:40:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:40:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:41:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:41:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:42:12         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:42:42         | 1                     | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:43:12         | -2                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:43:42         | -1                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:44:12         | -1                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:44:42         | -1                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:45:12         | -1                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:45:42         | -1                    | 0.0           | 8.37         | 0.0        |         |            |
| 06/14/2010                        | 00:46:12         | -1                    | 0.0           | 8.37         | 0.0        |         |            |

| Well                              |                  | Field                 |               | Job Start    |            | Customer                 |  | Job Number |  |
|-----------------------------------|------------------|-----------------------|---------------|--------------|------------|--------------------------|--|------------|--|
| WF03C-27 K22 596 WF03C-27 K22 596 |                  | N. Parachute          |               | Jun/13/2010  |            | Encana                   |  | 347754     |  |
| Date                              | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message                  |  |            |  |
| 06/14/2010                        | 00:47:12         | -1                    | 0.0           | 8.37         | 0.0        |                          |  |            |  |
| 06/14/2010                        | 00:47:42         | 39                    | 1.8           | 8.37         | 0.3        |                          |  |            |  |
| 06/14/2010                        | 00:48:12         | 56                    | 1.7           | 8.36         | 1.1        |                          |  |            |  |
| 06/14/2010                        | 00:48:42         | 56                    | 1.7           | 8.37         | 2.0        |                          |  |            |  |
| 06/14/2010                        | 00:48:55         |                       |               |              |            | Pressure Test Lines      |  |            |  |
| 06/14/2010                        | 00:48:55         | 23                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:48:57         |                       |               |              |            | 500/3400 psi Test        |  |            |  |
| 06/14/2010                        | 00:48:57         | 24                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:48:58         |                       |               |              |            | Test = Successful        |  |            |  |
| 06/14/2010                        | 00:48:58         | 24                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:49:12         | 20                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:49:42         | 496                   | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:50:12         | 463                   | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:50:42         | 443                   | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:51:12         | 1732                  | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:51:42         | 3401                  | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:52:12         | 3384                  | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:52:42         | 3374                  | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:53:08         |                       |               |              |            | Start Pumping Spacer     |  |            |  |
| 06/14/2010                        | 00:53:08         | 12                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:53:10         |                       |               |              |            | Pump 20 bbl H2O          |  |            |  |
| 06/14/2010                        | 00:53:10         |                       |               |              |            | Good Returns             |  |            |  |
| 06/14/2010                        | 00:53:10         | 11                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:53:12         | 10                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:53:42         | 11                    | 0.0           | 8.37         | 2.1        |                          |  |            |  |
| 06/14/2010                        | 00:54:12         | 110                   | 2.2           | 8.37         | 2.7        |                          |  |            |  |
| 06/14/2010                        | 00:54:42         | 114                   | 3.6           | 8.37         | 4.5        |                          |  |            |  |
| 06/14/2010                        | 00:55:12         | 207                   | 4.6           | 8.37         | 6.3        |                          |  |            |  |
| 06/14/2010                        | 00:55:42         | 197                   | 4.9           | 8.37         | 8.7        |                          |  |            |  |
| 06/14/2010                        | 00:56:12         | 216                   | 4.9           | 8.37         | 11.2       |                          |  |            |  |
| 06/14/2010                        | 00:56:42         | 209                   | 4.9           | 8.37         | 13.6       |                          |  |            |  |
| 06/14/2010                        | 00:57:12         | 203                   | 4.9           | 8.37         | 16.1       |                          |  |            |  |
| 06/14/2010                        | 00:57:42         | 215                   | 4.9           | 8.37         | 18.6       |                          |  |            |  |
| 06/14/2010                        | 00:58:03         |                       |               |              |            | End Spacer               |  |            |  |
| 06/14/2010                        | 00:58:03         | 217                   | 4.9           | 8.37         | 20.3       |                          |  |            |  |
| 06/14/2010                        | 00:58:06         |                       |               |              |            | Start Cement Slurry      |  |            |  |
| 06/14/2010                        | 00:58:06         | 205                   | 4.9           | 8.37         | 20.5       |                          |  |            |  |
| 06/14/2010                        | 00:58:12         | 220                   | 5.2           | 9.51         | 21.1       |                          |  |            |  |
| 06/14/2010                        | 00:58:32         |                       |               |              |            | Start Mixing Lead Slurry |  |            |  |
| 06/14/2010                        | 00:58:32         | 286                   | 5.0           | 12.64        | 22.7       |                          |  |            |  |
| 06/14/2010                        | 00:58:42         |                       |               |              |            | Pump 93 bbl 12.5 Lead    |  |            |  |
| 06/14/2010                        | 00:58:42         | 278                   | 5.0           | 12.65        | 23.6       |                          |  |            |  |
| 06/14/2010                        | 00:58:45         |                       |               |              |            | Good Returns             |  |            |  |
| 06/14/2010                        | 00:58:45         | 293                   | 5.0           | 12.65        | 23.8       |                          |  |            |  |
| 06/14/2010                        | 00:59:12         | 295                   | 4.9           | 12.59        | 26.1       |                          |  |            |  |
| 06/14/2010                        | 00:59:42         | 389                   | 6.6           | 12.39        | 29.2       |                          |  |            |  |
| 06/14/2010                        | 01:00:12         | 380                   | 6.6           | 12.49        | 32.5       |                          |  |            |  |
| 06/14/2010                        | 01:00:42         | 374                   | 6.6           | 12.58        | 35.8       |                          |  |            |  |
| 06/14/2010                        | 01:01:12         | 381                   | 6.6           | 12.63        | 39.1       |                          |  |            |  |
| 06/14/2010                        | 01:01:42         | 343                   | 6.5           | 12.67        | 42.4       |                          |  |            |  |
| 06/14/2010                        | 01:01:47         |                       |               |              |            | Wet Dry Samples Taken    |  |            |  |
| 06/14/2010                        | 01:01:47         |                       |               |              |            | Mudscale Balance = Good  |  |            |  |
| 06/14/2010                        | 01:01:47         | 362                   | 6.5           | 12.66        | 42.9       |                          |  |            |  |
| 06/14/2010                        | 01:02:12         | 357                   | 6.6           | 12.75        | 45.6       |                          |  |            |  |

| Well                              |                  | Field                 |               | Job Start    |            | Customer                 |  | Job Number |  |
|-----------------------------------|------------------|-----------------------|---------------|--------------|------------|--------------------------|--|------------|--|
| WF03C-27 K22 596 WF03C-27 K22 596 |                  | N. Parachute          |               | Jun/13/2010  |            | Encana                   |  | 347754     |  |
| Date                              | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message                  |  |            |  |
| 06/14/2010                        | 01:03:12         | 349                   | 6.6           | 12.70        | 52.2       |                          |  |            |  |
| 06/14/2010                        | 01:03:42         | 344                   | 6.6           | 12.57        | 55.5       |                          |  |            |  |
| 06/14/2010                        | 01:04:12         | 340                   | 6.6           | 12.53        | 58.8       |                          |  |            |  |
| 06/14/2010                        | 01:04:42         | 352                   | 6.5           | 12.50        | 62.0       |                          |  |            |  |
| 06/14/2010                        | 01:05:12         | 342                   | 6.6           | 12.51        | 65.3       |                          |  |            |  |
| 06/14/2010                        | 01:05:42         | 346                   | 6.6           | 12.53        | 68.6       |                          |  |            |  |
| 06/14/2010                        | 01:06:12         | 341                   | 6.6           | 12.52        | 71.9       |                          |  |            |  |
| 06/14/2010                        | 01:06:42         | 343                   | 6.6           | 12.52        | 75.2       |                          |  |            |  |
| 06/14/2010                        | 01:07:12         | 343                   | 6.6           | 12.55        | 78.5       |                          |  |            |  |
| 06/14/2010                        | 01:07:42         | 331                   | 6.6           | 12.54        | 81.7       |                          |  |            |  |
| 06/14/2010                        | 01:08:12         | 332                   | 6.6           | 12.56        | 85.0       |                          |  |            |  |
| 06/14/2010                        | 01:08:42         | 322                   | 6.6           | 12.55        | 88.3       |                          |  |            |  |
| 06/14/2010                        | 01:09:12         | 320                   | 6.6           | 12.52        | 91.6       |                          |  |            |  |
| 06/14/2010                        | 01:09:42         | 334                   | 6.6           | 12.50        | 94.9       |                          |  |            |  |
| 06/14/2010                        | 01:10:12         | 332                   | 6.6           | 12.49        | 98.2       |                          |  |            |  |
| 06/14/2010                        | 01:10:42         | 339                   | 6.6           | 12.45        | 101.5      |                          |  |            |  |
| 06/14/2010                        | 01:11:12         | 342                   | 6.6           | 12.35        | 104.8      |                          |  |            |  |
| 06/14/2010                        | 01:11:39         |                       |               |              |            | End Lead Slurry          |  |            |  |
| 06/14/2010                        | 01:11:39         | 339                   | 6.6           | 12.22        | 107.8      |                          |  |            |  |
| 06/14/2010                        | 01:11:42         | 348                   | 6.5           | 12.20        | 108.1      |                          |  |            |  |
| 06/14/2010                        | 01:12:12         | 389                   | 6.5           | 13.31        | 111.4      |                          |  |            |  |
| 06/14/2010                        | 01:12:42         | 435                   | 6.6           | 13.83        | 114.6      |                          |  |            |  |
| 06/14/2010                        | 01:12:45         |                       |               |              |            | Start Mixing Tail Slurry |  |            |  |
| 06/14/2010                        | 01:12:45         | 435                   | 6.6           | 13.82        | 115.0      |                          |  |            |  |
| 06/14/2010                        | 01:12:59         |                       |               |              |            | Pump 37 bbl 14.0 Tail    |  |            |  |
| 06/14/2010                        | 01:12:59         | 430                   | 6.5           | 14.03        | 116.5      |                          |  |            |  |
| 06/14/2010                        | 01:13:00         |                       |               |              |            | Good Returns             |  |            |  |
| 06/14/2010                        | 01:13:00         |                       |               |              |            | Wet Dry Samples taken    |  |            |  |
| 06/14/2010                        | 01:13:00         | 433                   | 6.5           | 14.03        | 116.6      |                          |  |            |  |
| 06/14/2010                        | 01:13:01         |                       |               |              |            | Mudscale balance = OK    |  |            |  |
| 06/14/2010                        | 01:13:01         | 433                   | 6.5           | 14.02        | 116.7      |                          |  |            |  |
| 06/14/2010                        | 01:13:12         | 401                   | 6.1           | 14.10        | 117.9      |                          |  |            |  |
| 06/14/2010                        | 01:13:42         | 263                   | 5.0           | 13.93        | 120.7      |                          |  |            |  |
| 06/14/2010                        | 01:14:12         | 272                   | 4.8           | 14.10        | 123.2      |                          |  |            |  |
| 06/14/2010                        | 01:14:42         | 256                   | 4.8           | 14.01        | 125.5      |                          |  |            |  |
| 06/14/2010                        | 01:15:12         | 265                   | 4.8           | 14.17        | 127.9      |                          |  |            |  |
| 06/14/2010                        | 01:15:42         | 261                   | 4.8           | 14.10        | 130.3      |                          |  |            |  |
| 06/14/2010                        | 01:16:12         | 279                   | 4.8           | 14.19        | 132.7      |                          |  |            |  |
| 06/14/2010                        | 01:16:42         | 255                   | 4.8           | 13.95        | 135.1      |                          |  |            |  |
| 06/14/2010                        | 01:17:12         | 249                   | 4.8           | 14.03        | 137.5      |                          |  |            |  |
| 06/14/2010                        | 01:17:42         | 257                   | 4.8           | 14.10        | 139.8      |                          |  |            |  |
| 06/14/2010                        | 01:18:12         | 264                   | 4.8           | 14.11        | 142.2      |                          |  |            |  |
| 06/14/2010                        | 01:18:42         | 255                   | 4.8           | 14.08        | 144.6      |                          |  |            |  |
| 06/14/2010                        | 01:19:12         | 224                   | 4.8           | 14.08        | 147.0      |                          |  |            |  |
| 06/14/2010                        | 01:19:42         | 247                   | 4.8           | 14.09        | 149.4      |                          |  |            |  |
| 06/14/2010                        | 01:19:50         |                       |               |              |            | End Tail Slurry          |  |            |  |
| 06/14/2010                        | 01:19:50         | 235                   | 4.8           | 14.08        | 150.0      |                          |  |            |  |
| 06/14/2010                        | 01:19:55         |                       |               |              |            | Drop Top Plug            |  |            |  |
| 06/14/2010                        | 01:19:55         | 229                   | 4.8           | 14.07        | 150.4      |                          |  |            |  |
| 06/14/2010                        | 01:19:57         |                       |               |              |            | Start Displacement       |  |            |  |
| 06/14/2010                        | 01:19:57         | 241                   | 4.8           | 14.07        | 150.6      |                          |  |            |  |
| 06/14/2010                        | 01:20:12         | 15                    | 3.5           | 14.08        | 151.7      |                          |  |            |  |
| 06/14/2010                        | 01:20:42         | 19                    | 0.0           | 14.18        | 151.8      |                          |  |            |  |
| 06/14/2010                        | 01:21:12         | 18                    | 0.0           | 14.16        | 151.8      |                          |  |            |  |

| Well                              |                  | Field                 |               | Job Start    |            | Customer                  |  | Job Number |  |
|-----------------------------------|------------------|-----------------------|---------------|--------------|------------|---------------------------|--|------------|--|
| WF03C-27 K22 596 WF03C-27 K22 596 |                  | N. Parachute          |               | Jun/13/2010  |            | Encana                    |  | 347754     |  |
| Date                              | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message                   |  |            |  |
| 06/14/2010                        | 01:22:12         | 11                    | 0.0           | 14.14        | 151.8      |                           |  |            |  |
| 06/14/2010                        | 01:22:42         | 11                    | 0.0           | 14.14        | 151.8      |                           |  |            |  |
| 06/14/2010                        | 01:23:12         | 21                    | 0.0           | 14.15        | 151.8      |                           |  |            |  |
| 06/14/2010                        | 01:23:42         | 13                    | 0.4           | 14.24        | 151.9      |                           |  |            |  |
| 06/14/2010                        | 01:24:12         | 106                   | 2.7           | 9.19         | 152.9      |                           |  |            |  |
| 06/14/2010                        | 01:24:42         | 199                   | 5.1           | 8.99         | 155.1      |                           |  |            |  |
| 06/14/2010                        | 01:25:12         | 180                   | 5.1           | 8.90         | 157.7      |                           |  |            |  |
| 06/14/2010                        | 01:25:42         | 274                   | 6.5           | 8.91         | 160.5      |                           |  |            |  |
| 06/14/2010                        | 01:26:12         | 269                   | 6.5           | 8.77         | 163.8      |                           |  |            |  |
| 06/14/2010                        | 01:26:42         | 263                   | 6.6           | 8.67         | 167.0      |                           |  |            |  |
| 06/14/2010                        | 01:27:12         | 267                   | 6.6           | 8.59         | 170.3      |                           |  |            |  |
| 06/14/2010                        | 01:27:42         | 242                   | 6.5           | 8.54         | 173.6      |                           |  |            |  |
| 06/14/2010                        | 01:28:12         | 247                   | 6.6           | 8.53         | 176.9      |                           |  |            |  |
| 06/14/2010                        | 01:28:42         | 245                   | 6.6           | 8.51         | 180.2      |                           |  |            |  |
| 06/14/2010                        | 01:29:12         | 246                   | 6.6           | 8.50         | 183.5      |                           |  |            |  |
| 06/14/2010                        | 01:29:42         | 257                   | 6.5           | 8.48         | 186.8      |                           |  |            |  |
| 06/14/2010                        | 01:30:12         | 245                   | 6.5           | 8.46         | 190.0      |                           |  |            |  |
| 06/14/2010                        | 01:30:42         | 245                   | 6.4           | 8.33         | 193.2      |                           |  |            |  |
| 06/14/2010                        | 01:31:12         | 247                   | 6.4           | 8.32         | 196.5      |                           |  |            |  |
| 06/14/2010                        | 01:31:42         | 247                   | 6.5           | 8.34         | 199.7      |                           |  |            |  |
| 06/14/2010                        | 01:32:12         | 255                   | 6.5           | 8.34         | 202.9      |                           |  |            |  |
| 06/14/2010                        | 01:32:42         | 264                   | 6.5           | 8.35         | 206.2      |                           |  |            |  |
| 06/14/2010                        | 01:33:12         | 276                   | 6.5           | 8.35         | 209.5      |                           |  |            |  |
| 06/14/2010                        | 01:33:42         | 297                   | 6.5           | 8.36         | 212.7      |                           |  |            |  |
| 06/14/2010                        | 01:34:12         | 320                   | 6.5           | 8.36         | 216.0      |                           |  |            |  |
| 06/14/2010                        | 01:34:42         | 349                   | 6.5           | 8.36         | 219.3      |                           |  |            |  |
| 06/14/2010                        | 01:35:12         | 351                   | 6.5           | 8.36         | 222.5      |                           |  |            |  |
| 06/14/2010                        | 01:35:42         | 388                   | 6.5           | 8.36         | 225.8      |                           |  |            |  |
| 06/14/2010                        | 01:36:12         | 403                   | 6.5           | 8.36         | 229.0      |                           |  |            |  |
| 06/14/2010                        | 01:36:42         | 437                   | 6.5           | 8.34         | 232.3      |                           |  |            |  |
| 06/14/2010                        | 01:37:05         |                       |               |              |            | Pump 132 bbl H2O          |  |            |  |
| 06/14/2010                        | 01:37:05         |                       |               |              |            | Good Returns              |  |            |  |
| 06/14/2010                        | 01:37:05         | 442                   | 6.5           | 8.36         | 234.8      |                           |  |            |  |
| 06/14/2010                        | 01:37:06         |                       |               |              |            | Caught Plug @ 55 away     |  |            |  |
| 06/14/2010                        | 01:37:06         | 429                   | 6.5           | 8.36         | 234.9      |                           |  |            |  |
| 06/14/2010                        | 01:37:12         | 444                   | 6.5           | 8.36         | 235.5      |                           |  |            |  |
| 06/14/2010                        | 01:37:42         | 469                   | 6.5           | 8.37         | 238.8      |                           |  |            |  |
| 06/14/2010                        | 01:37:53         |                       |               |              |            | 30 bbls Cement to Surface |  |            |  |
| 06/14/2010                        | 01:37:53         | 475                   | 6.5           | 8.37         | 240.0      |                           |  |            |  |
| 06/14/2010                        | 01:38:12         | 513                   | 5.8           | 8.37         | 241.9      |                           |  |            |  |
| 06/14/2010                        | 01:38:42         | 432                   | 5.8           | 8.37         | 244.8      |                           |  |            |  |
| 06/14/2010                        | 01:39:12         | 502                   | 6.5           | 8.37         | 247.9      |                           |  |            |  |
| 06/14/2010                        | 01:39:42         | 526                   | 6.5           | 8.37         | 251.1      |                           |  |            |  |
| 06/14/2010                        | 01:40:12         | 512                   | 6.5           | 8.37         | 254.4      |                           |  |            |  |
| 06/14/2010                        | 01:40:42         | 543                   | 6.5           | 8.37         | 257.6      |                           |  |            |  |
| 06/14/2010                        | 01:41:12         | 551                   | 6.5           | 8.37         | 260.8      |                           |  |            |  |
| 06/14/2010                        | 01:41:42         | 587                   | 6.5           | 8.37         | 264.1      |                           |  |            |  |
| 06/14/2010                        | 01:42:12         | 585                   | 6.4           | 8.37         | 267.3      |                           |  |            |  |
| 06/14/2010                        | 01:42:42         | 598                   | 6.5           | 8.37         | 270.5      |                           |  |            |  |
| 06/14/2010                        | 01:43:12         | 603                   | 6.4           | 8.37         | 273.7      |                           |  |            |  |
| 06/14/2010                        | 01:43:42         | 651                   | 6.5           | 8.37         | 277.0      |                           |  |            |  |
| 06/14/2010                        | 01:44:12         | 432                   | 2.5           | 8.37         | 279.1      |                           |  |            |  |
| 06/14/2010                        | 01:44:42         | 429                   | 2.5           | 8.37         | 280.4      |                           |  |            |  |
| 06/14/2010                        | 01:45:12         | 452                   | 2.5           | 8.37         | 281.7      |                           |  |            |  |

| Well                              |                  | Field                 |               | Job Start    |            | Customer                 |  | Job Number |  |
|-----------------------------------|------------------|-----------------------|---------------|--------------|------------|--------------------------|--|------------|--|
| WF03C-27 K22 596 WF03C-27 K22 596 |                  | N. Parachute          |               | Jun/13/2010  |            | Encana                   |  | 347754     |  |
| Date                              | Time 24-hr clock | Treating Pressure PSI | Flow Rate B/M | Density LB/G | Volume BBL | Message                  |  |            |  |
| 06/14/2010                        | 01:46:12         | 465                   | 2.5           | 8.37         | 284.2      |                          |  |            |  |
| 06/14/2010                        | 01:46:42         | 459                   | 2.5           | 8.37         | 285.5      |                          |  |            |  |
| 06/14/2010                        | 01:47:12         | 453                   | 2.5           | 8.37         | 286.7      |                          |  |            |  |
| 06/14/2010                        | 01:47:42         | 1168                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:47:54         |                       |               |              |            | Bump Top Plug            |  |            |  |
| 06/14/2010                        | 01:47:54         | 1176                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:47:55         |                       |               |              |            | End Displacement         |  |            |  |
| 06/14/2010                        | 01:47:55         | 1174                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:48:12         | 1177                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:48:42         | 1175                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:49:12         | 1176                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:49:42         | 1177                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:50:12         | 1178                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:50:42         | 1179                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:51:12         | 1179                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:51:42         | 1180                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:52:12         | 1180                  | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:52:42         | 1181                  | 0.0           | 8.37         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:53:12         | 1182                  | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:53:42         | 1183                  | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:54:12         | 849                   | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:54:42         | 15                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:55:04         |                       |               |              |            | Float Held / 3/4bbl back |  |            |  |
| 06/14/2010                        | 01:55:04         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:55:12         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:55:28         |                       |               |              |            | End Job                  |  |            |  |
| 06/14/2010                        | 01:55:28         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:55:42         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:56:12         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:56:42         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:57:12         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:57:42         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:58:12         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:58:42         | -1                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:59:12         | -4                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 01:59:42         | -4                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 02:00:12         | -4                    | 0.0           | 8.38         | 287.8      |                          |  |            |  |
| 06/14/2010                        | 02:00:38         | 9                     | 0.0           | 8.38         | 287.8      |                          |  |            |  |

|  |                              |                                 |                           |                             |
|--|------------------------------|---------------------------------|---------------------------|-----------------------------|
| <b>Well</b><br>WF03C-27 K22 596 WF03C-27 K22 596 | <b>Field</b><br>N. Parachute | <b>Job Start</b><br>Jun/13/2010 | <b>Customer</b><br>Encana | <b>Job Number</b><br>347754 |
|--|------------------------------|---------------------------------|---------------------------|-----------------------------|

### Post Job Summary

| Average Pump Rates, bbl/min                                  |  |                                  |  |  | Volume of Fluid Injected, bbl                    |  |                               |  |
|--|--|----------------------------------|--|--|--|--|-------------------------------|--|
| <b>Slurry</b><br>5.0   | <b>N2</b>                                  | <b>Mud</b><br>0.0                | <b>Maximum Rate</b><br>8.0                   | <b>Total Slurry</b><br>130.0   | <b>Mud</b><br>0.0                                | <b>Spacer</b><br>20.0                                    | <b>N2</b>                     |  |
| Treating Pressure Summary, psi                               |  |                                  |  |  | Breakdown Fluid                                  |  |                               |  |
| <b>Maximum</b><br>3000                                       | <b>Final</b><br>1135                       | <b>Average</b><br>0              | <b>Bump Plug to</b><br>1135                  | <b>Breakdown</b>   | <b>Type</b><br>FreshWater                        | <b>Volume</b><br>325.0 bbl                               | <b>Density</b><br>8.34 lb/gal |  |
| <b>Avg. N2 Percent</b>                                       | <b>Designed Slurry Volume</b><br>130.0 bbl | <b>Displacement</b><br>132.0 bbl | <b>Mix Water Temp</b><br>70 degF             | <b>Cement Circulated to Surface?</b> <input checked="" type="checkbox"/> | <b>Volume</b><br>30.0 bbl                        |  |                               |  |
|  |  |                                  |  | <b>Washed Thru Perfs</b> <input type="checkbox"/>                        | <b>To</b>  |  |                               |  |
| <b>Customer or Authorized Representative</b><br>Steve Record |  |                                  | <b>Schlumberger Supervisor</b><br>B. Farnham |  | <b>Circulation Lost</b> <input type="checkbox"/> | <b>Job Completed</b> <input checked="" type="checkbox"/> |                               |  |
|  |  |                                  |  | -  |  | -  |                               |  |