

**From:** [Glinisty, Judy](#)  
**To:** [Koepsell, Arthur](#)  
**Subject:** RE: Champion 44-9R Form 2A Document #400206886, Pioneer  
**Date:** Monday, October 10, 2011 9:05:45 AM

---

Hi Arthur – Pioneer agrees to the COAs listed below for the Champion 44-9R. Thank you.

*Judy Glinisty*

*Sr. Engineering Tech*

*Pioneer Natural Resources USA, Inc.*

*phone - 303-675-2658*

---

**From:** Koepsell, Arthur [mailto:Arthur.Koepsell@state.co.us]  
**Sent:** Tuesday, October 04, 2011 10:21 AM  
**To:** Glinisty, Judy  
**Subject:** Champion 44-9R Form 2A Document #400206886, Pioneer

Judy,

The COGCC is reviewing the Form 2A (#400207858) Mach One 44-27 TR location, located in the SESE Sec 27 T32S R66W Las Animas County, Colorado. The COGCC requests the following changes regarding the data submitted on or attached to the Form 2A prior to passing the Oil and Gas Location Assessment (OGLA).

1. Sensitive area: Due to the Gulnare-Allens Park Complex, 5 to 35% slopes soil type the site should be considered a sensitive area.
  - The sensitive area tab should be changed to YES.
  
2. **Conditions of Approval:** The following conditions of approval (COAs) will apply to the Mach One 44-27 TR location:
  - Prior to putting a production pit into service Pioneer shall submit an Earthen Pit Report/Permit Form 15 to the Director for approval in accordance with rule 903.a.. No fluids shall be placed in a pit without a pre-approved form 15.
  - Location is in a sensitive area because of potential for adverse impacts to ground water/surface water; therefore all pits will be lined.
  - Reference area pictures shall be provided to the COGCC within 12 months of approval of the form 2A.

If you have any questions or concerns, please do not hesitate to contact me.

Thanks,

Arthur

Arthur W. Koepsell, P.G.  
Oil & Gas Location Assessment Specialist  
Southern Area

Colorado Oil and Gas Conservation Commission  
1120 Lincoln St. Suite 801  
Denver Colorado 80203  
Phone (303) 894-2100 ext. 5148

---

Statement of Confidentiality:

This message may contain information that is privileged or confidential. If you receive this transmission in error, please notify the sender by reply e-mail and delete the message and any attachments.