

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
400184161

Oil and Gas Location Assessment

New Location Amend Existing Location Location#: _____

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:
426120
Expiration Date:
10/20/2014

This location assessment is included as part of a permit application.

1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 10267
 Name: VECTA OIL & GAS LTD
 Address: 575 UNION BLVD #208
 City: LAKEWOOD State: CO Zip: 80228

3. Contact Information

Name: Kimberly Rodell
 Phone: (303) 820-4480
 Fax: (303) 820-4124
 email: kim@banko1.com

4. Location Identification:

Name: Vecta Number: 1-13-2-98
 County: RIO BLANCO
 Quarter: SESE Section: 13 Township: 2N Range: 98W Meridian: 6 Ground Elevation: 5921

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 847 feet FSL, from North or South section line, and 651 feet FEL, from East or West section line.
 Latitude: 40.137070 Longitude: -108.332875 PDOP Reading: 3.9 Date of Measurement: 03/22/2011
 Instrument Operator's Name: Joe Montoya

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/> 1	Wells: <input type="checkbox"/> 1	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/> 1	Water Tanks: <input type="checkbox"/> 1	Separators: <input type="checkbox"/> 1	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/>	Pump Jacks: <input type="checkbox"/>	Pigging Station: <input type="checkbox"/>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="checkbox"/> 1	Oil Pipeline: <input type="checkbox"/>	Water Pipeline: <input type="checkbox"/>	Flare: <input type="checkbox"/> 1
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="checkbox"/>	Oil Tanks: <input type="checkbox"/>	Fuel Tanks: <input type="checkbox"/>	

Other: _____

6. Construction:

Date planned to commence construction: 10/10/2011 Size of disturbed area during construction in acres: 2.60
Estimated date that interim reclamation will begin: 04/10/2012 Size of location after interim reclamation in acres: 0.50
Estimated post-construction ground elevation: 5917 Will a closed loop system be used for drilling fluids: Yes No
Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
Other: Backfill and cover

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: 08/02/2011
Surface Owner: Fee State Federal Indian
Mineral Owner: Fee State Federal Indian
The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: 20080067 Gas Facility Surety ID: _____ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
Distance, in feet, to nearest building: 5280, public road: 1235, above ground utilit: 5280
, railroad: 5280, property line: 651

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 104 - Yamac loam, 2 to 15 percent slopes

NRCS Map Unit Name: 53 - Moyerson stony clay loam, 15 to 65 percent slopes

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: 04/11/2011

List individual species: Bitterbrush, Saltbush, Sage Brush, Native forbs & grasses

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes

Distance (in feet) to nearest surface water: 686, water well: 10030, depth to ground water: 220

Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes

Is the location within a Rule 317B Surface Water Suppl Area buffer zone:

No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:

There are no buildings, above ground utilities, or railroads within one mile. The closest public road is that portion of the access road that lies on Bureau of Land Management surface which is 1,235' from the location. The remaining portion of the road to the wellhead is on private surface. Closest water well is Water Well Number 267751 located 10,030' to the southeast in Section 20 T2N R97W. Closest water well with depth to ground information is Water Well Number 67601F. The well is 29,400' to the southeast in Section 35 T2N R97W.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 09/06/2011 Email: kim@banko1.com

Print Name: Kimberly J. Rodell Title: Permit Agent

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Nashin Director of COGCC Date: 10/21/2011

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Any pit constructed to hold liquids, must be lined or a closed loop system must be implemented during drilling.

Operator must ensure secondary containment for any volume of fluids (excluding freshwater) contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.

The access road will be constructed to prevent sediment migration from the access road to nearby surface water or any drainages leading to other nearby surface waters.

Attachment Check List

Att Doc Num	Name
2034029	CORRESPONDENCE
400184161	FORM 2A SUBMITTED
400202833	SURFACE AGRMT/SURETY
400202834	SURFACE AGRMT/SURETY
400202838	CONST. LAYOUT DRAWINGS
400202839	SURFACE PLAN
400202840	HYDROLOGY MAP
400202841	NRCS MAP UNIT DESC
400202842	LOCATION PICTURES
400202849	ACCESS ROAD MAP
400202850	REFERENCE AREA PICTURES

Total Attach: 11 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	DOW comments addressed. LGD/pub. comm. waived. Final Comprehensive Review Status--passed.	10/20/2011 10:55:06 AM
DOW	CPW staff attended onsite with BLM for this location and provided wildlife comments and recommendations. CPW affirms that the lease stipulations and conditions of approval assigned to this permit by the BLM suffice to address wildlife habitat and mitigation concerns. Thursday, October 13, 2011 at 10:25 a.m.	10/13/2011 10:23:17 AM
Permit	ready to approve in permitting when 2A DOW exp. 10/16	9/23/2011 3:49:54 PM
OGLA	Initiated/Completed OGLA Form 2A review on 09-19-11 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks, and cuttings low moisture content COAs from operator on 09-19-11; received acknowledgement of COAs from operator on 09-26-11; passed by CDOW on 10-13-11 with BLM stipulations and COAs acceptable; change depth to GW to 220' bgs; passed OGLA Form 2A review on 10-19-11 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks, and cuttings low moisture content COAs.	9/19/2011 3:07:46 PM

Total: 4 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)