

**FORM  
2A**Rev  
04/01**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



|    |    |    |    |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

400224152

**Oil and Gas Location Assessment**☒ New Location ☐ Amend Existing Location Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

Expiration Date:

☒ This location assessment is included as part of a permit application.**1. CONSULTATION**

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

**2. Operator**

Operator Number: 100185

Name: ENCANA OIL & GAS (USA) INC

Address: 370 17TH ST STE 1700

City: DENVER State: CO Zip: 80202-5632

**3. Contact Information**

Name: NICK CURRAN

Phone: (720) 8765288

Fax: (720) 8766288

email: NICK.CURRAN@ENCANA.COM

**4. Location  
Identification:**

Name: DINNER FEDERAL 4A-14H Number: MULTI WELL PAD

County: WELD

QuarterQuarter: SESE Section: 14 Township: 4N Range: 66W Meridian: 6 Ground Elevation: 4723

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1122 feet FSL, from North or South section line, and 347 feet FEL, from East or West section line.

Latitude: 40.307770 Longitude: -104.736200 PDOP Reading: 1.4 Date of Measurement: 10/20/2011

Instrument Operator's Name: TOM WINANS

**5. Facilities (Indicate the number of each type of oil and gas facility planned on location):**

|  |   |  |   |  |
|--|---|--|---|--|
| Special Purpose Pits: <input type="checkbox"/> | Drilling Pits: <input type="checkbox"/> | Wells: <input type="checkbox"/> <u>1</u> | Production Pits: <input type="checkbox"/> | Dehydrator Units: <input type="checkbox"/> |
| Condensate Tanks: <input type="checkbox"/>     | Water Tanks: <input type="checkbox"/>   | Separators: <input type="checkbox"/>     | Electric Motors: <input type="checkbox"/> | Multi-Well Pits: <input type="checkbox"/>  |
| Gas or Diesel Motors: <input type="checkbox"/> | Cavity Pumps: <input type="checkbox"/>  | LACT Unit: <input type="checkbox"/>      | Pump Jacks: <input type="checkbox"/>      | Pigging Station: <input type="checkbox"/>  |
| Electric Generators: <input type="checkbox"/>  | Gas Pipeline: <input type="checkbox"/>  | Oil Pipeline: <input type="checkbox"/>   | Water Pipeline: <input type="checkbox"/>  | Flare: <input type="checkbox"/>            |
| Gas Compressors: <input type="checkbox"/>      | VOC Combustor: <input type="checkbox"/> | Oil Tanks: <input type="checkbox"/>      | Fuel Tanks: <input type="checkbox"/>      |  |

Other: \_\_\_\_\_

## 6. Construction:

Date planned to commence construction: 01/15/2012 Size of disturbed area during construction in acres: 3.67  
Estimated date that interim reclamation will begin: 04/15/2012 Size of location after interim reclamation in acres: 0.50  
Estimated post-construction ground elevation: 4723 Will a closed loop system be used for drilling fluids: Yes ☒  
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒  
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒  
Mud disposal: Offsite ☒ Onsite ☐ Method: Land Farming ☐ Land Spreading ☒ Disposal Facility ☐  
Other: \_\_\_\_\_

## 7. Surface Owner:

Name: MEL DINNER Phone: \_\_\_\_\_  
Address: 822 7TH STREET SUITE 540 Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: GREELEY State: CO Zip: 80631 Date of Rule 306 surface owner consultation: 11/08/2011  
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
The surface owner is: ☒ the mineral owner ☒ committed to an oil and gas lease  
☐ is the executer of the oil and gas lease ☐ the applicant  
The right to construct the location is granted by: ☒ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way  
☐ applicant is owner  
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID \_\_\_\_\_

## 8. Reclamation Financial Assurance:

☐ Well Surety ID: 20100017 ☐ Gas Facility Surety ID: \_\_\_\_\_ ☐ Waste Mgnt. Surety ID: \_\_\_\_\_

## 9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒  
Distance, in feet, to nearest building: 451, public road: 338, above ground utilit: 372  
, railroad: 2211, property line: 262

## 10. Current Land Use (Check all that apply):

Crop Land: ☒ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 11. Future Land Use (Check all that apply):

Crop Land: ☒ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 29 JULESBERG SANDY LOAM, 0 TO 1 PERCENT SLOPES

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

### 13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☐

Plant species from: ☐ NRCS or, ☐ field observation Date of observation: \_\_\_\_\_

List individual species: \_\_\_\_\_  
\_\_\_\_\_

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☐ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☐ Other (describe): \_\_\_\_\_

### 14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☐ No ☒ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes

Distance (in feet) to nearest surface water: 252, water well: 604, depth to ground water: 20

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

### 15. Comments:

THIS 2A ADDRESSES THE WELLHEAD ONLY. ADDITIONAL 2A FOR TANK BATTERY. WELL FLOWS BACK EASTWARDLY TO FACILITIES.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 11/16/2011 Email: NICK.CURRAN@ENCANA.COM

Print Name: NICK CURRAN Title: PERMITTING AGENT

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

|  |
|--|
|  |
|--|

**Attachment Check List**

| Att Doc Num | Name                  |
|-------------|-----------------------|
| 400224152   | FORM 2A SUBMITTED     |
| 400224200   | LOCATION PICTURES     |
| 400224202   | LOCATION DRAWING      |
| 400224203   | ACCESS ROAD MAP       |
| 400224204   | MULTI-WELL PLAN       |
| 400224205   | NRCS MAP UNIT DESC    |
| 400224206   | WASTE MANAGEMENT PLAN |
| 400224208   | EXCEPTION LOC REQUEST |
| 400224210   | EXCEPTION LOC WAIVERS |
| 400224226   | HYDROLOGY MAP         |

Total Attach: 10 Files

**General Comments**

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
|                   |                |                     |

Total: 0 comment(s)

## **BMP**

| <b><u>Type</u></b>             | <b><u>Comment</u></b>   |
|--------------------------------|---|
| Drilling/Completion Operations | <p>Best Management Practice for a Horizontal Wellbore Fracturing Stimulation</p> <p>1. At least seven (7) days prior to fracture stimulation, the operator is to notify all operators of non-operated wells within 300 feet of the wellbore to be fracture stimulated of the anticipated date stimulation date and the recommended best management practice to shut-in all wells within 300' of the stimulated wellbore completed in the same formation.</p> <p>2. The operator will monitor the bradenhead pressure of all wells within 300 feet of the well to be fracture stimulated.</p> <p>3. Bradenhead pressure gauges are to be installed 24 hours prior to stimulation. The gauges are to read at least once during every 24-hour period until 24-hours after stimulation is completed (post flowback). The gauges are to be of the type able to read current pressure and record the maximum encountered pressure in a 24-hour period. The gauge is to be reset between each 24-hour period. The pressures are to be recorded and saved.</p> <p>4. If at any time during stimulation or the 24-hour post-stimulation period, the bradenhead annulus pressure of the treatment well or offset wells increases more than 200 psig, as per Rule 341, the operator of the well being stimulated shall verbally notify the Director as soon as practicable, but no later than twenty-four (24) hours following the incident. Within fifteen (15) days after the occurrence, the operator shall submit a Sundry Notice, Form 4, giving all details, including corrective actions taken.</p> |
| Planning                       | <p>Anti-Collision BMP</p> <p>Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed well path with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottom hole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5.</p>  |

Total: 2 comment(s)