


04/15/2011 17:51:40


Well Keinath Federal 9-124 C100
Field Orchard
Engineer Michael Franklin
Country United States

Client Encana
SIR No. BAD4-00540
Job Type 7 5/8 2 Stage Intermediate
Job Date 04-15-2011

Lead Slurry - 04/15/2011 09:36:21 to 04/15/2011 09:45:36



Tail Slurry - 04/15/2011 09:46:21 to 04/15/2011 10:27:43



				Customer Encana			Job Number BAD4-00540				
Well Keinath Federal 9-124 C100			Location (legal)			Schlumberger Location			Job Start Apr/15/2011		
Field Orchard		Formation Name/Type Shale		Deviation 0 deg		Bit Size 10.8 in		Well MD 8447.0 ft		Well TVD 8447.0 ft	
County Garfield		State/Province Colorado		BHP psi		BHST 205 degF		BHCT 165 degF		Pore Press. Gradient lb/gal	
Well Master 0631233200		API/UWI									
Rig Name M11		Drilled For Gas		Service Via Land		Casing/Liner					
						Depth, ft		Size, in		Weight, lb/ft	
										Grade	
										Thread	
Offshore Zone		Well Class New		Well Type Development		1544.0		10.8		40.5	
						8447.0		7.6		26.4	
Drilling Fluid Type Bentonite		Max. Density 11.40 lb/gal		Plastic Viscosity cP		Tubing/Drill Pipe					
						T/D		Depth, ft		Size, in	
										Weight, lb/ft	
										Grade	
										Thread	
Service Line Cementing		Job Type 7 5/8 2 Stage Intermediate									
Max. Allowed Tub. Press 3000 psi		Max. Allowed Ann. Press 4140 psi		WH Connection 7 5/8" Cement Head		Perforations/Open Hole					
						Top, ft		Bottom, ft		shot/ft	
										No. of Shots	
										Total Interval ft	
						ft		ft			
						ft		ft		Diameter in	
						ft		ft			
						Treat Down Casing		Displacement 398.0 bbl		Packer Type	
										Packer Depth ft	
						Tubing Vol. bbl		Casing Vol. 398.0 bbl		Annular Vol. 453.0 bbl	
										Openhole Vol. 680.0 bbl	
Casing/Tubing Secured <input checked="" type="checkbox"/>		1 Hole Vol. Circulated prior to Cement <input checked="" type="checkbox"/>				Casing Tools			Squeeze Job		
Lift Pressure 1739 psi						Shoe Type Float			Squeeze Type		
Pipe Rotated <input type="checkbox"/>		Pipe Reciprocated <input type="checkbox"/>				Shoe Depth 8445.0 ft			Tool Type		
No. Centralizers		Top Plugs 2		Bottom Plugs		Stage Tool Type DV			Tool Depth ft		
Cement Head Type Single						Stage Tool Depth 2962.0 ft			Tail Pipe Size in		
Job Scheduled For Apr/15/2011 04:00		Arrived on Location Apr/15/2011 04:00		Leave Location Apr/15/2011 18:00		Collar Type Float			Tail Pipe Depth ft		
						Collar Depth 8402.0 ft			Sqz. Total Vol. bbl		
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message						
04/15/2011	09:10:16	8.61	9	0.0	Started Acquisition						
04/15/2011	09:11:56	8.60	94	0.0							
04/15/2011	09:13:36	8.60	89	0.0							
04/15/2011	09:15:16	8.60	92	0.0							
04/15/2011	09:15:36	8.60	92	0.0	Start Job						
04/15/2011	09:16:56	8.50	93	0.0							
04/15/2011	09:18:22	8.43	171	1.1	2 bbl H2O ahead						
04/15/2011	09:18:36	8.44	302	0.6							
04/15/2011	09:20:16	8.43	298	0.0							
04/15/2011	09:20:46	8.43	510	0.0	Pressure Test Lines						
04/15/2011	09:20:49	8.43	508	0.0	Low PSI test good						
04/15/2011	09:21:56	8.43	492	0.0							
04/15/2011	09:22:53	8.43	3412	0.0	Pressure Test Lines						
04/15/2011	09:22:56	8.43	3398	0.0	High PSI test good						
04/15/2011	09:23:36	8.43	3291	0.0							
04/15/2011	09:25:16	8.43	20	0.0							
04/15/2011	09:26:56	8.43	17	0.0							
04/15/2011	09:28:36	8.43	30	0.0							
04/15/2011	09:29:50	8.53	62	1.4	Start Pumping Spacer						
04/15/2011	09:29:56	10.17	116	1.0	40 bbl MUDPUSH II						
04/15/2011	09:30:16	10.97	508	2.7							

Well Keinath Federal 9-124 C100			Field Orchard	Job Start Apr/15/2011	Customer Encana	Job Number BAD4-00540
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message	
04/15/2011	09:31:56	11.01	533	4.8		
04/15/2011	09:33:36	11.02	555	4.8		
04/15/2011	09:35:16	11.06	496	4.8		
04/15/2011	09:36:12	11.77	563	4.7	End Spacer	
04/15/2011	09:36:19	11.82	572	4.7	Start Cement Slurry	
04/15/2011	09:36:21	11.84	549	4.7	Start Mixing Lead Slurry	
04/15/2011	09:36:24	11.85	538	4.7	186sks 12.0 TXI	
04/15/2011	09:36:25	11.85	538	4.7	CEMNET 2lb/bbl	
04/15/2011	09:36:26	11.86	542	4.7	12.0ppg = Good	
04/15/2011	09:36:56	11.98	554	4.8		
04/15/2011	09:38:36	12.07	524	4.8		
04/15/2011	09:41:56	12.03	621	6.1		
04/15/2011	09:43:36	12.08	625	6.1		
04/15/2011	09:45:16	12.01	577	6.1		
04/15/2011	09:45:36	12.27	532	6.1	End Lead Slurry	
04/15/2011	09:45:37	12.31	569	6.1	Start Mixing Scav Slurry	
04/15/2011	09:46:15	12.84	594	6.1	End Scavenger Slurry	
04/15/2011	09:46:21	12.88	570	6.1	Start Mixing Tail Slurry	
04/15/2011	09:46:39	12.97	587	6.1	744sks 13.0 TXI	
04/15/2011	09:46:40	12.97	579	6.1	No Returns	
04/15/2011	09:46:56	13.02	590	6.1		
04/15/2011	09:48:36	13.06	562	6.1		
04/15/2011	09:50:16	13.01	577	6.1		
04/15/2011	09:51:56	13.08	540	6.1		
04/15/2011	09:53:36	13.04	533	6.1		
04/15/2011	09:55:16	13.01	495	6.1		
04/15/2011	09:56:56	13.06	485	6.1		
04/15/2011	09:58:36	12.99	482	6.1		
04/15/2011	10:00:16	13.06	486	6.1		
04/15/2011	10:01:39	12.94	443	6.1	No Returns	
04/15/2011	10:01:56	12.96	456	6.1		
04/15/2011	10:03:36	12.99	423	6.1		
04/15/2011	10:05:16	13.06	423	6.1		
04/15/2011	10:06:56	13.04	378	6.1		
04/15/2011	10:08:36	13.00	362	6.1		
04/15/2011	10:10:16	13.02	367	6.1		
04/15/2011	10:11:56	13.01	376	6.1		
04/15/2011	10:13:36	12.99	394	6.1		
04/15/2011	10:15:16	13.04	405	6.1		
04/15/2011	10:16:56	13.01	375	6.1		
04/15/2011	10:18:36	13.05	371	6.1		
04/15/2011	10:20:16	13.02	358	6.1		
04/15/2011	10:21:56	13.05	370	6.1		
04/15/2011	10:23:36	13.03	362	6.1		
04/15/2011	10:25:16	13.09	371	6.1		
04/15/2011	10:26:56	13.03	315	6.1		
04/15/2011	10:27:43	13.09	30	1.0	End Tail Slurry	
04/15/2011	10:27:45	13.09	21	0.5	End Cement Slurry	
04/15/2011	10:28:36	13.07	20	0.0		
04/15/2011	10:28:53	13.06	21	0.0	Drop Wiper Plug	
04/15/2011	10:30:16	13.01	27	0.0		
04/15/2011	10:31:56	13.04	27	0.0		
04/15/2011	10:33:36	10.15	39	0.0		
04/15/2011	10:34:27	9.61	38	0.0	Start Displacement	

Well Keinath Federal 9-124 C100			Field Orchard	Job Start Apr/15/2011	Customer Encana	Job Number BAD4-00540
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message	
04/15/2011	10:35:16	9.08	90	3.8		
04/15/2011	10:35:34	9.05	90	3.9	Displace 157 bbl Mud	
04/15/2011	10:36:56	8.98	92	4.1		
04/15/2011	10:38:36	8.65	93	3.9		
04/15/2011	10:40:16	8.49	96	4.1		
04/15/2011	10:41:38	8.46	121	4.2	No Returns	
04/15/2011	10:41:56	8.45	121	4.2		
04/15/2011	10:43:36	8.46	116	4.2		
04/15/2011	10:45:16	8.44	117	4.2		
04/15/2011	10:46:56	8.43	120	4.3		
04/15/2011	10:48:36	8.43	85	4.2		
04/15/2011	10:50:16	8.43	86	4.1		
04/15/2011	10:51:56	8.43	85	4.0		
04/15/2011	10:53:36	8.43	86	3.8		
04/15/2011	10:55:16	8.43	127	4.0		
04/15/2011	10:56:56	8.43	131	3.9		
04/15/2011	10:58:36	8.43	199	3.9		
04/15/2011	11:00:16	8.43	181	3.9		
04/15/2011	11:01:56	8.43	233	3.9		
04/15/2011	11:03:36	8.43	271	3.9		
04/15/2011	11:05:16	8.43	290	3.9		
04/15/2011	11:06:56	8.43	404	3.9		
04/15/2011	11:08:36	8.43	339	2.0		
04/15/2011	11:10:16	8.43	306	2.0		
04/15/2011	11:11:56	8.43	355	2.0		
04/15/2011	11:13:36	8.43	405	2.0		
04/15/2011	11:15:16	8.43	417	2.0		
04/15/2011	11:16:56	8.43	415	2.0		
04/15/2011	11:17:05	8.43	509	2.0	Slow Down For DV Tool	
04/15/2011	11:18:36	8.43	450	2.0		
04/15/2011	11:20:16	8.43	599	3.0		
04/15/2011	11:21:56	8.43	783	4.4		
04/15/2011	11:23:36	8.43	625	3.4		
04/15/2011	11:25:16	8.43	506	0.0		
04/15/2011	11:26:56	8.43	657	1.0		
04/15/2011	11:28:36	8.43	813	4.0		
04/15/2011	11:30:16	8.43	829	4.0		
04/15/2011	11:31:56	8.43	913	4.0		
04/15/2011	11:33:36	8.43	952	4.0		
04/15/2011	11:35:16	8.43	1012	4.0		
04/15/2011	11:36:56	8.43	1058	4.0		
04/15/2011	11:38:36	8.43	1097	4.0		
04/15/2011	11:40:16	8.43	1148	4.0		
04/15/2011	11:41:56	8.43	1207	4.0		
04/15/2011	11:43:36	8.43	1258	4.0		
04/15/2011	11:45:16	8.43	1298	4.0		
04/15/2011	11:46:56	8.43	1232	1.5		
04/15/2011	11:48:12	9.92	1330	3.1	Start 157bbl Mud @ 11.4ppg	
04/15/2011	11:48:36	10.73	1427	4.0		
04/15/2011	11:50:16	10.68	1440	4.0		
04/15/2011	11:51:56	11.09	1483	4.0		
04/15/2011	11:53:36	11.08	1487	4.0		
04/15/2011	11:55:16	11.09	1496	4.0		
04/15/2011	11:56:56	11.12	1516	4.0		

Well Keinath Federal 9-124 C100			Field Orchard	Job Start Apr/15/2011	Customer Encana	Job Number BAD4-00540
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message	
04/15/2011	12:00:16	11.12	1552	4.0		
04/15/2011	12:01:56	11.12	1570	4.0		
04/15/2011	12:03:36	11.13	1531	4.0		
04/15/2011	12:05:16	11.12	1573	4.0		
04/15/2011	12:06:56	11.12	1583	4.0		
04/15/2011	12:08:29	11.12	1607	4.0	No Returns	
04/15/2011	12:08:36	11.13	1607	4.0		
04/15/2011	12:10:16	11.12	1652	4.0		
04/15/2011	12:11:56	11.12	1611	4.0		
04/15/2011	12:13:36	11.13	1633	4.0		
04/15/2011	12:15:16	11.12	1628	4.0		
04/15/2011	12:16:56	11.12	1637	4.0		
04/15/2011	12:18:36	11.12	1702	4.0		
04/15/2011	12:20:16	11.12	1631	4.0		
04/15/2011	12:21:56	11.12	1695	4.0		
04/15/2011	12:23:36	11.12	1685	4.0		
04/15/2011	12:25:16	11.13	1729	3.9		
04/15/2011	12:26:56	11.12	1514	2.1		
04/15/2011	12:28:36	11.13	1598	2.1		
04/15/2011	12:30:16	11.12	1607	2.1		
04/15/2011	12:31:11	11.15	1369	0.0	Bump Plug	
04/15/2011	12:31:20	11.15	1366	0.0	End Displacement	
04/15/2011	12:31:56	11.14	1359	0.0		
04/15/2011	12:33:36	11.14	1174	0.0		
04/15/2011	12:35:00	11.13	33	0.0	Floats Held	
04/15/2011	12:35:02	11.13	32	0.0	2bbl Back	
04/15/2011	12:35:16	11.13	33	0.0		
04/15/2011	12:36:56	11.13	40	0.0		
04/15/2011	12:38:30	11.13	54	0.0	Drop Bomb	
04/15/2011	12:38:36	11.13	56	0.0		
04/15/2011	12:40:16	11.13	71	0.0		
04/15/2011	12:41:30	11.13	81	0.0	Wait 15 Minutes	
04/15/2011	12:41:31	11.13	81	0.0	Tool Opened @ 720psi	
04/15/2011	12:41:56	11.13	85	0.0		
04/15/2011	12:43:36	11.13	99	0.0		
04/15/2011	12:45:16	11.13	113	0.0		
04/15/2011	12:46:56	11.13	128	0.0		
04/15/2011	12:48:36	11.13	143	0.0		
04/15/2011	12:50:16	11.13	159	0.0		
04/15/2011	12:51:56	11.13	248	0.7		
04/15/2011	12:53:18	11.40	281	2.4	Pump 10bbl Mud	
04/15/2011	12:53:19	11.37	281	2.4	Turn Over To Rig	
04/15/2011	12:53:36	10.85	313	3.2		
04/15/2011	12:55:16	10.43	339	3.2		
04/15/2011	12:56:56	9.81	191	0.0		
04/15/2011	13:00:16	9.51	200	0.0		
04/15/2011	13:01:56	9.00	203	0.0		
04/15/2011	13:03:36	8.83	32	0.0		
04/15/2011	16:05:00	8.45	31	0.0	Held Saftey Meeting	
04/15/2011	16:05:16	8.45	31	0.0		
04/15/2011	16:06:56	8.44	60	0.0		
04/15/2011	16:08:36	8.44	61	0.0		
04/15/2011	16:10:16	8.44	68	0.0		
04/15/2011	16:11:56	8.44	87	0.0		

Well Keinath Federal 9-124 C100			Field Orchard	Job Start Apr/15/2011	Customer Encana	Job Number BAD4-00540
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message	
04/15/2011	16:13:29	9.78	201	1.9	40 bbl MUDPUSH II	
04/15/2011	16:13:36	11.42	137	2.2		
04/15/2011	16:14:44	11.52	279	5.0	Good returns	
04/15/2011	16:15:16	11.52	295	5.0		
04/15/2011	16:16:56	11.52	267	5.0		
04/15/2011	16:18:36	11.87	270	5.0		
04/15/2011	16:19:46	11.90	282	5.0	End Spacer	
04/15/2011	16:19:53	11.91	273	5.0	Start Cement Slurry	
04/15/2011	16:19:56	11.92	271	5.0	Start Mixing Lead Slurry	
04/15/2011	16:20:06	11.93	292	5.0	360sks 12.0 TXI	
04/15/2011	16:20:16	11.94	269	5.0		
04/15/2011	16:21:56	11.99	288	5.0		
04/15/2011	16:23:36	12.01	296	5.0		
04/15/2011	16:25:16	12.02	279	5.0		
04/15/2011	16:26:56	12.03	270	5.0		
04/15/2011	16:28:36	12.04	231	5.0		
04/15/2011	16:30:16	12.03	223	5.1		
04/15/2011	16:31:56	12.00	208	5.0		
04/15/2011	16:33:36	12.07	210	5.0		
04/15/2011	16:35:16	12.02	223	5.1		
04/15/2011	16:36:56	12.04	224	5.0		
04/15/2011	16:38:36	12.03	208	5.1		
04/15/2011	16:40:16	12.03	219	5.0		
04/15/2011	16:41:56	12.04	207	5.1		
04/15/2011	16:43:29	12.23	37	0.0	Batch Tail	
04/15/2011	16:43:36	12.23	36	0.0		
04/15/2011	16:45:10	15.82	148	3.3	Start Mixing Tail Slurry	
04/15/2011	16:45:16	16.30	150	2.7		
04/15/2011	16:45:18	16.29	159	2.6	50sks 15.8ppg	
04/15/2011	16:46:56	16.09	184	2.5		
04/15/2011	16:47:39	15.94	174	2.5	15.8ppg = Good	
04/15/2011	16:48:36	15.87	150	2.5		
04/15/2011	16:49:25	15.83	153	2.5	End Tail Slurry	
04/15/2011	16:49:27	15.83	116	2.5	End Cement Slurry	
04/15/2011	16:49:30	15.86	49	1.0	Drop Top Plug	
04/15/2011	16:49:36	15.91	47	0.0	Start Displacement	
04/15/2011	16:50:16	15.83	45	0.0		
04/15/2011	16:51:56	15.84	52	0.0		
04/15/2011	16:53:36	15.92	43	0.0		
04/15/2011	16:55:16	9.52	151	4.3		
04/15/2011	16:56:56	9.22	221	4.7		
04/15/2011	16:58:35	8.73	236	4.8	137.9bbl H2O	
04/15/2011	16:58:36	8.73	237	4.8	Good Returns	
04/15/2011	17:00:16	8.49	314	4.9		
04/15/2011	17:01:56	8.46	365	4.9		
04/15/2011	17:03:36	8.44	406	5.0		
04/15/2011	17:05:16	8.43	432	5.0		
04/15/2011	17:06:56	8.43	448	5.0		
04/15/2011	17:08:36	8.39	483	5.0		
04/15/2011	17:10:16	8.43	541	4.9		
04/15/2011	17:11:56	8.43	522	4.9		
04/15/2011	17:13:36	8.43	579	4.9		
04/15/2011	17:15:16	8.43	617	4.9		
04/15/2011	17:16:56	8.43	660	3.5		

Well			Field		Job Start	Customer		Job Number	
Keinath Federal 9-124 C100			Orchard		Apr/15/2011	Encana		BAD4-00540	
Date	Time 24-hr clock	CPF1_DENSITY LB/G	CPF1_PRESS PSI	CPF1_TTL_RATE B/M	Message				
04/15/2011	17:20:02	8.43	633	2.0	Cement To Surface				
04/15/2011	17:20:16	8.43	600	2.0					
04/15/2011	17:21:56	8.43	624	2.0					
04/15/2011	17:22:38	8.43	707	3.4	60bbl Cement To Surface				
04/15/2011	17:23:36	8.43	668	3.4					
04/15/2011	17:25:16	8.43	749	3.7					
04/15/2011	17:26:56	8.43	779	3.7					
04/15/2011	17:28:36	8.43	2406	0.0					
04/15/2011	17:29:24	8.43	2400	0.0	Bump Top Plug				
04/15/2011	17:29:25	8.43	2410	0.0	End Displacement				
04/15/2011	17:29:27	8.43	2410	0.0	Floats Held				
04/15/2011	17:29:28	8.43	2404	0.0	Good Returns Through Job				
04/15/2011	17:29:45	8.43	2408	0.0	End Job				
04/15/2011	17:30:16	8.43	2406	0.0					
04/15/2011	17:31:56	8.43	37	0.0					

Post Job Summary

Average Pump Rates, bbl/min					Volume of Fluid Injected, bbl			
Slurry 4.4	N2	Mud	Maximum Rate 5.1		Total Slurry 433.0	Mud 157.0	Spacer 80.0	N2
Treating Pressure Summary, psi					Breakdown Fluid			
Maximum 2428	Final 35	Average 364	Bump Plug to	Breakdown	Type	Volume bbl		Density lb/gal
Avg. N2 Percent %		Designed Slurry Volume 433.0 bbl		Displacement 534.9 bbl	Mix Water Temp 63 degF	Cement Circulated to Surface? <input checked="" type="checkbox"/>		Volume bbl
						Washed Thru Perfs <input type="checkbox"/>		To ft
Customer or Authorized Representative Jeff Johnson				Schlumberger Supervisor Michael Franklin			Circulation Lost <input checked="" type="checkbox"/>	Job Completed <input checked="" type="checkbox"/>
							-	-



Service Quality Evaluation

Client:	Encana
Field:	Orchard
Rig:	M11
Well:	Keinath Federal 9-124 C100
Service Line:	Cementing
Job Type:	7 5/8 2 Stage Intermediate

Service Order #:	
Date:	Apr/15/2011
Operating Time (hh:mm):	00:00
Client Rep:	Jeff Johnson
Schlumberger Engineer:	Michael Franklin
Schlumberger FSM:	

Main Objective:

To be completed by Company Rep. Please answer Y (Yes) or N (No) and add any comments below.

		Score	Yes / No		Result
1	HSE				
1a	Free of lost time injury and compliance with SLB and loc. spec. HSE practice	5	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
1b	Free of environmental spill or non-compliant discharge	5	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
1c	Wellsite left clean	4	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
Sub-total					0%

2	Design / Preparation				
2a	Program incl. job simulation (CemCADE) & pump schedule / tool hydraulic calcs	3	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
2b	Equipment maintenance schedule completed / Green tagged	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
2c	All materials and equipment required for job/contingency checked & on location	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
2d	Safety / pre-job meeting conducted with all involved present	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
Sub-total					0%

3	Execution				
3a	Lost time < 30 mins	3	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3b	Equipment pressure tested succesfully	3	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3c	All key parameters monitored and recorded accurately (Pressure, Rate, Density)	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3d	Plugs / darts released and tested succesfully	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3e	Density variation met expectations	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3f	Personnel performed as per expectations	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3g	Equipment performed as per expectations	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3h	Job pumped as per design	3	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3i	Did job start on time	2	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
3j	Free of Operational failures (screen out, Cementing Example, etc.)	3	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
Sub-total					0%

4	Evaluation				
4a	Main job objective achieved with no consequential non-productive time	10	yes <input type="checkbox"/>	no <input checked="" type="checkbox"/>	0
Sub-total					0%

Total 0%

Comments: (Please include a brief explanation for a "NO" response and summarize any innovations attempted on this well.)

Client:	Schlumberger:
Client Signature:	Schlumberger Signature: