



DE	ET	OE	ES
----	----	----	----

Document Number:  
 400214239  
 PluggingBond SuretyID  
 20010124

**APPLICATION FOR PERMIT TO:**

1.  Drill,  Deepen,  Re-enter,  Recomplete and Operate

2. TYPE OF WELL

OIL  GAS  COALBED  OTHER \_\_\_\_\_  
 SINGLE ZONE  MULTIPLE  COMMINGLE

Refiling   
 Sidetrack

3. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP 4. COGCC Operator Number: 47120  
 5. Address: P O BOX 173779  
 City: DENVER State: CO Zip: 80217-3779  
 6. Contact Name: Rebecca Heim Phone: (720)929-6361 Fax: (720)929-7361  
 Email: rebecca.heim@anadarko.com  
 7. Well Name: RICE Well Number: 28N-33HZ  
 8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_  
 9. Proposed Total Measured Depth: 11755

**WELL LOCATION INFORMATION**

10. QtrQtr: SWSE Sec: 33 Twp: 3N Rng: 66W Meridian: 6  
 Latitude: 40.175955 Longitude: -104.779893  
 Footage at Surface: 614 feet FSL 1999 feet FEL  
 11. Field Name: WATTENBERG Field Number: 90750  
 12. Ground Elevation: 4941 13. County: WELD

14. GPS Data:  
 Date of Measurement: 08/05/2011 PDOP Reading: 2.2 Instrument Operator's Name: OWEN McKEE

15. If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**  
 Footage at Top of Prod Zone: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_ Bottom Hole: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_  
594 FSL 2611 FEL 460 FNL 2611 FEL  
 Sec: 33 Twp: 3N Rng: 66W Sec: 33 Twp: 3N Rng: 66W

16. Is location in a high density area? (Rule 603b)?  Yes  No  
 17. Distance to the nearest building, public road, above ground utility or railroad: 565 ft  
 18. Distance to nearest property line: 615 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 856 ft

**LEASE, SPACING AND POOLING INFORMATION**

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR		320	E/2W/2, W/2E/2

21. Mineral Ownership:  Fee  State  Federal  Indian Lease #: \_\_\_\_\_  
 22. Surface Ownership:  Fee  State  Federal  Indian  
 23. Is the Surface Owner also the Mineral Owner?  Yes  No Surface Surety ID#: \_\_\_\_\_  
 23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?  Yes  No  
 23b. If 23 is No:  Surface Owners Agreement Attached or  \$25,000 Blanket Surface Bond  \$2,000 Surface Bond  \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

Please see attached Oil and Gas Lease.

25. Distance to Nearest Mineral Lease Line: 40 ft 26. Total Acres in Lease: 160

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated?  Yes  No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling?  Yes  No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?  Yes  No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)?  Yes  No

31. Mud disposal:  Offsite  Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method:  Land Farming  Land Spreading  Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	9+5/8	36.0	0	700	350	700	0
1ST	8+3/4	7	26.0	0	7,587	740	7,587	
1ST LINER	6+1/8	4+1/2	11.6	6527	11,755			

32. BOP Equipment Type:  Annular Preventer  Double Ram  Rotating Head  None

33. Comments No conductor casing will be used.

34. Location ID: 327237

35. Is this application in a Comprehensive Drilling Plan ?  Yes  No

36. Is this application part of submitted Oil and Gas Location Assessment ?  Yes  No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Rebecca Heim

Title: Regulatory Analyst II Date: 10/26/2011 Email: DJRegulatory@anadarko.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 11/17/2011

<b>API NUMBER</b>
05 123 34728 00

Permit Number: \_\_\_\_\_ Expiration Date: 11/16/2013

**CONDITIONS OF APPROVAL, IF ANY:** \_\_\_\_\_

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Jim Precup via e-mail at jim.precup@state.co.us.
- 2) Comply with Rule 317.i and provide cement coverage from the end of the production casing to a minimum of 200' above the Niobrara and from 200' below Sussex to 200' above Sussex. Verify coverage with a cement bond log.
- 3) Comply with Rule 321. Run and submit Directional Survey from the end of production casing to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

**Attachment Check List**

Att Doc Num	Name
2481263	SURFACE CASING CHECK
400214239	FORM 2 SUBMITTED
400214251	DEVIATED DRILLING PLAN
400214252	PLAT
400214253	TOPO MAP
400214254	30 DAY NOTICE LETTER
400214255	SURFACE AGRMT/SURETY
400214256	OIL & GAS LEASE
400214257	OIL & GAS LEASE
400214258	PROPOSED SPACING UNIT

Total Attach: 10 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Final Review complete.	11/17/2011 9:23:43 AM
Permit	BMP listed. Ready to pass pending public comment 11/16/11.	11/7/2011 3:08:47 PM
Permit	Requested anti-collision BMP from Opr.	11/1/2011 1:35:37 PM

Total: 3 comment(s)

## BMP

<u>Type</u>	<u>Comment</u>
Drilling/Completion Operations	<p>1. At least seven (7) days prior to fracture stimulation, the operator is to notify all operators of non-operated wells within 300 feet of the wellbore to be fracture stimulated of the anticipated date stimulation date and the recommended best management practice to shut-in all wells within 300' of the stimulated wellbore completed in the same formation.</p> <p>2. The operator will monitor the bradenhead pressure of all wells operated by the operator within 300 feet of the well to be fracture stimulated.</p> <p>3. Bradenhead pressure gauges are to be installed 24 hours prior to stimulation. The gauges are to read at least once during every 24-hour period until 24-hours after stimulation is completed (post flowback). The gauges are to be of the type able to read current pressure and record the maximum encountered pressure in a 24-hour period. The gauge is to be reset between each 24-hour period. The pressures are to be recorded and saved. Alternate electronic measurement may be used to record the prescribed pressures. Data shall be kept for a period of one year.</p> <p>If at any time during stimulation or the 24-hour post-stimulation period, the bradenhead annulus pressure of the treatment well or offset wells increases more than 200 psig, as per Rule 341, the operator of the well being stimulated shall verbally notify the Director as soon as practicable, but no later than twenty-four (24) hours following the incident. Within fifteen (15) days after the occurrence, the operator shall submit a Sundry Notice, Form 4, giving all details, including corrective actions taken</p>

Total: 1 comment(s)