

December 12,2011
10:53 AM

PathTracker 5.0.361
Survey Calculation Program

Page 1 of 3

Company: TEKTON WINDSOR, LLC
WellName: PAVISTMA #4-2-32
Location: SECTION 32, T6N R67W
NORTH REFERENCE IS TRUE NORTH

Surveyed by:
C.L.D.
Peterson Energy Management, Inc
2154 W. Eisenhower Blvd.
Loveland, CO 80537

Vertical Section calculated on an Azimuth of: 22.9350
Survey Calculation Method: Minimum Curvature
FileName: W:\Tekton Energy\Tekton Windsor Permitting\Pavistma\Pavistma 4-2-32\4-2-32 SURV.sr5

#	Depth Feet	Inc Degrees	Azimuth Degrees	TVD Feet	SubSea Feet	North Feet	East Feet	Section Feet	Dogleg /100f	BldRate /100f	Trnrate /100f	Comment
0	0.00	0.00	22.93	0.00	4970.00	0.00	0.00	0.00	0.00	0.00	0.00	
1	100.00	0.00	22.93	100.00	4870.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	200.00	0.00	22.93	200.00	4770.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	300.00	0.00	22.93	300.00	4670.00	0.00	0.00	0.00	0.00	0.00	0.00	
4	400.00	0.00	22.93	400.00	4570.00	0.00	0.00	0.00	0.00	0.00	0.00	
5	500.00	0.00	22.93	500.00	4470.00	0.00	0.00	0.00	0.00	0.00	0.00	
6	600.00	0.00	22.93	600.00	4370.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	700.00	0.00	22.93	700.00	4270.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	800.00	0.00	22.93	800.00	4170.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	900.00	0.00	22.93	900.00	4070.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	1000.00	0.00	22.93	1000.00	3970.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	1100.00	0.00	22.93	1100.00	3870.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	1200.00	0.00	22.93	1200.00	3770.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	1278.00	0.00	22.93	1278.00	3692.00	0.00	0.00	0.00	0.00	0.00	0.00	KOP, B.G.=2°/100'
14	1300.00	0.44	22.93	1300.00	3670.00	0.08	0.03	0.08	2.00	2.00	0.00	
15	1400.00	2.44	22.93	1399.96	3570.04	2.39	1.01	2.60	2.00	2.00	0.00	
16	1500.00	4.44	22.93	1499.78	3470.22	7.92	3.35	8.60	2.00	2.00	0.00	
17	1600.00	6.44	22.93	1599.32	3370.68	16.65	7.04	18.08	2.00	2.00	0.00	
18	1700.00	8.44	22.93	1698.48	3271.52	28.57	12.09	31.03	2.00	2.00	0.00	
19	1800.00	10.44	22.93	1797.12	3172.88	43.68	18.48	47.43	2.00	2.00	0.00	
20	1900.00	12.44	22.93	1895.12	3074.88	61.94	26.21	67.26	2.00	2.00	0.00	
21	1953.00	13.50	22.93	1946.77	3023.23	72.90	30.85	79.15	2.00	2.00	0.00	EOB, HOLD 13.50°
22	2000.00	13.50	22.93	1992.47	2977.53	83.00	35.12	90.13	0.00	0.00	0.00	
23	2100.00	13.50	22.93	2089.71	2880.29	104.50	44.22	113.47	0.00	0.00	0.00	
24	2200.00	13.50	22.93	2186.95	2783.05	126.00	53.32	136.82	0.00	0.00	0.00	
25	2300.00	13.50	22.93	2284.18	2685.82	147.50	62.41	160.16	0.00	0.00	0.00	
26	2400.00	13.50	22.93	2381.42	2588.58	169.00	71.51	183.50	0.00	0.00	0.00	
27	2500.00	13.50	22.93	2478.66	2491.34	190.50	80.61	206.85	0.00	0.00	0.00	
28	2600.00	13.50	22.93	2575.90	2394.10	212.00	89.70	230.19	0.00	0.00	0.00	
29	2700.00	13.50	22.93	2673.13	2296.87	233.50	98.80	253.54	0.00	0.00	0.00	
30	2800.00	13.50	22.93	2770.37	2199.63	254.99	107.90	276.88	0.00	0.00	0.00	
31	2900.00	13.50	22.93	2867.61	2102.39	276.49	116.99	300.23	0.00	0.00	0.00	
32	3000.00	13.50	22.93	2964.84	2005.16	297.99	126.09	323.57	0.00	0.00	0.00	
33	3100.00	13.50	22.93	3062.08	1907.92	319.49	135.19	346.92	0.00	0.00	0.00	
34	3200.00	13.50	22.93	3159.32	1810.68	340.99	144.29	370.26	0.00	0.00	0.00	
35	3300.00	13.50	22.93	3256.55	1713.45	362.49	153.38	393.61	0.00	0.00	0.00	
36	3400.00	13.50	22.93	3353.79	1616.21	383.99	162.48	416.95	0.00	0.00	0.00	
37	3500.00	13.50	22.93	3451.03	1518.97	405.49	171.58	440.29	0.00	0.00	0.00	

December 12,2011
10:53 AM

PathTracker 5.0.361
Survey Calculation Program

Page 2 of 3

Company: TEKTON WINDSOR, LLC
WellName: PAVISTMA #4-2-32
Location: SECTION 32, T6N R67W
NORTH REFERENCE IS TRUE NORTH

Surveyed by:
C.L.D.
Peterson Energy Management, Inc
2154 W. Eisenhower Blvd.
Loveland, CO 80537

Vertical Section calculated on an Azimuth of: 22.9350
Survey Calculation Method: Minimum Curvature
FileName: W:\Tekton Energy\Tekton Windsor Permitting\Pavistma\Pavistma 4-2-32\4-2-32 SURV.sr5

#	Depth Feet	Inc Degrees	Azimuth Degrees	TVD Feet	SubSea Feet	North Feet	East Feet	Section Feet	Dogleg /100f	BldRate /100f	Trnrate /100f	Comment
38	3600.00	13.50	22.93	3548.27	1421.73	426.99	180.67	463.64	0.00	0.00	0.00	
39	3700.00	13.50	22.93	3645.50	1324.50	448.49	189.77	486.98	0.00	0.00	0.00	
40	3800.00	13.50	22.93	3742.74	1227.26	469.99	198.87	510.33	0.00	0.00	0.00	
41	3900.00	13.50	22.93	3839.98	1130.02	491.48	207.96	533.67	0.00	0.00	0.00	
42	4000.00	13.50	22.93	3937.21	1032.79	512.98	217.06	557.02	0.00	0.00	0.00	
43	4100.00	13.50	22.93	4034.45	935.55	534.48	226.16	580.36	0.00	0.00	0.00	
44	4200.00	13.50	22.93	4131.69	838.31	555.98	235.26	603.71	0.00	0.00	0.00	
45	4300.00	13.50	22.93	4228.92	741.08	577.48	244.35	627.05	0.00	0.00	0.00	
46	4400.00	13.50	22.93	4326.16	643.84	598.98	253.45	650.40	0.00	0.00	0.00	
47	4500.00	13.50	22.93	4423.40	546.60	620.48	262.55	673.74	0.00	0.00	0.00	
48	4600.00	13.50	22.93	4520.64	449.36	641.98	271.64	697.08	0.00	0.00	0.00	
49	4700.00	13.50	22.93	4617.87	352.13	663.48	280.74	720.43	0.00	0.00	0.00	
50	4800.00	13.50	22.93	4715.11	254.89	684.98	289.84	743.77	0.00	0.00	0.00	
51	4900.00	13.50	22.93	4812.35	157.65	706.48	298.94	767.12	0.00	0.00	0.00	
52	5000.00	13.50	22.93	4909.58	60.42	727.97	308.03	790.46	0.00	0.00	0.00	
53	5100.00	13.50	22.93	5006.82	-36.82	749.47	317.13	813.81	0.00	0.00	0.00	
54	5200.00	13.50	22.93	5104.06	-134.06	770.97	326.23	837.15	0.00	0.00	0.00	
55	5300.00	13.50	22.93	5201.29	-231.29	792.47	335.32	860.50	0.00	0.00	0.00	
56	5400.00	13.50	22.93	5298.53	-328.53	813.97	344.42	883.84	0.00	0.00	0.00	
57	5500.00	13.50	22.93	5395.77	-425.77	835.47	353.52	907.18	0.00	0.00	0.00	
58	5600.00	13.50	22.93	5493.00	-523.00	856.97	362.61	930.53	0.00	0.00	0.00	
59	5700.00	13.50	22.93	5590.24	-620.24	878.47	371.71	953.87	0.00	0.00	0.00	
60	5800.00	13.50	22.93	5687.48	-717.48	899.97	380.81	977.22	0.00	0.00	0.00	
61	5900.00	13.50	22.93	5784.71	-814.71	921.47	389.91	1000.56	0.00	0.00	0.00	
62	6000.00	13.50	22.93	5881.95	-911.95	942.97	399.00	1023.91	0.00	0.00	0.00	
63	6100.00	13.50	22.93	5979.19	-1009.19	964.46	408.10	1047.25	0.00	0.00	0.00	
64	6200.00	13.50	22.93	6076.42	-1106.42	985.96	417.20	1070.60	0.00	0.00	0.00	
65	6270.40	13.50	22.93	6144.88	-1174.88	1001.10	423.60	1087.03	0.00	0.00	0.00	
66	6300.00	12.91	22.93	6173.70	-1203.70	TOD, D.G.=2"/100' 1007.33	426.24	1093.79	2.00	2.00	0.00	
67	6400.00	10.91	22.93	6271.54	-1301.54	1026.33	434.28	1114.43	2.00	2.00	0.00	
68	6500.00	8.91	22.93	6370.04	-1400.04	1042.17	440.98	1131.63	2.00	2.00	0.00	
69	6600.00	6.91	22.93	6469.09	-1499.09	1054.84	446.34	1145.39	2.00	2.00	0.00	
70	6700.00	4.91	22.93	6568.55	-1598.55	1064.32	450.35	1155.68	2.00	2.00	0.00	
71	6800.00	2.91	22.93	6668.31	-1698.31	1070.60	453.01	1162.50	2.00	2.00	0.00	
72	6900.00	0.91	22.93	6768.25	-1798.25	1073.66	454.31	1165.83	2.00	2.00	0.00	
73	6945.40	0.00	22.93	6813.65	-1843.65	1074.00	454.45	1166.19	2.00	2.00	0.00	
74	7000.00	0.00	22.93	6868.25	-1898.25	EOD, HOLD 0" 1074.00	454.45	1166.19	0.00	0.00	0.00	
Int	7095.75	0.00	0.00	6964.00	-1994.00	1074.00	454.45	1166.19	---	---	---	

December 12,2011
10:53 AM

PathTracker 5.0.361
Survey Calculation Program

Page 3 of 3

Company: TEKTON WINDSOR, LLC
WellName: PAVISTMA #4-2-32
Location: SECTION 32, T6N R67W
NORTH REFERENCE IS TRUE NORTH


Surveyed by:
C.L.D.
Peterson Energy Management, Inc
2154 W. Eisenhower Blvd.
Loveland, CO 80537

Vertical Section calculated on an Azimuth of: 22.9350
Survey Calculation Method: Minimum Curvature
FileName: W:\Tekton Energy\Tekton Windsor Permitting\Pavistma\Pavistma 4-2-32\4-2-32 SURV.sr5

#	Depth Feet	Inc Degrees	Azimuth Degrees	TVD Feet	SubSea Feet	North Feet	East Feet	Section Feet	Dogleg /100f	BldRate /100f	Trnrate /100f	Comment
NBRR												
76	7100.00	0.00	22.93	6968.25	-1998.25	1074.00	454.45	1166.19	0.00	0.00	0.00	
77	7200.00	0.00	22.93	7068.25	-2098.25	1074.00	454.45	1166.19	0.00	0.00	0.00	
78	7300.00	0.00	22.93	7168.25	-2198.25	1074.00	454.45	1166.19	0.00	0.00	0.00	
79	7400.00	0.00	22.93	7268.25	-2298.25	1074.00	454.45	1166.19	0.00	0.00	0.00	
CODL												
Int	7424.75	0.00	0.00	7293.00	-2323.00	1074.00	454.45	1166.19	---	---	---	
81	7500.00	0.00	22.93	7368.25	-2398.25	1074.00	454.45	1166.19	0.00	0.00	0.00	
82	7575.75	0.00	22.93	7444.00	-2474.00	1074.00	454.45	1166.19	0.00	0.00	0.00	

Closure is 1166.1854 meters on an Azimuth of 22.9350

Plan View
PAVISTMA #4-2-32



Section View
PAVISTMA #4-2-32

