

Company: Texas American Resources Company

Well: Roth 44-30

Field: Wattenberg

County: Weld Country: USA

Platform Express	
Triple Combo	
Repeat	
County: Weld	
Field: Wattenberg	
Location: SESE Sec 30, T5N, R63W	
Well: Roth 44-30	
Company: Texas American Resources Co	
Location:	
SESE Sec 30, T5N, R63W	Elev. K.B. 4590.00 ft
SHL: 641 FSL / 655 FEL	G.L. 4576.00 ft
LatLong: 40.365020 / -104.47196	D.F. 4589.00 ft
Permanent Datum:	Ground Level
Log Measured From:	Kelly Bushing
Drilling Measured From:	Kelly Bushing
API Serial No.	Max.Hole Deviation
05-123-32101-0000	0 deg
	Longitude: -104.47190 degrees
	Latitude: 40.365000 degrees

Logging Date	03-Nov-2011
Run Number	1_PEx-BHC
Depth Driller	6767.00 ft
Schlumberger Depth	6767.00 ft
Bottom Log Interval	6763.00 ft
Top Log Interval	708.00 ft
Casing Driller Size @ Depth	8.625 in @ 714.00 ft
Casing Schlumberger	714 ft
Bit Size	7.875 in
Type Fluid In Hole	Fresh Water
Density	9.5 lbm/gal
Fluid Loss	PH
Source of Sample	Flowline
RM @ Meas Temp	1.18 ohm.m @ 56 degF
RMF @ Meas Temp	0.15 ohm.m @ 68 degF
RMC @ Meas Temp	N/A @ 68 degF
Source RMF	Calculated
RM @ BHT	0.39 @ 185
Max Recorded Temperatures	185 degF
Circulation Stopped	03-Nov-2011 08:00:00
Logger on Bottom	03-Nov-2011 13:18:16
Unit Number	2153
Recorded By	Keri Loring, Jared R. Hoskins
Witnessed By	Jim Boyd


Disclaimer

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

Contents

- 1. Header
- 2. Disclaimer
- 3. Contents
- 4. Well Sketch
- 5. Borehole Size/Casing/Tubing Record
- 6. Operational Run Summary
- 7. Borehole Fluids
- 8. Remarks and Equipment Summary
- 9. Depth Summary
- 10. Survey Record
- 11. 1_PEx-BHC 5" Triple Combo
 - 11.1 Integration Summary
 - 11.2 Software Version
 - 11.3 Composite Summary
 - 11.4 Log (Import of Kerr McGee 5in Triple Combo)
 - 11.5 Parameter Listing
- 12. Calibration Report

Well Sketch





Borehole Size/Casing/Tubing Record

Bit						
Bit Size (in)	7.875					
Top Driller (ft)	0					
Top Logger (ft)	0					
Bottom Driller (ft)	6767					
Bottom Logger (ft)	6767					
Casing						
Size (in)	8.625					
Weight (lbm/ft)	36					
Inner Diameter (in)	7.823					
Grade	N80					
Top Driller (ft)	0					
Top Logger (ft)	0					
Bottom Driller (ft)	714					
Bottom Logger (ft)	714					

Operational Run Summary

Parameter (unit)	1_PEx-BHC					
Date Log Started	03-Nov-2011					
Time Log Started	15:37:21					
Date Log Finished	03-Nov-2011					
Time Log Finished	17:35:15					
Top Log Interval (ft)	708.00					
Bottom Log Interval (ft)	6763.00					
Total Depth (ft)	6767.00					
Max Hole Deviation (deg)	0.00					
Azimuth of Max Deviation (deg)	0.00					
Bit Size (in)	7.875					
Logging Unit Number	2153					
Logging Unit Location	Fort Morgan, Co					
Recorded By	Keri Loring, Jared R. Hoskins					
Witnessed By	Jim Boyd					


Service Order Number	BSS4-00132					
Borehole Fluids						
Parameter(unit)	1_PEx-BHC					
Fluid Type	Water					
Fluid Name	Fresh Water					
Max Recorded Temperatures (degF)	185					
Source of Sample	Flowline					
Salinity (ppm)	6101.52					
Density (lbm/gal)	9.5					
Viscosity (s)	50					
Fluid Loss (cm3)						
PH						
Date/Time Circulation Stopped	03-Nov-2011 08:00:00					
Date Logger on Bottom	03-Nov-2011					
Time Logger on Bottom	13:18:16					
Source RMF	Calculated					
RMC	Calculated					
RM @ Meas Temp (ohm.m@degF)	1.18 @ 56					
RMF @ Meas Temp (ohm.m@degF)	0.15 @ 68					
RMC @ Meas Temp (ohm.m@degF)						
RM @ BHT (ohm.m@degF)	0.39 @ 185					
RMF @ BHT (ohm.m@degF)	0.06 @ 185					
RMC @ BHT (ohm.m@degF)	NaN @ 185					


Remarks and Equipment Summary						
1_PEx-BHC: Toolstring				1_PEx-BHC: Remarks		
Equip name	Length	MP name	Offset	Tool ran as per tool sketch.		
LEH-QT LEH-QT	64.2					
DTC-H:9469 ECH-KC DTC-H:9469	61.28	CTEM HV	60.38 0.00			
HGNS-H:4779 HGNH NPV-N NSR-F:5168 HMCA-H:5736 HGNS-H:4779 HACCZ-H:5736	58.28	TelStatus ToolStatus Temperature GR	58.28 58.28 58.26 57.54			
HDRS-H:4706 ECH-MEB HRC C-H:5705 HRMS-H:4706 GPV-Q	48.88	CNL Porosit y HGNS HMCA Accelerome ter	51.21 48.88 48.88 0.00			

GSR-J:5363
Short Spacing:27
634
HRGD-H:3816
Backscatter
Long Spacing:28
732

DSL-T-H
ECH-KH
DSL-C-H
SLS-E

AIT-M:1372
AMIS:1372
AMRM





Lengths are in ft

Maximum Outer Diameter = 6.000 in

Line: Sensor Location, V alue: Gating O f fset


All measurements are relative to TOOL_ZERO


Depth Control Parameters	1_PEx-BHC		
Conveyance Type	Wireline		
Rig Type	Land		
Depth Remark Parameters	1_PEx-BHC		
Depth Remark 1	First run in hole.		
Depth Measuring Device	1_PEx-BHC		
Type	IDW-B		
Serial Number	6380		
Calibration Date	17-Sep-2011		
Calibration Cable Type	7-46A-XS		
Wheel Correction 1	-9		
Wheel Correction 2	-8		
Tension Device	1_PEx-BHC		
Type	CMTD-B/A		
Serial Number	1433		
Calibration Date	27-Oct-2011		
Calibrator Serial Number	100513		
Calibration Points	10		
Calibration RMS	11		
Calibration Peak Error	20		
Logging Cable	1_PEx-BHC		
Type	7-46A-XS		
Serial Number	4		
Logging Cable Length (ft)	13300.00		


Survey Calculation															
Method :		Minimum Radius of Curvature				DLS Method :				Lubinski					
North Reference :		True North				Total Correction Formula :				Magnetic Dec					
Rig Location															
Latitude :		40.365000 degrees				Longitude :				-104.47190 degrees					
Tie In Point															
Measured Depth:		0.00 ft		Inclination:		0.00 deg		Azimuth:		0.00 deg					
True Vertical Depth:		0.00 ft		North Displacement:		0.00 ft		East Displacement:		0.00 ft					
Survey Quality Index															
28 : Tie-In Point															
Survey Correction Index															
0 : No correction															
Survey Description Index															
0 : Not Flagged Survey															
Seq	MD (ft)	Incl (deg)	Azim (deg)	Course (ft)	TVD (ft)	V Sec (ft)	N/ -S (ft)	E/ -W (ft)	Closure (ft)	at Azim (deg)	DLS deg/100ft	Tool Type	QI	CI	DI
1	0.00	0.00	0.00	----	0.00	0.00	0.00	0.00	0.00	90.00	0.00	TIP	28	0	0



1 PEx-BHC



5" Triple Combo							
Integration Summary							
Output Channel(s)	Output Description	Input Parameter			Output Value	Unit	
Software Version							
Acquisition System					Version		
MaxWell					3.0.9609.0		
Computation	Description				Version		
HENVIR	Computation Ensemble for the HGNS Neutron environmental corrections				3.0.9609.0		
DepthCorrection	DepthCorrection				3.0.9609.0		
Tool Elements	Description			Software Version		Firmware Version	
HRCC-H	HILT High-Resolution Control Cartridge, 150 degC			3.0.9609.0			
HGNS-H	HILT Gamma-Ray and Neutron Sonde, 150 degC			3.0.9609.0			
HRGD-H	HILT Resistivity Gamma-Ray Density Device, 150 degC			3.0.9609.0			
AMIS	Array Induction Sonde - M			3.0.9609.0			
Pass Summary							
Run Name	Pass Objective	Direction	Top	Bottom	Start	Stop	Depth Shift
1_PEx-BHC	Main[3]:Up	Up	625.56 ft	6788.41 ft	03-Nov-2011 4:27:22 PM	03-Nov-2011 5:31:43 PM	4.43 ft
All depths are referenced to toolstring zero							
Log	1_PEx-BHC: Main[3]:Up 856C951F-172C-4A89-BF1B-E6F55FDFB74E						
Description: HGNS standard resolution porosities for Platform Express Format: Log (Import of Kerr McGee 5in Triple Combo) Index Scale: 5 in per 100 ft Index Unit: ft Index Type: Measured Depth Creation Date: 04-Nov-2011 02:23:58							
Channel	Source	Sampling					
AT10	AIT-M:AMIS:AMIS	3in					
AT30	AIT-M:AMIS:AMIS	3in					
AT90	AIT-M:AMIS:AMIS	3in					
CALI	HDRS-H:HRCC-H:HRCC-H	1in					
DPHZ	HDRS-H:HRMS-H:HRGD-H	2in					
GR	HGNS-H:HGNS-H:HGNS-H	6in					
NPOR	HGNS-H:HGNS-H:HGNS-H	6in					
PEFZ	HDRS-H:HRMS-H:HRGD-H	2in					
SP	AIT-M:AMIS:AMIS	6in					
STIT	DepthCorrection	6in					
TENS	WLWorkflow	6in					
TIME_1900	WLWorkflow	0.1in					
TIME_1900 - Time Marked every 60.00 (s)							
				<div>Standard Resolution Formation Photoelectric Factor (PEFZ) HDRS-H</div> <div>010</div>			
				<div>Gas Effect</div>			
				<div>NPOR Backup</div>			
				<div>Cable Tension (TENS)</div>			
				<div>10000lb f0</div>			
<div>Gamma Ray Back up</div>		Array Induction Two Foot Resistivity A10 (AT10)					
<div>Gamma Ray (GR) HGNS-H</div>		AIT-M					
<div>0gAPI200</div>		0.2ohm.m200					
		Array Induction Two Foot Resistivity A30 (AT30)		Standard Resolution Density Porosity (DPHZ) HDRS-H			
		AIT-M					





















6310
6320
6330
6340
6350
6360
6370
6380
6390
6400
6410
6420
6430
6440
6450
6460
6470
6480
6490
6500
6510
6520







TIME_1900 - Time Marked every 60.00 (s)

Description: HGNS standard resolution porosities for Platform Express Format: Log (Import of Kerr McGee 5in Triple Combo) Index Scale: 5 in per 100 ft
Index Unit: ft Index Type: Measured Depth Creation Date: 04-Nov-2011 02:23:59

Channel Processing Parameters				
Parameter	Description	ToolPath	Value	Unit
ABHM	Array Induction Borehole Correction Mode	AIT-M:AMIS:AMIS	Compute Standoff	
ABLM	Array Induction Basic Logs Mode	AIT-M:AMIS:AMIS	Normal	
ACDE	Array Induction Casing Detection Enable	AIT-M:AMIS:AMIS	Yes	
ASTA	Array Induction Tool Standoff	AIT-M:AMIS:AMIS	1	in
BARI	Barite Mud Presence Flag	Borehole	No	
BHS	Borehole Status (Open or Cased Hole)	Borehole	Open	
BS	Bit Size	COMPLETION	7.875	in
BSAL	Borehole Salinity	Borehole	6101.52	ppm
CALI_SHIFT	CALI Supplementary Offset	HDRS-H:HRCC-H:HRCC-H	0	in
CBLO	Casing Bottom (Logger)	COMPLETION	714	ft
CDEN	Cement Density	HGNS-H:HGNS-H:HGNS-H	2	g/cm3
DC_MODE	Depth Correction Mode	DepthCorrection	Real-time	
DFD	Drilling Fluid Density	Borehole	9.5	lbm/gal
DFT	Drilling Fluid Type	Borehole	Water	
DFT_WATER	Drilling Fluid Water Type	Borehole	Fresh Water	
DHC	Density Hole Correction	HDRS-H:HRMS-H:HRGD-H	Bit Size	
FD	Fluid Density	Borehole	1	g/cm3
FSAL	Formation Salinity	Borehole	6126.75	ppm
COSE_DOWN_PASS	Condition to Skip Calculation of Wellbore Density	Borehole	NO	

GCSE_DOWN_PASS	Generalized Caliper Selection for WL Log Down Passes	Borehole	BS	
GCSE_UP_PASS	Generalized Caliper Selection for WL Log Up Passes	Borehole	CALI	
GRSE	Generalized Mud Resistivity Selection, from Measured or Computed Mud Resistivity	Borehole	AMF	
GTSE	Generalized Temperature Selection, from Measured or Computed Temperature	Borehole	CTEM	
HSCO	Hole Size Correction Option	HGNS-H:HGNS-H:HGNS-H	Yes	
MATR	Rock Matrix for Neutron Porosity Corrections	Borehole	LIMESTONE	
MDEN	Matrix Density for Density Porosity	Borehole	2.71	g/cm3
MFST	Mud Filtrate Sample Temperature	Borehole	68	degF
RMFS	Resistivity of Mud Filtrate Sample	Borehole	0.15	ohm.m
SPDR	SP Drift Per Foot	AIT-M:AMIS:AMIS	0	mV/ft
TD	Total Measured Depth	Borehole	6767	ft

Tool Control Parameters

Parameter	Description	ToolPath	Value	Unit
HMCA_BRD_TYPE	HMCA Board Type	HGNS-H:HGNS-H:HMCA-H	1	
HRGD_BRD_TYPE	HRGD Board Type	HDRS-H:HRMS-H:HRGD-H	WITH_HET	
MAX_LOG_SPEED	Toolstring Maximum Logging Speed	WLWorkflow	3600	ft/h

Calibration Report

AIT-M (Array Induction Tool - M) Calibration - Run 1			
Primary Equipment :			
Array Induction Sonde - M	AMIS	1372	
Auxiliary Equipment :			
AITM Rm/SP Bottom Nose	AMRM		

AIT Sonde Calibration - Test Loop Gain							
Master (EEPROM):		18:53:08 10-Aug-2011					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Test Loop Gain - 0		Master	1.000	0.950	1.018	1.050	
Test Loop Phase - 0	deg	Master	0	-3.000	0.403	3.000	
Test Loop Gain - 1		Master	1.000	0.950	1.016	1.050	
Test Loop Phase - 1	deg	Master	0	-3.000	0.616	3.000	
Test Loop Gain - 2		Master	1.000	0.950	1.015	1.050	
Test Loop Phase - 2	deg	Master	0	-3.000	0.029	3.000	
Test Loop Gain - 3		Master	1.000	0.950	1.011	1.050	
Test Loop Phase - 3	deg	Master	0	-3.000	0.117	3.000	
Test Loop Gain - 4		Master	1.000	0.950	0.993	1.050	
Test Loop Phase - 4	deg	Master	0	-3.000	0.035	3.000	
Test Loop Gain - 5		Master	1.000	0.950	0.989	1.050	
Test Loop Phase - 5	deg	Master	0	-3.000	-0.149	3.000	
Test Loop Gain - 6		Master	1.000	0.950	0.994	1.050	
Test Loop Phase - 6	deg	Master	0	-3.000	0.212	3.000	
Test Loop Gain - 7		Master	1.000	0.950	1.006	1.050	
Test Loop Phase - 7	deg	Master	0	-3.000	-0.190	3.000	

AIT Sonde Calibration - Sonde Error Correction							
Master (EEPROM):		18:53:08 10-Aug-2011					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Sonde Error Correction Real - 0	mS/m	Master	-----	-231.000	-65.663	119.000	
Sonde Error Correction Quad - 0		Master	-----	-2250.000	-635.734	2250.000	
Sonde Error Correction Real - 1	mS/m	Master	-----	114.000	172.526	204.000	
Sonde Error Correction Quad - 1		Master	-----	-625.000	182.961	625.000	
Sonde Error Correction Real - 2	mS/m	Master	-----	66.000	117.800	156.000	
Sonde Error Correction Quad - 2		Master	-----	-350.000	43.888	350.000	
Sonde Error Correction Real - 3	mS/m	Master	-----	39.000	63.841	89.000	
Sonde Error Correction Quad - 3		Master	-----	-250.000	-64.676	250.000	
Sonde Error Correction Real - 4	mS/m	Master	-----	15.000	26.623	35.000	
Sonde Error Correction Quad - 4		Master	-----	-63.000	18.539	63.000	
Sonde Error Correction Real - 5	mS/m	Master	-----	4.000	11.882	24.000	
Sonde Error Correction Quad - 5		Master	-----	-50.000	-14.739	50.000	

Sonde Error Correction Real - 6	mS/m	Master	-----	5.000	9.348	15.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Sonde Error Correction Quad - 6		Master	-----	-30.000	-5.042	30.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Sonde Error Correction Real - 7	mS/m	Master	-----	-5.000	-1.492	5.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Sonde Error Correction Quad - 7		Master	-----	-30.000	-12.274	30.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>

AIT Mud Calibration - Mud Calibration Gain

Master (EEPROM): 18:53:08 10-Aug-2011

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Coarse Gain		Master	1.000	0.800	0.922	1.200	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Fine Gain		Master	1.000	0.800	0.928	1.200	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>

AIT Electronics Check - Thru Calibration Check

Master (EEPROM): 18:53:08 10-Aug-2011 Before (Measured): 14:02:18 29-Oct-2011
Expired by 3 days After:

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Mag - 0	V	Master	-----	0.366	0.619	0.854	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	0.366	0.619	0.854	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	0	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Phase - 0	deg	Master	-----	137.000	-179.825	-103.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	137.000	179.822	-103.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	359.647	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Mag - 1	V	Master	-----	0.762	1.268	1.778	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	0.762	1.269	1.778	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	0.000999999999999999	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Phase - 1	deg	Master	-----	136.000	179.097	-104.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	136.000	178.744	-104.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	-	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	0.3530000000000000009	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Mag - 2	V	Master	-----	0.372	0.630	0.868	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	0.372	0.631	0.868	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	0.001	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Phase - 2	deg	Master	-----	132.000	175.539	-108.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	132.000	175.190	-108.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	-	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	0.348999999999999999	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Mag - 3	V	Master	-----	0.420	0.711	0.980	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	0.420	0.712	0.980	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	0.001	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Phase - 3	deg	Master	-----	131.000	174.782	-109.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	131.000	174.434	-109.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	-	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	0.3480000000000000013	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Mag - 4	V	Master	-----	0.804	1.331	1.876	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	0.804	1.332	1.876	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before-Master	-----	-----	0.0010000000000000011	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After-Before	-----	-----	-----	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Thru Cal Phase - 4	deg	Master	-----	125.000	168.627	-115.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		Before	-----	125.000	168.292	-115.000	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
		After	-----	-----	NOT DONE	-----	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>

		Before-Master	----	----	- 0.335000000000 008	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Thru Cal Mag - 5	V	Master	----	1.176	1.949	2.744	<div><div></div></div>
		Before	----	1.176	1.951	2.744	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	0.002	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Thru Cal Phase - 5	deg	Master	----	122.000	166.916	-118.000	<div><div></div></div>
		Before	----	122.000	166.588	-118.000	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	-	----	<div><div></div></div>
		After-Before	----	----	0.328000000000 003	----	<div><div></div></div>
Thru Cal Mag - 6	V	Master	----	1.176	1.945	2.744	<div><div></div></div>
		Before	----	1.176	1.947	2.744	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	0.002	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Thru Cal Phase - 6	deg	Master	----	121.000	166.946	-119.000	<div><div></div></div>
		Before	----	121.000	166.616	-119.000	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	-	----	<div><div></div></div>
		After-Before	----	----	0.329999999999 984	----	<div><div></div></div>
Thru Cal Mag - 7	V	Master	----	0.846	1.419	1.974	<div><div></div></div>
		Before	----	0.846	1.420	1.974	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	0.000999999999 99989	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Thru Cal Phase - 7	deg	Master	----	115.000	166.055	-125.000	<div><div></div></div>
		Before	----	115.000	165.802	-125.000	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	-	----	<div><div></div></div>
		After-Before	----	----	0.253000000000 014	----	<div><div></div></div>
SPA Zero	mV	Master	----	-50.000	-0.193	50.000	<div><div></div></div>
		Before	----	-50.000	-0.192	50.000	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	0.001	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
SPA Plus	mV	Master	----	941.000	983.866	1040.000	<div><div></div></div>
		Before	----	941.000	983.587	1040.000	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	-0.279	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Temperature Zero	V	Master	----	-0.050	0.000	0.050	<div><div></div></div>
		Before	----	-0.050	0.000	0.050	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	0.000	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>
Temperature Plus	V	Master	----	0.870	0.912	0.960	<div><div></div></div>
		Before	----	0.870	0.911	0.960	<div><div></div></div>
		After	----	----	NOT DONE	----	<div><div></div></div>
		Before-Master	----	----	-0.001	----	<div><div></div></div>
		After-Before	----	----	----	----	<div><div></div></div>

DSLT-H (Digitizing Sonic Logging Tool - H) Calibration - Run 1								
Primary Equipment :								
Sonic Logging Sonde E supports 3'-5'BHC DT and CBL/VDL SLS-E								
CBL Normalization - CBL Accumulations								
Master:								
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit		

Upper Far Amplitude - 0		Master	-----	-----	NOT DONE	-----	
Upper Near Raw Amplitude - 0	mV	Master	-----	-----	NOT DONE	-----	
Lower Far Amplitude - 0		Master	-----	-----	NOT DONE	-----	
Lower Near Raw Amplitude - 0	mV	Master	-----	-----	NOT DONE	-----	

CBL Normalization - CBL/VDL Coefficients

Master:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
CBL Correction Factor for UT		Master	3.500	2.700	NOT DONE	4.300	
CBL Correction Factor for LT		Master	2.500	1.700	NOT DONE	4.300	
VDL Ratio between UT and LT for CBLB Mode		Master	1.000	-----	NOT DONE	-----	

CBL Free Pipe Adjustment - Free Pipe Measurement

Before:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
CBL Amplitude - 0	mV	Before	-----	-----	NOT DONE	-----	
CBL Reference Amplitude (CBRA) - 0	mV	Before	-----	-----	NOT DONE	-----	
Measurement Depth - 0	ft	Before	-----	-----	NOT DONE	-----	

CBL Free Pipe Adjustment - CBL Amplitude Coefficient

Before:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
CBL Adjustment Factor		Before	-----	-----	NOT DONE	-----	
Depth of Before Calibration	ft	Before	-----	-----	NOT DONE	-----	

HDRS-H (HILT Density and Rxo Sonde, 150 degC) Calibration - Run 1

Primary Equipment :						
	HILT High-Resolution Control Cartridge, 150 degC	HRCC-H			5705	
	HILT Resistivity Gamma-Ray Density Device, 150 degC	HRGD-H			3816	
Auxiliary Equipment :						
	HRDD Backscatter Detector	Backscatter				
	HRDD Long Spacing Detector	Long Spacing			28732	
	HRDD Short Spacing Detector	Short Spacing			27634	
	Cesium 137 Gamma-Ray Logging Source	GSR-J			5363	
	HILT High-Resolution Control Cartridge, 150 degC	HRCC-H			5705	
	HILT High-Resolution Mechanical Sonde, 150 degC	HRMS-H			4706	
Calibration Parameter :						
	Small Ring Size (Caliper Calibration Small Ring)	8.00				
	Large Ring Size (Caliper Calibration Large Ring)	12.00				

HDRS Caliper Calibration - Caliper Accumulations

Before (Measured): 14:02:36 29-Oct-2011 Expired by 3 days							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Small Ring	in	Before	8.00	6.00	8.80	10.00	
Large Ring	in	Before	12.00	9.00	13.15	15.00	

HDRS Density Calibration - Inversion Results

Master (EEPROM): 12:02:32 06-Oct-2011							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Rho Aluminum	g/cm3	Master	2.596	2.586	2.597	2.606	
Rho Magnesium	g/cm3	Master	1.686	1.676	1.686	1.696	
Pe Aluminum		Master	2.570	2.470	2.551	2.670	
Pe Magnesium		Master	2.650	2.550	2.628	2.750	

HDRS Density Calibration - Deviation Summary

Master (EEPROM): 12:02:32 06-Oct-2011							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Average Deviation	%	Master	0	-0.6000	0.3594	0.6000	
BS Max Deviation	%	Master	0	-1.6000	0.7808	1.6000	
SS Average Deviation	%	Master	0	-1.0000	0.3948	1.0000	
SS Max Deviation	%	Master	0	-2.5000	0.8764	2.5000	
LS Average Deviation	%	Master	0	-1.5000	0.6879	1.5000	
LS Max Deviation	%	Master	0	-3.5000	1.7586	3.5000	

HDRS Density Calibration - Background Summary							
Master (EEPROM):		12:02:32 06-Oct-2011		Before (Measured):		13:59:36 29-Oct-2011 Expired by 3 days	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Window Ratio		Master	1.0000	----	0.7474	----	
		Before	0.7474	0.7100	0.7469	0.7847	
		Before-Master	----	----	-0.0005	----	
BS Window Sum	1/s	Master	1	----	26409	----	
		Before	26409	25088	26715	27729	
		Before-Master	----	----	306	----	
SS Window Ratio		Master	1.0000	----	0.4817	----	
		Before	0.4817	0.4577	0.4827	0.5058	
		Before-Master	----	----	0.0010	----	
SS Window Sum	1/s	Master	1	----	10560	----	
		Before	10560	10032	10555	11088	
		Before-Master	----	----	-5	----	
LS Window Ratio		Master	1.0000	----	0.3037	----	
		Before	0.3037	0.2885	0.3020	0.3189	
		Before-Master	----	----	-0.0017	----	
LS Window Sum	1/s	Master	1	----	1238	----	
		Before	1238	1176	1230	1300	
		Before-Master	----	----	-8	----	

HDRS Density Calibration - Photo-multiplier High Voltages							
Master (EEPROM):		12:02:32 06-Oct-2011		Before (Measured):		13:59:36 29-Oct-2011 Expired by 3 days	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS PM High Voltage	V	Master	----	1000	1383	2400	
		Before	----	1000	1420	2400	
		Before-Master	----	-100	37	100	
SS PM High Voltage	V	Master	----	1000	1396	2400	
		Before	----	1000	1403	2400	
		Before-Master	----	-100	7	100	
LS PM High Voltage	V	Master	----	1000	1198	2400	
		Before	----	1000	1212	2400	
		Before-Master	----	-100	14	100	

HDRS Density Calibration - Crystal Quality Resolutions							
Master (EEPROM):		12:02:32 06-Oct-2011		Before (Measured):		13:59:36 29-Oct-2011 Expired by 3 days	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Crystal Resolution	%	Master	----	5.00	10.81	25.00	
		Before	----	5.00	10.81	25.00	
		Before-Master	----	-1.00	0.00	1.00	
SS Crystal Resolution	%	Master	----	5.00	9.87	20.00	
		Before	----	5.00	10.04	20.00	
		Before-Master	----	-1.00	0.17	1.00	
LS Crystal Resolution	%	Master	----	5.00	8.00	20.00	
		Before	----	5.00	8.02	20.00	
		Before-Master	----	-1.00	0.02	1.00	

HDRS MCFL Calibration - MCFL Accumulations							
Before (Measured):		14:01:20 29-Oct-2011 Expired by 3 days					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Main Resistivity	ohm.m	Before	3875	3565	3878	4185	
Deep Resistivity	ohm.m	Before	3830	3524	3826	4136	
Shallow Resistivity	ohm.m	Before	3830	3524	3824	4136	

HGNS-H (HILT Gamma-Ray and Neutron Sonde, 150 degC) Calibration - Run 1			
Primary Equipment :			
HILT Gamma-Ray and Neutron Sonde, 150 degC	HGNS-H	4779	
Auxiliary Equipment :			
HGNS Accelerometer, 150 degC	HACCZ-H	5736	
AmBe Neutron Logging Source	NSR-F	5168	
Calibration Parameter :			
Water Temperature			

HGNS Accelerometer Calibration - Accelerometer Accumulations

Before (Measured): 15:44:45 03-Nov-2011

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
AZ Vertical Measurement	ft/s2	Before	32.2	31.5	32.2	32.8	

HGNS Accelerometer EEPROM - Accelerometer EEPROM Read

Master (EEPROM): 00:00:00 15-Mar-2006

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Accelerometer Manufacturer		Master	----	----	QAT_160	----	
Accelerometer Reference Temperature	degF	Master	----	30.2	77.0	122.0	
Accelerometer Coefficients - 0		Master	----	----	8084.000	----	
Accelerometer Coefficients - 1		Master	----	----	-8.467	----	
Accelerometer Coefficients - 2		Master	----	----	0.009	----	
Accelerometer Coefficients - 3		Master	----	----	0.000	----	
Accelerometer Coefficients - 4		Master	----	----	2.722	----	
Accelerometer Coefficients - 5		Master	----	----	0.000	----	
Accelerometer Coefficients - 6		Master	----	----	0.000	----	
Accelerometer Coefficients - 7		Master	----	----	0.000	----	
Accelerometer Coefficients - 8		Master	----	----	298.700	----	
Accelerometer Coefficients - 9		Master	----	----	0.995	----	

HGNS Neutron Calibration - HGNS Neutron Accumulations

Master (EEPROM): 06:22:24 07-Oct-2011 Before (Measured): 13:55:47 29-Oct-2011 After: Expired by 3 days

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Near Zero Measurement	1/s	Master	0	5.0	24.1	40.0	
		Before	0	5.0	24.7	40.0	
		After	----	----	NOT DONE	----	
		Before-Master	----	-3.6	0.6	3.6	
		After-Before	----	----	----	----	
Far Zero Measurement	1/s	Master	0	5.0	28.1	40.0	
		Before	0	5.0	27.2	40.0	
		After	----	----	NOT DONE	----	
		Before-Master	----	-4.2	-0.9	4.2	
		After-Before	----	----	----	----	
Near Plus Measurement - 0	1/s	Master	6031.0	4700.0	5352.0	6900.0	
		Before	----	----	NOT DONE	----	
		After	----	----	NOT DONE	----	
		Before-Master	----	----	----	----	
		After-Before	----	----	----	----	
Far Plus Measurement - 0	1/s	Master	2793.0	1900.0	2227.0	2900.0	
		Before	----	----	NOT DONE	----	
		After	----	----	NOT DONE	----	
		Before-Master	----	----	----	----	
		After-Before	----	----	----	----	
Near Corrected Plus Measurement - 0	1/s	Master	----	4700.0	5354.0	6900.0	
		Before	----	----	----	----	
		After	----	----	----	----	
		Before-Master	----	----	----	----	
		After-Before	----	----	----	----	
Far Corrected Plus Measurement - 0	1/s	Master	----	1900.0	2215.0	2900.0	
		Before	----	----	----	----	
		After	----	----	----	----	
		Before-Master	----	----	----	----	
		After-Before	----	----	----	----	

HGNS Gamma-Ray Calibration - Gamma-Ray Accumulations

Before (Measured): 14:02:11 29-Oct-2011 Expired by 3 days After:

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
RGR Zero Measurement	gAPI	Before	30.0	0	97.5	120.0	
		After	----	----	NOT DONE	----	
		After-Before	----	----	----	----	
RGR Plus Measurement	gAPI	Before	185.4	157.1	169.8	206.3	
		After	----	----	NOT DONE	----	
		After-Before	----	----	----	----	

		After-Before	-----	-----	-----	-----	
GR Calibration Gain		Before	0.89	0.80	0.97	1.05	
		After	-----	-----	-----	-----	
		After-Before	-----	-----	-----	-----	

LEH-QT (Logging Equipment Head - QT, 3-3/8 inch 31 pin HPHT with Tension Sensor) Calibration - Run 1

Primary Equipment :	Logging Equipment Head - QT, 3-3/8 inch 31 pin HPHT with Tension Sensor	LEH-QT
---------------------	---	--------

HTEN Master Calibration - HTEN Master Calibration

Master:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
HTEN Shop Gain		Master	1.000	0.800	NOT DONE	1.200	
HTEN Shop Offset	lbf	Master	0	-1000.000	NOT DONE	1000.000	

HTEN Before Calibration - HTEN Before Calibration

Before:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
RHTE Zero Measurement - 0	lbf	Before	-----	-----	-----	-----	
RHTE Plus Measurement - 0	lbf	Before	-----	-----	-----	-----	
HTEN Gain - 0		Before	-----	-----	-----	-----	
HTEN Offset - 0	lbf	Before	-----	-----	-----	-----	

Company:

Texas American Resources Company

Well:

Roth 44-30

Field:

Wattenberg

County:

Weld

Country:

USA

Schlumberger

Platform Express

Triple Combo

Repeat