

1ST LOAD  
Oil FISH

DEV 1

304

11:27

11/16/11

30487

7.50 0.00 7.50

WELL MIX

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST
SAND	18760	18660	LB 2370	-0.5	116.7	5.50A
CEMENT	5640	5660	LB 752	0.4	0.0	
F-ASH	1410	1410	LB 188	0.0	0.0	
WATER	180	180	GL 50.0	0.1	180.0	
AIR 40	15	15	OZ 2.00	0.0	0.0	
MNX-15	0	0	OZ 0.00	0.0	0.0	
MNX ACN	0	0	OZ 0.00	0.0	0.0	
HOT	77	77	GL 0.0	0.2	77.0	

DATE & TIME 11/16/11 11:30  
PLANT No: 1  
BATCH No: 30487 DROPS: 2  
TRUCK 304 DRIVER: KEVIN  
QUAN 7.50YD MIX: SAND GROUT

SLUMP 4.0 in  
% HOT WATER 30  
WAT ADJUST 0.0  
AGG ST 40  
AGG ET 60  
CEM ST 15  
CEM ET 15  
HI ST ADX NONE

MANUAL 11:23  
NO MANUAL TRIM

WAT IN TRK = 0.0  
WAT TO ADD = 0.3  
TOTAL WAT = 374.1  
WAT/CEM = 0.441T



**Fremont Paving & Redi-Mix, Inc.**

P.O. Box 841  
Cañon City, Colorado 81215-0841  
Res.: (719) 275-8200  
(719) 275-3264

五

ACCOUNT NO.


20

NAME \_\_\_\_\_

20

MAIL ADD.

DEL'Y ADD.										TIME	COUNTY
QUAN.	UNIT / REFERENCE							UNIT PRICE	AMOUNT		
	YDS						CONCRETE				
TOTAL MINUTES							ALLOWED	=	②	UNLOADING TIME	

I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above delivery address.

×

**CAUTION:** Freshly mixed cement, mortar, concrete or grout may cause skin injury. Avoid contact with skin where possible and wash exposed skin areas promptly with water. If any cement mixtures get into eyes, rinse immediately and repeatedly with water and get prompt medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**A Periodic FINANCE CHARGE (ANNUAL PERCENTAGE RATE of 24%)** will be applied to any past due balance. Customer will be responsible for any and all collection fees, if incurred.

BATCH TIME/LOAD TIME	DRIVER	TIME
START	Kear	ARRIVAL AT SITE:
STOP		TOTAL DRIVE TIME:
TOTAL	TRUCK NO. 304	STOP:

*Quick Service Via 2 Way Radio*

RED LOAD  
OIL FISH

DEL 1

311

11:41

11/16/11

30488

7.00 0.00 7.00

WELL MIX

MATERIAL	REQ'D	BAT'D		MIX	TOL	ACWAT	%MST
SAND	17526	17400	LB	2370	-0.7	111.5	5.64A
CEMENT	5264	5240	LB	752	-0.5	0.0	
F-ASH	1316	1320	LB	188	0.3	0.0	
WATER	166	166	GL	50.0	0.1	166.0	
AIR 40	14	14	OZ	2.00	0.0	0.0	
MNX-15	0	0	OZ	0.00	0.0	0.0	
MNX ACN	0	0	OZ	0.00	0.0	0.0	
HOT	72	72	GL	0.0	-0.3	72.0	

DATE & TIME 11/16/11 11:45  
PLANT No: 1  
BATCH No: 30488 DROPS: 1  
TRUCK 311 DRIVER: DEL  
QUAN 7.00YD MIX: SAND GROUT

SLUMP 4.0 in  
% HOT WATER 30  
WAT ADJUST 0.0  
AGG ST 60  
AGG ET 60  
CEM ST 15  
CEM ET 5  
HI ST ADX NONE

WAT IN TRK = 0.0  
WAT TO ADD = 0.8  
TOTAL WAT = 350.3  
WAT/CEM = 0.445T

MANUAL 11:38  
NO MANUAL TRIM



# Premont Paving & Redi-Mix, Inc.

P.O. Box 841  
Cañon City, Colorado 81215-0841  
Res.: (719) 275-8200

ACCOUNT  
NO.

--	--	--	--	--

NAME

MAIL ADD.

DEL Y ADD.

QUAN.

UNIT / REFERENCE

YDS

CONCRETE

TOTAL MINUTES

ALLOWED

GALLONS OF WATER ADDED =

UNLOADING TIME

I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above delivery address.

**CAUTION:** Freshly mixed cement, mortar, concrete or grout may cause skin injury. Avoid contact with skin where possible and wash exposed skin areas promptly with water. If any cement mixes get into eyes, rinse immediately and repeatedly with water and get prompt medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**erotic FINANCE CHARGE (ANNUAL PERCENTAGE RATE OF 24%)**

Customer will be responsible for any and all collection fees, if incurred.

Customer will be responsible for any and all collection fees, if incurred.

ATCH TIME/LOAD TIME

DRIVER

ARRIVAL AT SITE:

TIME

RETURN TO PLANT:

TRUCK NO.

START:

TOTAL DRIVE TIME:

STOP:

Quick Service Via 2 Way Radio

No 86384

11-16-11

20

RON 1

310

15:24

11/16/11

30490

5.50 0.00 5.50

WELL MIX

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST
SAND	13804	13720	LB 2370	-0.6	91.7	5.90A
CEMENT	4136	4125	LB 752	-0.3	0.0	
F-ASH	1034	1030	LB 188	-0.4	0.0	
WATER	183	184	GL 50.0	0.8	184.0	
AIR 40	11	12	OZ 2.00	9.1	0.0	
MNX-15	0	0	OZ 0.00	0.0	0.0	
MNX ACN	0	0	OZ 0.00	0.0	0.0	

WAT IN TRK = 0.0  
 WAT TO ADD = 0.0  
 TOTAL WAT = 275.7  
 WAT/CEM = 0.446A

MANUAL 15:22  
 NO MANUAL TRIM

DATE & TIME 11/16/11 15:27  
 PLANT No: 1  
 BATCH No: 30490 DROPS: 1  
 TRUCK 310 DRIVER: RON  
 QUAN 5.50YD MIX: SAND GROUT

SLUMP 4.0 in  
 % HOT WATER 0  
 WAT ADJUST 0.0  
 AGG ST 60  
 AGG ET 80  
 CEM ST\* 25  
 CEM ET 15  
 HI ST ADX NONE





# Fremont Paving & Redi-Mix, Inc.

P.O. Box 841  
Cañon City, Colorado 81215-0841  
Res.: (719) 275-8200

11-16-11

ACCOUNT NO.					
-------------	--	--	--	--	--

NAME Pine Ridge Dirt & Gravel NO. 330

MAIL ADD. 2700

DEL'Y ADD. 5 1/2 YDS 2.70 CONCRETE

QUAN. UNIT / REFERENCE

TIME

UNIT PRICE

COUNTY AMOUNT

TOTAL MINUTES

ALLOWED

GALLONS OF WATER ADDED =

UNLOADING TIME

County Tax

City Tax

State Tax

TOTAL

I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above delivery address.

X

**CAUTION:** Freshly mixed cement, mortar, concrete or grout may cause skin injury. Avoid contact with skin where possible and wash exposed skin areas promptly with water. If any cement mixtures get into eyes, rinse immediately and repeatedly with water and get prompt medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**A Periodic FINANCE CHARGE (ANNUAL PERCENTAGE RATE of 24%)**

Customer will be responsible for any and all collection fees, if incurred.

BATCH TIME/LOAD TIME

DRIVER

ARRIVAL AT SITE

TIME

RETURN TO PLANT

STOP

TRUCK NO.

START

TOTAL DRIVE TIME

STOP

Quick Service Via 2 Way Radio

KEV 1 304 15:36 11/16/11 30491

6.00 0.00 6.00 WELL MIX

LOHP3

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST
SAND	15062	14920	LB 2370	-0.9	100.1	5.92A
CEMENT	4512	4480	LB 752	-0.7	0.0	
-ASH	1128	1130	LB 188	0.2	0.0	
WATER	199	200	GL 50.0	0.6	200.0	
WIR 40	12	13	OZ 2.00	8.3	0.0	
INX-15	0	0	OZ 0.00	0.0	0.0	
INX ACN	0	0	OZ 0.00	0.0	0.0	

DATE & TIME 11/16/11 15:39  
 PLANT No: 1  
 BATCH No: 30491 DROPS: 1  
 TRUCK 304 DRIVER: KEVIN  
 QUAN 6.00YD MIX: SAND GROUT

SLUMP 4.0 in  
 % HOT WATER 0  
 WAT ADJUST 0.0  
 AGG ST 80  
 AGG ET 60  
 CEM ST 15  
 CEM ET 15  
 HI ST ADX NONE

ANUAL 15:33  
 0 MANUAL TRIM

WAT IN TRK = 0.0  
 WAT TO ADD = 0.0  
 TOTAL WAT = 300.1  
 WAT/CEM = 0.446A



# Fremont Paving & Redi-Mix,

P.O. Box 841

Canon City, Colorado 81215-0841

Res.: (719) 275-8200

ACCOUNT NO.

--	--	--	--	--

NAME

MAIL ADD.

DEL'Y ADD.

QUAN.

UNIT / REFERENCE

YDS

CONCRETE

TIME

UNIT PRICE

COUNTY

AMOUNT

TOTAL MINUTES

ALLOWED

GALLONS OF WATER ADDED =

UNLOADING TIME

I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above delivery address.

X

**CAUTION:** Freshly mixed cement, mortar, concrete or grout may cause skin injury. Avoid contact with skin where possible and wash exposed skin areas promptly with water. If any cement mixtures get into eyes, rinse immediately and repeatedly with water and get prompt medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**ANNUAL FINANCE CHARGE (ANNUAL PERCENTAGE RATE OF 24%)**

Customer will be responsible for any and all collection fees, if incurred.

BATCH TIME/LOAD TIME

DRIVER

ARRIVAL AT SITE:

TIME

RETURN TO PLANT:

TOTAL

TRUCK NO.

START:

TOTAL DRIVE TIME:

STOP:

Quick Service Via 2 Way Radio

NO 86

2



RON 1 310 16:31 11/16/11 30492

5.00 0.00 5.00 WELL MIX

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST
SAND	12533	12420	LB 2370	-0.9	81.2	5.76A
CEMENT	3760	3745	LB 752	-0.4	0.0	
F-ASH	940	940	LB 188	0.0	0.0	
WATER	168	167	GL 50.0	-0.6	167.0	
AIR 40	10	10	OZ 2.00	0.0	0.0	
MNX-15	0	0	OZ 0.00	0.0	0.0	
MNX ACN	0	0	OZ 0.00	0.0	0.0	

DATE & TIME 11/16/11 16:33  
PLANT No: 1  
BATCH No: 30492 DROPS: 1  
TRUCK 310 DRIVER: RON  
QUAN 5.00YD MIX: SAND GROUT

SLUMP 4.0 in  
% HOT WATER 0  
WAT ADJUST 0.0  
AGG ST 60  
AGG ET 80  
CEM ST 20  
CEM ET 15  
HI ST ADX NONE

MANUAL 16:29  
NO MANUAL TRIM

WAT IN TRK = 0.0  
WAT TO ADD = 1.7  
TOTAL WAT = 249.9  
WAT/CEM = 0.445T

P.O. Box 841 (719) 275-3264  
Cañon City, Colorado 81215-0841  
Res.: (719) 275-8200

88388

*Quick Service Via 2 Way Radio*