

FORM
2

Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER ☐
SINGLE ZONE ☒ MULTIPLE ☐ COMMINGLE ☐

Refiling ☐
Sidetrack ☐

Document Number:

400246272

PluggingBond SuretyID

20100017

3. Name of Operator: ENCANA OIL & GAS (USA) INC

4. COGCC Operator Number: 100185

5. Address: 370 17TH ST STE 1700

City: DENVER State: CO Zip: 80202-5632

6. Contact Name: Heather Mitchell Phone: (720)876-3070 Fax: (720)876-4070

Email: heather.mitchell@encana.com

7. Well Name: Albertson DHN Well Number: 5C-10 G15 7101

8. Unit Name (if appl): Mesagar Unit Number: COC047655
X

9. Proposed Total Measured Depth: 12411

WELL LOCATION INFORMATION

10. QtrQtr: SWNE Sec: 15 Twp: 7S Rng: 101W Meridian: 6

Latitude: 39.446636 Longitude: -108.646600

Footage at Surface: 2521 feet FNL/FSL FNL 1439 feet FEL/FWL FEL

11. Field Name: Mesagar Field Number: 54310

12. Ground Elevation: 6377 13. County: GARFIELD

14. GPS Data:

Date of Measurement: 12/19/2011 PDOP Reading: 1.7 Instrument Operator's Name: Ben Johnson

15. If well is ☐ Directional ☒ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL 1857 FNL 1995 FWL 1536 FNL 1976 FWL
Sec: 15 Twp: 7S Rng: 101 Sec: 10 Twp: 7S Rng: 101
W W

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 170 ft

18. Distance to nearest property line: 170 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 1300 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Mancos	MNCS			

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: _____

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: 20090011

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No

23b. If 23 is No: ☐ Surface Owners Agreement Attached or ☒ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

T7S-R101W Section 15: Portion of Tract 39, Portion of Tract 40 Section 10: Portion of Tracts 38, 41 and 40 Section 14: Portion of Tract 39 Section 15 and 16: Tract 42 Section 16 and 21: Tract 43 Section 22: Portion of Tract 39 Section 22: Portion of Tract 39 Section 10: Tract 38 in E/2 and Tract 38 in W/2

25. Distance to Nearest Mineral Lease Line: 0 ft

26. Total Acres in Lease: 880

DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☐ No

31. Mud disposal: ☐ Offsite ☒ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☐ Land Spreading ☐ Disposal Facility Other: Recycle and bury

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	30	20	Linepipe	0	120	319	120	0
SURF	14+3/4	10+3/4	40.5	0	1,000	369	1,000	0
2ND	9+7/8	7+5/8	26.4	0	5,400	262	5,400	
3RD	6+1/2	4+1/2	12	0	12,411	63	5,350	

32. BOP Equipment Type: ☒ Annular Preventer ☒ Double Ram ☐ Rotating Head ☐ None

33. Comments A surface use agreement is being finalized with the Surface Owner. Distance in # 17 is from the nearest property line. Conductor and surface casing cement will be run to surface. 2nd string will be cemented to 200' above surface casing shoe. 3rd string will be cemented into the 2nd string. 3rd string is a tapered string 5 1/2 to 4 1/2. Production casing is designed for an open hold packers type completion. Hydraulic set packers will be spaced 200-300' apart throughout the pay interval that will be activated with pressure from surface. Above the packers in the well will be a casing packer/pack valve system at 5350' in this well. Production cement will be pumped through the pack valve tool to cement 1000' ft into the intermediate casing. This cement, along with the casing packer and open hole packers, will create isolation from the production section.

34. Location ID: _____

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Heather Mitchell

Title: Regulatory Analyst Date: 1/30/2012 Email: heather.mitchell@encana.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

API NUMBER

05

Permit Number: _____ Expiration Date: _____

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

--

Attachment Check List

Att Doc Num	Name
400246272	FORM 2 SUBMITTED
400246368	WELL LOCATION PLAT
400247067	DIRECTIONAL DATA
400247068	DEVIATED DRILLING PLAN

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)