

**From:** [Spry ORourke, Linda](#)  
**To:** [Scan, OGCC](#)  
**Cc:** [Baldwin, Debbie](#); ["Jess Peonio"](#); [Fischer, Alex](#)  
**Subject:** RE: Form 4 Submittal - Water Reuse & Waste Minimization - Axia-Laramie II  
**Date:** Monday, February 06, 2012 3:14:54 PM  
**Attachments:** [Axia-LaramieII REUSE COA.doc](#)  
[Axia-sundry 2597035-s.pdf](#)  
[Axia-sundry 2597035-page 2.pdf](#)  
[Water Reuse Minimization - Axia-Laramie II Submittal.pdf](#)

---

Amber,

Please enter and approve this sundry Form 4 with the attached conditions of approval, noting the receipt date and sticky-number document attached to the sundry. Please include the email below with the sundry.

Jess,

I've conditionally approved this document. My understanding from speaking with Olsson and Associates this morning is that they have sampled your produced water for the full list of analysis and the results should be ready this week. That is why the condition of approval for water quality analysis from Axia water is the end of this week. Laramie will have to provide the same analysis on their water, but I gave them about 6 weeks to get samples collected and results back from the laboratory.

Also, be aware that same day or single day approval on sundry notices such as this is not the norm at all, and plan ahead accordingly in the future. More typical process time is a minimum of a week.

Thanks.

Linda Spry O'Rourke  
Environmental Protection Specialist, Northwest Region  
**Colorado Oil & Gas Conservation Commission**  
707 Wapiti Court  
Suite 204  
Rifle, CO 81650

(970) 625-2497 Office  
(970) 625-5682 Fax  
(970) 309-3356 Cellular  
[linda.spryorourke@state.co.us](mailto:linda.spryorourke@state.co.us)

---

**From:** Jess Peonio [mailto:[jpeonio@axiaenergy.com](mailto:jpeonio@axiaenergy.com)]  
**Sent:** Friday, February 03, 2012 8:10 AM  
**To:** Fischer, Alex; Spry ORourke, Linda  
**Subject:** Form 4 Submittal - Water Reuse & Waste Minimization - Axia-Laramie II

Mr. Fischer & Ms. Spry O'Rourke:

Per our discussion this week, please find the attached Form 4 submittal concerning water transfer between Axia Energy LLC & Laramie Energy II LLC. Since it doesn't appear that

the Form 4 is able to be electronically filed, we will be submitting this in hard copy this morning, but I also wanted to send you an electronic version due to special circumstances.

Axia Energy will be ready to transfer fluid to Laramie Energy II starting Monday, 2/6/12. The main point of urgency is that it has been voiced by the community in/near the Town of Collbran that truck traffic be kept to a minimum. Approval of this sundry as soon as possible will allow both Axia Energy and Laramie Energy II to accomplish the goal of minimizing truck traffic, conserving fresh water in the immediate area, and optimize water resources available.

Enclosed in the sundry is:

Form 4

Form 4 Tech Info Page – with specifics and ID's of locations of transfer

Axia & Laramie's signed Produced/Flowback Water Reuse and Waste Minimization Plan

Axia & Laramie's signed Water Custody Transfer Agreement

Record of Water Transfer Form to be utilized to document transfers

You will find that the attachments to the sundry are similar, if not identical, to a previously approved submittal to the COGCC. This was done in an attempt to expedite approval. Laramie Energy II will also be submitting similar documents today.

If at all possible, please contact me as soon as possible at (303) 349-6026 to discuss the matter, and to give us an idea as to when approval could possibly be anticipated.

Thank you for your urgency and consideration in this matter.

Sincerely,

**Jess A. Peonio**

Sr. Drilling Engineer/Regulatory Manager

Axia Energy

1430 Larimer, Suite #400; Denver, CO 80202

O: 720-746-5212; C: 303-349-6026

F: 720-746-5201; [jpeonio@axiaenergy.com](mailto:jpeonio@axiaenergy.com)