

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

Lease Rec #3795884: T6N-R67W; Sec. 19:Lot 45, Block 2, Westwood Village, 2nd filing, a subdivision of the Town of Windsor, Sections 19 & 20: Tract B and Tract C of Westwood Village 2nd filing, Sections 19 & 20: Lot A & B of Recorded Exemption #0807-19-4RE2622, being a part of the E/2SE/4 of Sec. 19 and part of the W/2SW/4 of Sec. 20. Section 20: Lot B of Recorded Exemption # 0807-20-3-RE-3124, recorded January 2, 2002 Rec # 291301 being part of S/2. Lease containg approximately 122.49 acres

25. Distance to Nearest Mineral Lease Line: 465 ft 26. Total Acres in Lease: 122

DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? Yes No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? Yes No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? Yes No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? Yes No

31. Mud disposal: Offsite Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: Land Farming Land Spreading Disposal Facility Other: _____

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24	0	580	415	580	0
1ST	7+7/8	4+1/2	11.6	0	7,424	262	7,280	6,500

32. BOP Equipment Type: Annular Preventer Double Ram Rotating Head None

33. Comments Conductor casing will not be set. Total of 5 wells to be drilled from this pad. Everitt 19-44 (Doc #400231314), Everitt 19-54 (Doc #400231402), Everitt 20-14 (Doc #400231418), and Everitt 20-13 (Doc #400231460).

34. Location ID: _____

35. Is this application in a Comprehensive Drilling Plan ? Yes No

36. Is this application part of submitted Oil and Gas Location Assessment ? Yes No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Janni Keidel

Title: Permit & Reg. Analyst Date: 1/16/2012 Email: jkeidel@gwogco.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Nash Director of COGCC Date: 2/16/2012

API NUMBER

05 123 35096 00

Permit Number: _____ Expiration Date: 2/15/2014

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Note surface casing setting depth change from 500' to 580'. Increase cement coverage accordingly and cement to surface.
- 2) Provide 24 hour notice of MIRU to COGCC inspector Jim Precup via e-mail at james.precup@state.co.us Indicate Spud Notice in the subject line and provide the following information: Operator Name, Well Name and Number, API #, Spud Date, Contact Name, Contact Phone #, E-mail Address.
- 3) Comply with Rule 317.i and provide cement coverage from TD to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 4) Comply with Rule 321. Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Operator must meet water well testing requirements per Rule 318A.

Attachment Check List

Att Doc Num	Name
1694684	WAIVERS
1694685	EXCEPTION LOC WAIVERS
1694686	WAIVERS
1771583	SURFACE CASING CHECK
400230098	FORM 2 SUBMITTED
400236028	TOPO MAP
400239908	LEASE MAP
400241410	DEVIATED DRILLING PLAN
400241617	DIRECTIONAL DATA
400242545	WELL LOCATION PLAT

Total Attach: 10 Files

General Comments

User Group	Comment	Comment Date
Permit	Final Review Completed. No LGD or public comment received.	2/14/2012 11:50:40 AM
Permit	Changed line 16: Is location in a high density area from No to Yes per operator. OK to pass	2/9/2012 1:25:59 PM
Permit	ON HOLD: w/o form 2A. received and attached exception location letter and waiver for 318A.a (SHL outside of drlg window) & exception location letter and waiver for 603.a.2 property line setback. Ok to pass.	2/9/2012 10:52:39 AM
Permit	The operator is requesting an exception to the minimum distance requirement to Rule 603.a.2. The wellhead shall be a minimum distance of one hundred fifty (150) feet from a surface property line. The request letter and waivers are attached.	2/9/2012 10:34:36 AM
Permit	Operator requests approval of a Rule 318Aa exception location: Wellhead is to be located outside of a GWA drilling window. Request and Waiver attached.	2/9/2012 10:34:22 AM
Permit	ON HOLD: requesting exception location letter for 318A.a (SHL outside of drlg window) & exception location letter and waiver for 603 property line setback.	1/27/2012 10:33:56 AM
Permit	Changed TD to 7,424' from 7,280' per operator.	1/23/2012 10:31:16 AM
Permit	Operator corrected SHL and BHL. This form has passed completeness.	1/18/2012 2:14:48 PM
Permit	Returned to draft. Incorrect QtrQtr.	1/18/2012 2:02:10 PM
Permit	Returned to draft at operators request.	1/18/2012 11:37:49 AM
Permit	Returned to draft. SHL and BHL do not match attached plat.	1/17/2012 12:18:04 PM

Total: 11 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)