

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 400242030			
PluggingBond SuretyID 20090043			

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☒ MULTIPLE ☐ COMMINGLE ☐

Refiling ☐  
Sidetrack ☐

3. Name of Operator: SYNERGY RESOURCES CORPORATION 4. COGCC Operator Number: 10311  
5. Address: 20203 HIGHWAY 60  
City: PLATTEVILLE State: CO Zip: 80651  
6. Contact Name: Kori Thoren Phone: (970)737-1073 Fax: (970)737-1045  
Email: kthoren@syrginfo.com  
7. Well Name: Margil Well Number: 44-34D  
8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_  
9. Proposed Total Measured Depth: 8000

WELL LOCATION INFORMATION

10. QtrQtr: SESE Sec: 34 Twp: 4N Rng: 68W Meridian: 6  
Latitude: 40.264081 Longitude: -104.984265

Footage at Surface: 531 feet FNL/FSL 1228 feet FEL/FWL FEL

11. Field Name: Wattenberg Field Number: 90750  
12. Ground Elevation: 5091 13. County: WELD

14. GPS Data:

Date of Measurement: 08/03/2011 PDOP Reading: 1.0 Instrument Operator's Name: Steven A Lund

15. If well is ☒ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL 665 FSL 651 FEL 665 FSL 651 FEL 665 FSL 651 FEL 665  
Sec: 34 Twp: 4N Rng: 68W Sec: 34 Twp: 4N Rng: 68W

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 501 ft

18. Distance to nearest property line: 531 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 900 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
J-Sand	JSND	232-23	320	E/2
Niobrara/Codell	NB-CD	407-87	80	S/2SE/4

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☒ Yes ☐ No Surface Surety ID#: \_\_\_\_\_

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☒ Yes ☐ No

23b. If 23 is No: ☐ Surface Owners Agreement Attached or ☐ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

NW/4 and S/2 Sec. 34, T4N-R68W

25. Distance to Nearest Mineral Lease Line: 651 ft

26. Total Acres in Lease: 480

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☐ No

31. Mud disposal: ☒ Offsite ☐ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☐ Land Spreading ☒ Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24	0	970	400	970	0
1ST	7+7/8	4+1/2	10.5	0	8,000	550	8,000	200

32. BOP Equipment Type: ☒ Annular Preventer ☐ Double Ram ☐ Rotating Head ☐ None

33. Comments No conductive surface casing will be used. Operator requests approval of Rule 318a exception location. Wellhead is located outside the GWA drilling window and will be located more than 50' from an existing well. Request and Waiver attached.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Craig Rasmuson

Title: Head of Operations Date: 1/17/2012 Email: crasmuson@syrinfo.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Nesline

Director of COGCC Date: 2/25/2012

#### API NUMBER

05 123 35162 00

Permit Number: \_\_\_\_\_ Expiration Date: 2/24/2014

#### CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Note surface casing setting depth change from 600' to 970'. Increase cement coverage accordingly.
- 2) Provide 24 hour notice of MIRU to COGCC inspector John Montoya via e-mail at John.Montoya@state.co.us. Indicate Spud Notice in the subject line and provide the following information: Operator Name, Well Name and Number, API #, Spud Date, Contact Name, Contact Phone #, E-mail Address. 3) Comply with Rule 317.i and provide cement coverage from TD for 7" casing to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 4) Run and submit Directional Survey from TD to base of surface casing. The operator shall comply with Rule 321, and it shall be the operator's responsibility to ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Operator must meet water well testing requirements per Rule 318A.

### **Attachment Check List**

Att Doc Num	Name
1694701	EXCEPTION LOC REQUEST
1694702	EXCEPTION LOC WAIVERS
400242030	FORM 2 SUBMITTED
400242101	MULTI-WELL PLAN
400242105	WELL LOCATION PLAT
400242107	DEVIATED DRILLING PLAN
400245969	DIRECTIONAL DATA

Total Attach: 7 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Final Review Completed. No LGD or public comment received.	2/22/2012 11:36:00 AM
Permit	received and attached exception location letter and waiver and changed the J Sand spacing from 160 acres SE/4 to 320 acres E/2 per operator. Ok to pass 2/17/12.	2/10/2012 10:57:47 AM
Permit	ON HOLD: requesting exception location letter and waiver and corrected Direction Drilling Template. questions about spacing. Rule 318A.a.(4).b	2/6/2012 11:31:27 AM
Permit	changed ground elevation from 5891' to 5091' to match form 2A and well plat.	2/6/2012 11:30:00 AM
Permit	Operator requests approval of a Rule 318Aa exception location: Wellhead is to be located outside of a GWA drilling window. Request and Waiver attached.	2/6/2012 11:25:45 AM
Permit	ON HOLD: requesting confirmation that J Sand can be 160 SE/4.	2/6/2012 11:24:38 AM
Permit	Operator input directional template. This form has passed completeness.	1/27/2012 7:21:03 AM
Permit	Returned to draft. Missing directional template.	1/18/2012 8:56:32 AM

Total: 8 comment(s)

### **BMP**

<b><u>Type</u></b>	<b><u>Comment</u></b>

Total: 0 comment(s)