

FORM
5A

Rev
02/08

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

2286847

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185 4. Contact Name: SHEILLA REED-HIGH
2. Name of Operator: ENCANA OIL & GAS (USA) INC Phone: (720) 876-3678
3. Address: 370 17TH ST STE 1700 Fax: (720) 876-4678
City: DENVER State: CO Zip: 80202-

5. API Number 05-123-32182-00 6. County: WELD
7. Well Name: RODMAN BRUNTZ Well Number: 0-4-26
8. Location: QtrQtr: SWNW Section: 26 Township: 2N Range: 66W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED

Treatment Date: 09/12/2011 Date of First Production this formation: 10/21/2011

Perforations Top: 7507 Bottom: 8188 No. Holes: 222 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☐

JSND-NBRR-CDL COMMINGLE. SET CBP @ 7310'. 12/07/11. DRILLED OUT CBP @ 7310'. CFP @ 7560' AND 7760' TO COMMINGLE THE JSND-NBRR-CDL. 12/08/11.

This formation is commingled with another formation: ☐ Yes ☒ No

Test Information:

Date: 12/13/2011 Hours: 24 Bbls oil: 57 Mcf Gas: 256 Bbls H2O: 176

Calculated 24 hour rate: Bbls oil: 57 Mcf Gas: 256 Bbls H2O: 176 GOR: 4491

Test Method: FLOWING Casing PSI: 1638 Tubing PSI: 765 Choke Size:

Gas Disposition: SOLD Gas Type: DRY BTU Gas: 1 API Gravity Oil: 1

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8128 Tbg setting date: 12/08/2011 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

FORMATION: J SAND Status: PRODUCING

Treatment Date: 09/12/2011 Date of First Production this formation: 10/21/2011

Perforations Top: 8148 Bottom: 8188 No. Holes: 82 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☐

J SAND COMPLETION. FRAC'D THE J-SAND 8147'-8188', (82 HOLES) W/66,780 GAL 18# VISTAR HYBRID CROSS LINKED GEL CONTAINING 250,940# 20/40 SAND. 09/12/11.

This formation is commingled with another formation: ☐ Yes ☒ No

Test Information:

Date: Hours: Bbls oil: Mcf Gas: Bbls H2O:

Calculated 24 hour rate: Bbls oil: Mcf Gas: Bbls H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: BTU Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

FORMATION: NIOBRARA-CODELL Status: PRODUCING

Treatment Date: 09/12/2011 Date of First Production this formation: 10/21/2011

Perforations Top: 7507 Bottom: 7712 No. Holes: 140 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☐

CDL-NBRR COMPLETION. SET CFP @ 7760'. 09/12/2011. FRAC'D THE CODELL 7692'-7712', (40 HOLES) W/91,140 GAL 22 # VISTAR HYBRID CROSS LINKED GEL CONTAINING 253,500# 20/40 SAND. 09/12/11 SET CFP @ 7560'. 09/12/11. FRAC'D THE NIOBRARA 7507'-7532', (100 HOLES) W/94,080 GASL 18 # VISTAR HYBRID CROSS LINKED GEL CONTAINING 252,040# 20/40 SAND. 09/12/11.

This formation is commingled with another formation: ☐ Yes ☒ No

Test Information:

Date: Hours: Bbls oil: Mcf Gas: Bbls H2O:

Calculated 24 hour rate: Bbls oil: Mcf Gas: Bbls H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: BTU Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: SHEILLA REED-HIGH

Title: OPERATIONS

Date: 1/8/2012

Email: SHEILLA.REEDHIGH@ENCANA.COM

Attachment Check List

| Att Doc Num | Name |
|-------------|-------------------|
| 2286847 | FORM 5A SUBMITTED |
| 2286848 | WELLBORE DIAGRAM |

Total Attach: 2 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|---|----------------------------|
| Data Entry | JNBCD FORMATION: BTU GAS AND API GRAVITY OIL IS REQUIRED. | 1/23/2012 2:18:17 PM |

Total: 1 comment(s)