



02/06/12

Technical Report for

XTO Energy

FRU 297-20A

1108-10A

Accutest Job Number: D31571

Sampling Date: 02/01/12

Report to:

KRW Consulting, Inc.
8000 West 14th Avenue
Lakewood, CO 80214
cburger@krwconsulting.com; gknell@krwconsulting.com;
dknudson@krwconsulting.com; jhess@krwconsulting.com;
ATTN: Dwayne Knudson

Total number of pages in report: 19



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Brad Madadian
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW) UT (NELAP CO00049)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Sample Results	5
3.1: D31571-1: CUT#1_AS_1	6
3.2: D31571-2: CUT#1_AS_2	7
3.3: D31571-3: CUT#1_AS_3	8
3.4: D31571-4: CUT#1_AS_4	9
3.5: D31571-5: CUT#1_AS_5	10
Section 4: Misc. Forms	11
4.1: Chain of Custody	12
Section 5: Metals Analysis - QC Data Summaries	14
5.1: Prep QC MP6781: As	15

Sample Summary

XTO Energy**Job No: D31571****FRU 297-20A****Project No: 1108-10A**

Sample Number	Collected			Received	Matrix		Client Sample ID
	Date	Time	By		Code	Type	
D31571-1	02/01/12	12:20	CH	02/02/12	SO	Soil	CUT#1_AS_1
D31571-2	02/01/12	12:25	CH	02/02/12	SO	Soil	CUT#1_AS_2
D31571-3	02/01/12	12:30	CH	02/02/12	SO	Soil	CUT#1_AS_3
D31571-4	02/01/12	12:35	CH	02/02/12	SO	Soil	CUT#1_AS_4
D31571-5	02/01/12	12:40	CH	02/02/12	SO	Soil	CUT#1_AS_5

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

CASE NARRATIVE / CONFORMANCE SUMMARY

Client: XTO Energy**Job No** D31571**Site:** FRU 297-20A**Report Dat** 2/6/2012 10:08:15 AM

On 02/02/2012, 5 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D31571 was assigned to the project. The lab sample IDs, client sample IDs, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Metals By Method SW846 6020A

Matrix SO**Batch ID:** MP6781

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D31568-1MSD, D31568-1SDL, D31568-1MS were used as the QC samples for the metals analysis.
- The matrix spike (MS) and matrix spike duplicate (MSD) recovery(s) of Arsenic are outside control limits. Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.
- The serial dilution RPD(s) for Arsenic are outside control limits for sample MP6781-SD1. Serial dilution indicates possible matrix interference.

Wet Chemistry By Method SM19 2540B M

Matrix SO**Batch ID:** GN13539

- The data for SM19 2540B M meets quality control requirements.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CUT#1_AS_1	Date Sampled:	02/01/12
Lab Sample ID:	D31571-1	Date Received:	02/02/12
Matrix:	SO - Soil	Percent Solids:	82.8
Project:	FRU 297-20A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	7.2	0.49	mg/kg	5	02/03/12	02/03/12 GJ	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA2161
(2) Prep QC Batch: MP6781

RL = Reporting Limit

Report of Analysis

Client Sample ID:	CUT#1_AS_2	Date Sampled:	02/01/12
Lab Sample ID:	D31571-2	Date Received:	02/02/12
Matrix:	SO - Soil	Percent Solids:	78.7
Project:	FRU 297-20A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	8.4	0.51	mg/kg	5	02/03/12	02/03/12 GJ	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA2161
(2) Prep QC Batch: MP6781

RL = Reporting Limit

Report of Analysis

Client Sample ID: CUT#1_AS_3
Lab Sample ID: D31571-3
Matrix: SO - Soil
Project: FRU 297-20A

Date Sampled: 02/01/12
Date Received: 02/02/12
Percent Solids: 92.7

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.8	0.43	mg/kg	5	02/03/12	02/03/12 GJ	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA2161

(2) Prep QC Batch: MP6781

RL = Reporting Limit

Report of Analysis

Client Sample ID:	CUT#1_AS_4	Date Sampled:	02/01/12
Lab Sample ID:	D31571-4	Date Received:	02/02/12
Matrix:	SO - Soil	Percent Solids:	96.8
Project:	FRU 297-20A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	17.1	0.43	mg/kg	5	02/03/12	02/03/12 GJ	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA2161
(2) Prep QC Batch: MP6781

RL = Reporting Limit

Report of Analysis

Client Sample ID:	CUT#1_AS_5	Date Sampled:	02/01/12
Lab Sample ID:	D31571-5	Date Received:	02/02/12
Matrix:	SO - Soil	Percent Solids:	86.6
Project:	FRU 297-20A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	8.0	0.48	mg/kg	5	02/03/12	02/03/12 GJ	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA2161
(2) Prep QC Batch: MP6781

RL = Reporting Limit

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

Accutest Laboratories Mountain States
4036 Youngfield Street Wheat Ridge, Co. 80033
TEL. 303-425-6021 877-737-4521
FAX 303-425-6021

FED-EX Tracking #		Bottle Order Control #	
Accustest Quote #		Accustest Job # 031571	
Requested Analysis (see TEST CODE sheet)			Matrix Codes
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>XXXXX Arsenic</p> <p>TCLP Metals</p> </div> <div style="width: 50%;"> <p>DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Waste FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank</p> </div> </div>			
			LAB USE ONLY
<p>Composite remaining Soil from all 6 samples into one TCLP Metals analysis, but hold until Duwayne Knudson authorizes</p>			<p>01 02 03 04 05</p> <p>g212</p>
Comments / Special Instructions			
<p>Please email results to KRW Piceance Creek Team</p>			
including courier delivery.			
Date Time: 2/11/12 Date Time:	Received By: American Courier 2 Received By: Jacob Potam 4		
<input type="checkbox"/> Intact <input type="checkbox"/> Not Intact	Preserved where applicable <input type="checkbox"/>	On Ice <input checked="" type="checkbox"/>	Cooler Temp. 4.0

4.4.1

D31571: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D31571

Client: KRW CONSULTING INC.

Immediate Client Services Action Required: No

Date / Time Received: 2/2/2012 1:50:00 PM

No. Coolers: 1

Client Service Action Required at Login: No

Project: XTO FRU 297-20A

Airbill #'s: HD/Co

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Metals Analysis

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D31571
Account: XTOKRWR - XTO Energy
Project: FRU 297-20A

QC Batch ID: MP6781
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 02/03/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.14	1.3		
Antimony	0.20	.001	.012		
Arsenic	0.40	.049	.1	-0.086	<0.40
Barium	1.0	.0035	.025		
Beryllium	0.10	.0075	.055		
Boron	20	.97	.6		
Cadmium	0.050	.023	.034		
Calcium	200	1.8	9.5		
Chromium	1.0	.021	.041		
Cobalt	0.10	.0033	.0085		
Copper	1.0	.011	.055		
Iron	20	.81	18		
Lead	0.25	.0012	.023		
Magnesium	50	.067	.6		
Manganese	0.50	.007	.039		
Molybdenum	0.50	.0044	.025		
Nickel	1.0	.0029	.031		
Phosphorus	30	1.8	3.5		
Potassium	100	2	6		
Selenium	0.20	.075	.19		
Silver	0.050	.0008	.022		
Sodium	250	.8	3		
Strontium	10	.004	.024		
Thallium	0.10	.015	.013		
Tin	5.0	.006	.15		
Titanium	1.0	.035	.12		
Uranium	0.25	.00038	.008		
Vanadium	2.0	.052	.19		
Zinc	5.0	.039	.23		

Associated samples MP6781: D31571-1, D31571-2, D31571-3, D31571-4, D31571-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31571
Account: XTOKRWR - XTO Energy
Project: FRU 297-20A

QC Batch ID: MP6781
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 02/03/12

Metal	D31568-1 Original MS		SpikeLot MPICPALL % Rec		QC Limits
Aluminum					
Antimony					
Arsenic	17.1	92.6	111	68.3N(a)	75-125
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silver					
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP6781: D31571-1, D31571-2, D31571-3, D31571-4, D31571-5

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31571
Account: XTOKRWR - XTO Energy
Project: FRU 297-20A

QC Batch ID: MP6781
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 02/03/12

Metal	D31568-1 Original	MSD	Spikelot MPICPALL	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	17.1	84.2	108	61.9N(a)	7.6	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP6781: D31571-1, D31571-2, D31571-3, D31571-4, D31571-5

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D31571
Account: XTOKRWR - XTO Energy
Project: FRU 297-20A

QC Batch ID: MP6781
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 02/03/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	95.9	100	95.9	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6781: D31571-1, D31571-2, D31571-3, D31571-4, D31571-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: D31571
Account: XTOKRWR - XTO Energy
Project: FRU 297-20A

QC Batch ID: MP6781
Matrix Type: SOLID

Methods: SW846 6020A
Units: ug/l

Prep Date: 02/03/12

Metal	D31568-1		QC	
	Original	SDL 5:25	%DIF	Limits
Aluminum				
Antimony				
Arsenic	133	224	31.1*(a)	0-10
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6781: D31571-1, D31571-2, D31571-3, D31571-4, D31571-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested
(a) Serial dilution indicates possible matrix interference.