




01/11/12



Technical Report for

KRW Consulting, Inc.

XOM FRU 297-20A

1108-10A

Accutest Job Number: D30800

Sampling Date: 01/04/12

Report to:

**KRW Consulting, Inc.
8000 West 14th Avenue Suite 200
Lakewood, CO 80214
cburger@krwconsulting.com; gknell@krwconsulting.com;
dknudson@krwconsulting.com; jhess@krwconsulting.com;
ATTN: Dwayne Knudson**

Total number of pages in report: 73



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "H. Madadian".

**Brad Madadian
Laboratory Director**

Client Service contact: 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW) UT (NELAP CO00049)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3	1
Section 2: Case Narrative/Conformance Summary	4	2
Section 3: Sample Results	8	3
3.1: D30800-1: CUTTINGS #1 SUBLINER	9	4
3.2: D30800-1A: CUTTINGS #1 SUBLINER	15	5
Section 4: Misc. Forms	17	6
4.1: Chain of Custody	18	7
Section 5: GC/MS Volatiles - QC Data Summaries	20	8
5.1: Method Blank Summary	21	9
5.2: Blank Spike Summary	22	10
5.3: Matrix Spike/Matrix Spike Duplicate Summary	23	11
Section 6: GC/MS Semi-volatiles - QC Data Summaries	24	12
6.1: Method Blank Summary	25	
6.2: Blank Spike Summary	26	
6.3: Matrix Spike/Matrix Spike Duplicate Summary	27	
Section 7: GC Volatiles - QC Data Summaries	28	
7.1: Method Blank Summary	29	
7.2: Blank Spike Summary	30	
7.3: Matrix Spike/Matrix Spike Duplicate Summary	31	
Section 8: GC Semi-volatiles - QC Data Summaries	32	
8.1: Method Blank Summary	33	
8.2: Blank Spike Summary	34	
8.3: Matrix Spike/Matrix Spike Duplicate Summary	35	
Section 9: Metals Analysis - QC Data Summaries	36	
9.1: Prep QC MP6610: Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	37	
9.2: Prep QC MP6611: As	47	
9.3: Prep QC MP6612: Ca,Mg,Na,Sodium Adsorption Ratio	52	
9.4: Prep QC MP6625: Hg	60	
Section 10: General Chemistry - QC Data Summaries	64	
10.1: Method Blank and Spike Results Summary	65	
10.2: Duplicate Results Summary	66	
Section 11: Misc. Forms (Accutest Labs of New England, Inc.)	67	
11.1: Chain of Custody	68	
Section 12: General Chemistry - QC Data (Accutest Labs of New England, Inc.)	70	
12.1: Method Blank and Spike Results Summary	71	
12.2: Duplicate Results Summary	72	
12.3: Matrix Spike Results Summary	73	



Sample Summary

KRW Consulting, Inc.

Job No: D30800XOM FRU 297-20A
Project No: 1108-10A

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D30800-1	01/04/12	11:45 DS	01/05/12	SO	Soil
D30800-1A	01/04/12	11:45 DS	01/05/12	SO	Soil

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



CASE NARRATIVE / CONFORMANCE SUMMARY

2

Client: KRW Consulting, Inc.

Job No D30800

Site: XOM FRU 297-20A

Report Date 1/11/2012 4:35:20 PM

On 01/05/2012, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 2.3 °C. The sample was intact and properly preserved, unless noted below. An AMS Job Number of D30800 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix SO	Batch ID: V5V1121
------------------	--------------------------

- The sample was analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30798-1MS, D30798-1MSD were used as the QC samples indicated.

Extractables by GCMS By Method SW846 8270C BY SIM

Matrix SO	Batch ID: OP5109
------------------	-------------------------

- The sample was extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30800-1MS, D30800-1MSD were used as the QC samples indicated.

Volatiles by GC By Method SW846 8015B

Matrix SO	Batch ID: GGB820
------------------	-------------------------

- The sample was analyzed within the recommended method holding time.
- Sample(s) D30796-1MS, D30796-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846-8015B

Matrix SO	Batch ID: OP5105
------------------	-------------------------

- The sample was extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30779-3MS, D30779-3MSD were used as the QC samples indicated.
- The matrix spike (MS) recovery(s) of TPH-DRO (C10-C28) are outside control limits. Outside control limits due to high level in sample relative to spike amount.

Metals By Method SW846 6010C

Matrix AQ

Batch ID: MP6612

- The sample was digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30797-1AMS, D30797-1AMSD were used as the QC samples for the metals analysis.

Matrix SO

Batch ID: MP6610

- The sample was digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30796-1MS, D30796-1MSD, D30796-1SDL were used as the QC samples for the metals analysis.
- The matrix spike (MS) recovery(s) of Barium are outside control limits. Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.
- The serial dilution RPD(s) for Cadmium, Selenium, Silver, Barium, Copper, Lead, Nickel, Zinc are outside control limits for sample MP6610-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- MP6610-SD1 for Copper: Serial dilution indicates possible matrix interference.
- MP6610-SD1 for Lead: Serial dilution indicates possible matrix interference.
- MP6610-SD1 for Nickel: Serial dilution indicates possible matrix interference.
- MP6610-SD1 for Zinc: Serial dilution indicates possible matrix interference.
- MP6610-SD1 for Barium: Serial dilution indicates possible matrix interference and/or sample nonhomogeneity.

Metals By Method SW846 6020A

Matrix SO

Batch ID: MP6611

- The sample was digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30796-1MS, D30796-1MSD, D30796-1SDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Arsenic are outside control limits for sample MP6611-SD1. Probable cause due to sample homogeneity.
- MP6611-SD1 for Arsenic: Serial dilution indicates possible matrix interference.

Metals By Method SW846 7471B

Matrix SO

Batch ID: MP6625

- The sample was digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30793-1MS, D30793-1MSD were used as the QC samples for the metals analysis.

Wet Chemistry By Method ASTM D1498-76M

Matrix SO

Batch ID: GN13150

- Sample(s) D30796-1DUP were used as the QC samples for the Redox Potential Vs H₂ analysis.

Wet Chemistry By Method DEPT.OF AG, BOOK N9

Matrix SO

Batch ID: GP6259

- The sample was prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method SM19 2540B M

Matrix SO

Batch ID: GN13148

- The data for SM19 2540B M meets quality control requirements.

Wet Chemistry By Method SW846 3060/7196A M

Matrix SO

Batch ID: R11383

- The data for SW846 3060/7196A M meets quality control requirements.
- D30800-1 for Chromium, Trivalent: Calculated as: (Chromium) - (Chromium, Hexavalent)

Wet Chemistry By Method SW846 3060A/7196A

Matrix SO

Batch ID: M:GP14024

- The data for SW846 3060A/7196A meets quality control requirements.
- D30800-1 for Chromium, Hexavalent: Analysis performed at Accutest Laboratories, Marlborough, MA.

Wet Chemistry By Method USDA HANDBOOK 60

Matrix SO

Batch ID: MP6612

- D30800-1A for Sodium Adsorption Ratio: Calculated as: $(Na \text{ meq/L}) / \sqrt{[(Ca \text{ meq/L}) + (Mg \text{ meq/L})/2]}$

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.



SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Accutest Mountain States

Job No D30800

Site: KRWCCOL: XOM FRU 297-20A

Report Date 1/10/2012 3:32:45 PM

1 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were collected on 01/04/2012 and were received at Accutest on 01/05/2012 properly preserved, at 1.3 Deg. C and intact. These Samples received an Accutest job number of D30800. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Wet Chemistry By Method SW846 3060A/7196A

Matrix SO	Batch ID: GP14024
------------------	--------------------------

- All samples were distilled within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D30796-1DUP, D30796-1MS were used as the QC samples for Chromium, Hexavalent.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report(D30800).



Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

3

Client Sample ID: CUTTINGS #1 SUBLINER**Lab Sample ID:** D30800-1**Date Sampled:** 01/04/12**Matrix:** SO - Soil**Date Received:** 01/05/12**Method:** SW846 8260B**Percent Solids:** 92.0**Project:** XOM FRU 297-20A

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5V18715.D	1	01/10/12	KV	n/a	n/a	V5V1121
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.04 g	5.0 ml	100 ul
Run #2			

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0522	0.058	0.026	mg/kg	J
108-88-3	Toluene	0.235	0.12	0.058	mg/kg	
100-41-4	Ethylbenzene	0.0540	0.12	0.029	mg/kg	
1330-20-7	Xylene (total)	0.299	0.23	0.12	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	99%		61-130%
460-00-4	4-Bromofluorobenzene	97%		53-131%
17060-07-0	1,2-Dichloroethane-D4	113%		62-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

31

3

Client Sample ID: CUTTINGS #1 SUBLINER**Lab Sample ID:** D30800-1**Date Sampled:** 01/04/12**Matrix:** SO - Soil**Date Received:** 01/05/12**Method:** SW846 8270C BY SIM SW846 3546**Percent Solids:** 92.0**Project:** XOM FRU 297-20A

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3G07480.D	1	01/05/12	DC	01/05/12	OP5109	E3G280
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

COGCC Table 910-1 PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	0.0072	0.0058	mg/kg	
120-12-7	Anthracene	ND	0.0072	0.0065	mg/kg	
56-55-3	Benzo(a)anthracene	ND	0.018	0.0094	mg/kg	
50-32-8	Benzo(a)pyrene	ND	0.018	0.013	mg/kg	
205-99-2	Benzo(b)fluoranthene	ND	0.018	0.013	mg/kg	
207-08-9	Benzo(k)fluoranthene	ND	0.018	0.0080	mg/kg	
218-01-9	Chrysene	ND	0.018	0.0080	mg/kg	
53-70-3	Dibenz(a,h)anthracene	ND	0.018	0.013	mg/kg	
206-44-0	Fluoranthene	ND	0.0072	0.0072	mg/kg	
86-73-7	Fluorene	ND	0.0072	0.0062	mg/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.022	0.020	mg/kg	
91-20-3	Naphthalene	0.0207	0.0072	0.0069	mg/kg	
129-00-0	Pyrene	ND	0.0072	0.0069	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	49%		10-145%
321-60-8	2-Fluorobiphenyl	50%		10-130%
1718-51-0	Terphenyl-d14	61%		22-130%

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID: CUTTINGS #1 SUBLINER**Lab Sample ID:** D30800-1**Date Sampled:** 01/04/12**Matrix:** SO - Soil**Date Received:** 01/05/12**Method:** SW846 8015B**Percent Solids:** 92.0**Project:** XOM FRU 297-20A

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GB14502.D	1	01/05/12	SK	n/a	n/a	GGB820
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	12	5.8	mg/kg	
CAS No.	Surrogate Recoveries		Run# 1	Run# 2	Limits	
120-82-1	1,2,4-Trichlorobenzene		106%		60-140%	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID: CUTTINGS #1 SUBLINER**Lab Sample ID:** D30800-1**Date Sampled:** 01/04/12**Matrix:** SO - Soil**Date Received:** 01/05/12**Method:** SW846-8015B SW846 3546**Percent Solids:** 92.0**Project:** XOM FRU 297-20A

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FD12693.D	1	01/05/12	TR	01/05/12	OP5105	GFD657
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	2.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	44.4	14	9.4	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	64%		43-136%		

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	CUTTINGS #1 SUBLINER	Date Sampled:	01/04/12
Lab Sample ID:	D30800-1	Date Received:	01/05/12
Matrix:	SO - Soil	Percent Solids:	92.0
Project:	XOM FRU 297-20A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	8.5	0.41	mg/kg	5	01/06/12	01/09/12 GJ	SW846 6020A ²	SW846 3050B ⁵
Barium	1350	1.0	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Cadmium	< 1.0	1.0	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Chromium	23.0	1.0	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Copper	16.8	1.0	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Lead	11.0	5.2	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Mercury	< 0.11	0.11	mg/kg	1	01/10/12	01/10/12 JB	SW846 7471B ³	SW846 7471B ⁶
Nickel	16.8	3.1	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Selenium	< 5.2	5.2	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Silver	< 3.1	3.1	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴
Zinc	45.6	3.1	mg/kg	1	01/06/12	01/06/12 JB	SW846 6010C ¹	SW846 3050B ⁴

- (1) Instrument QC Batch: MA2098
- (2) Instrument QC Batch: MA2100
- (3) Instrument QC Batch: MA2102
- (4) Prep QC Batch: MP6610
- (5) Prep QC Batch: MP6611
- (6) Prep QC Batch: MP6625

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3

Client Sample ID:	CUTTINGS #1 SUBLINER	Date Sampled:	01/04/12
Lab Sample ID:	D30800-1	Date Received:	01/05/12
Matrix:	SO - Soil	Percent Solids:	92.0
Project:	XOM FRU 297-20A		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chromium, Hexavalent ^a	< 0.43	0.43	mg/kg	1	01/09/12 15:39	AMA	SW846 3060A/7196A
Chromium, Trivalent ^b	22.7	1.4	mg/kg	1	01/09/12 15:39	AMA	SW846 3060/7196A M
Redox Potential Vs H2	300		mv	1	01/05/12	JD	ASTM D1498-76M
Solids, Percent	92		%	1	01/05/12	SWT	SM19 2540B M
Specific Conductivity	3650	1.0	umhos/cm	1	01/06/12	JK	DEPT.OF AG, BOOK N9
pH	9.12		su	1	01/05/12 14:00	CJ	SW846 9045C

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

(b) Calculated as: (Chromium) - (Chromium, Hexavalent)

RL = Reporting Limit

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	CUTTINGS #1 SUBLINER	Date Sampled:	01/04/12
Lab Sample ID:	D30800-1A	Date Received:	01/05/12
Matrix:	SO - Soil	Percent Solids:	92.0
Project:	XOM FRU 297-20A		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	163	2.0	mg/l	1	01/06/12	01/06/12 JB	SW846 6010C ¹	EPA 200.7 ²
Magnesium	1.42	1.0	mg/l	1	01/06/12	01/06/12 JB	SW846 6010C ¹	EPA 200.7 ²
Sodium	439	2.0	mg/l	1	01/06/12	01/06/12 JB	SW846 6010C ¹	EPA 200.7 ²

(1) Instrument QC Batch: MA2098

(2) Prep QC Batch: MP6612

RL = Reporting Limit

Report of Analysis

Page 1 of 1

32
3**Client Sample ID:** CUTTINGS #1 SUBLINER**Lab Sample ID:** D30800-1A**Matrix:** SO - Soil**Date Sampled:** 01/04/12**Date Received:** 01/05/12**Percent Solids:** 92.0**Project:** XOM FRU 297-20A**General Chemistry**

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio ^a	9.39		ratio	1	01/06/12 15:04	JB	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street Wheat Ridge, Co 80033
TEL. 303-425-6021 877-737-4521
FAX 303-425-6021

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # D30800

Client / Reporting Information		Project Information						Requested Analysis (see TEST CODE sheet)						Matrix Codes		
Company Name KRW CONSULTING	Project Name X10 FRU 297-70A	Street:	Billing Information (if different from Report to)												DW - Drinking Water	
Street Address 8000 W 14TH AVE STE 200														GW - Ground Water		
City LAKEWOOD CO	State CO	Zip 80214	City:	Company Name										VW - Water		
Project Contact DAVIDE KNUDSEN	E-mail 303 239 9011	Project# 1108-10A	Street Address											SW - Surface Water		
Phone # 303 239 9011	Fax #	Client PO#	City	State	Zip									SO - Soil		
Sampler(s) Name(s) DAVID SANDERS	Phone # 720 273 9941	Project Manager JOE HESS	Attention:	PO#										SL - Sludge		
Accutest Sample #		Field ID / Point of Collection CUTTINGS #1 SUBLINER		Collection			Matrix	# of bottles	Number of preserved Bottles						TABLE 910	OIL - Oil
				Date 1/4/12	Time 11:45	Sampled by ZS			HCl	NaOH	HNO3	H2SO4	NONE	DI Water		
														Liq - Other Liquid		
														AIR - Air		
														SOL - Other Solid		
														WP - Wire		
														FB - Field Blank		
														EB - Equipment Blank		
														RB - Rinse Blank		
														TB - Trip Blank		
														LAB USE ONLY		
														01		
														1151/2		
Data Deliverable Information																
Comments / Special Instructions																
Turnaround Time (Business days)		Approved By (Accutest PM): / Date:												PLEASE EMAIL RESULTS TO KRW PICEANCE TEAM		
<input type="checkbox"/> Std. 10 Business Days	<input type="checkbox"/> Std. 5 Business Days (By Contract only)	<input type="checkbox"/> 5 Day SH	<input checked="" type="checkbox"/> 3 Day EMERGENC	<input type="checkbox"/> 2 Day EMERGENC	<input type="checkbox"/> 1 Day EMERGENC	<input type="checkbox"/> Commercial "A" (Level 1)	<input type="checkbox"/> Commercial "B" (Level 2)	<input type="checkbox"/> Commercial "B" - Narrative	<input type="checkbox"/> FULLT1 (Level 3+4)	<input type="checkbox"/> State Forms	<input type="checkbox"/> EDD Format	<input checked="" type="checkbox"/> PDF				
Commercial "A" = Results Only Commercial "B" = Results + QC Summary																
Emergency & Rush T/A data available VIA Lablink																
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Sampler: 1 David Sanders	Date Time: 1/4/12 11:45	Received By: Rifle Service Center	Relinquished By: 2	Date Time: 1/4/12 11:45	Received By: 3	Relinquished By: 4	Date Time: 1/4/12 11:45	Received By: 5	Custody Seal # AQCO	<input checked="" type="checkbox"/> Intact	Preserved where applicable	<input type="checkbox"/>	On Ice	Cooler Temp.	2-3	

D30800: Chain of Custody

Page 1 of 2



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D30800

Client: KRW CONSULTING

Immediate Client Services Action Required: No

Date / Time Received: 1/5/2012 11:40:00 AM

No. Coolers:

1

Client Service Action Required at Login: No

Project: XTO FRU 297-20A

Airbill #'s: HD/CO

Cooler Security**Y or N**

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature**Y or N**

1. Temp criteria achieved:
2. Cooler temp verification: Infared gun
3. Cooler media: Ice (bag)

Quality Control Preservation**Y or N****N/A**

1. Trip Blank present / cooler:
2. Trip Blank listed on COC:
3. Samples preserved properly:
4. VOCs headspace free:

Sample Integrity - Documentation**Y or N**

1. Sample labels present on bottles:
2. Container labeling complete:
3. Sample container label / COC agree:

Sample Integrity - Condition**Y or N**

1. Sample recvd within HT:
2. All containers accounted for:
3. Condition of sample: Intact

Sample Integrity - Instructions**Y or N****N/A**

1. Analysis requested is clear:
2. Bottles received for unspecified tests:
3. Sufficient volume rec'd for analysis:
4. Compositing instructions clear:
5. Filtering instructions clear:

Comments

Accutest Laboratories
V:(303) 425-60214036 Youngfield Street
F: (303) 425-6854Wheat Ridge, CO
www.accutest.com

D30800: Chain of Custody

Page 2 of 2



GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V5V1121-MB	5V18712.D	1	01/10/12	KV	n/a	n/a	V5V1121

The QC reported here applies to the following samples:

Method: SW846 8260B

D30800-1

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	50	22	ug/kg	
100-41-4	Ethylbenzene	ND	100	25	ug/kg	
108-88-3	Toluene	ND	100	50	ug/kg	
1330-20-7	Xylene (total)	ND	200	100	ug/kg	

CAS No.	Surrogate Recoveries	Limits
2037-26-5	Toluene-D8	106%
460-00-4	4-Bromofluorobenzene	93%
17060-07-0	1,2-Dichloroethane-D4	119%

Blank Spike Summary

Page 1 of 1

Job Number: D30800
Account: KRWCCOL KRW Consulting, Inc.
Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V5V1121-BS	5V18713.D	1	01/10/12	KV	n/a	n/a	V5V1121

The QC reported here applies to the following samples:

Method: SW846 8260B

D30800-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	Limits
71-43-2	Benzene	50	48.4	97	70-130
100-41-4	Ethylbenzene	50	52.2	104	70-130
108-88-3	Toluene	50	44.7	89	70-130
1330-20-7	Xylene (total)	150	169	113	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
2037-26-5	Toluene-D8	94%	61-130%
460-00-4	4-Bromofluorobenzene	102%	53-131%
17060-07-0	1,2-Dichloroethane-D4	95%	62-130%

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D30798-1MS	5V18721.D	1	01/10/12	KV	n/a	n/a	V5V1121
D30798-1MSD	5V18722.D	1	01/10/12	KV	n/a	n/a	V5V1121
D30798-1	5V18720.D	1	01/10/12	KV	n/a	n/a	V5V1121

The QC reported here applies to the following samples:

Method: SW846 8260B

D30800-1

CAS No.	Compound	D30798-1		Spike	MS	MS	MSD	MSD	Limits	
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	%	RPD	Rec/RPD
71-43-2	Benzene	895		6890	7320	93	8050	104	9	70-134/30
100-41-4	Ethylbenzene	1800		6890	8620	99	9620	114	11	70-137/30
108-88-3	Toluene	6090		6890	10900	70	12000	86	10	70-130/30
1330-20-7	Xylene (total)	37200		20700	49800	61	53800	80	8	61-131/30

CAS No.	Surrogate Recoveries	MS	MSD	D30798-1	Limits
2037-26-5	Toluene-D8	92%	99%	105%	61-130%
460-00-4	4-Bromofluorobenzene	118%	122%	121%	53-131%
17060-07-0	1,2-Dichloroethane-D4	95%	98%	119%	62-130%



GC/MS Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5109-MB	3G07472.D	1	01/05/12	DC	01/05/12	OP5109	E3G280

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

D30800-1

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	6.7	5.3	ug/kg	
120-12-7	Anthracene	ND	6.7	6.0	ug/kg	
56-55-3	Benzo(a)anthracene	ND	17	8.7	ug/kg	
50-32-8	Benzo(a)pyrene	ND	17	12	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	17	12	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	17	7.3	ug/kg	
218-01-9	Chrysene	ND	17	7.3	ug/kg	
53-70-3	Dibenzo(a,h)anthracene	ND	17	12	ug/kg	
206-44-0	Fluoranthene	ND	6.7	6.7	ug/kg	
86-73-7	Fluorene	ND	6.7	5.7	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	20	18	ug/kg	
91-20-3	Naphthalene	ND	6.7	6.3	ug/kg	
129-00-0	Pyrene	ND	6.7	6.3	ug/kg	

CAS No.	Surrogate Recoveries	Limits
4165-60-0	Nitrobenzene-d5	86% 10-145%
321-60-8	2-Fluorobiphenyl	83% 10-130%
1718-51-0	Terphenyl-d14	93% 22-130%

Blank Spike Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5109-BS	3G07473.D	1	01/05/12	DC	01/05/12	OP5109	E3G280

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

D30800-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	Limits
83-32-9	Acenaphthene	83.3	65.6	79	34-130
120-12-7	Anthracene	83.3	73.5	88	35-130
56-55-3	Benzo(a)anthracene	83.3	68.8	83	36-130
50-32-8	Benzo(a)pyrene	83.3	59.0	71	36-130
205-99-2	Benzo(b)fluoranthene	83.3	66.4	80	35-130
207-08-9	Benzo(k)fluoranthene	83.3	64.2	77	37-130
218-01-9	Chrysene	83.3	70.0	84	40-130
53-70-3	Dibenzo(a,h)anthracene	83.3	62.2	75	32-130
206-44-0	Fluoranthene	83.3	66.4	80	38-130
86-73-7	Fluorene	83.3	71.3	86	35-130
193-39-5	Indeno(1,2,3-cd)pyrene	83.3	71.7	86	28-130
91-20-3	Naphthalene	83.3	64.5	77	35-130
129-00-0	Pyrene	83.3	75.4	90	37-130

CAS No.	Surrogate Recoveries	BSP	Limits
4165-60-0	Nitrobenzene-d5	79%	10-145%
321-60-8	2-Fluorobiphenyl	73%	10-130%
1718-51-0	Terphenyl-d14	82%	22-130%

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5109-MS	3G07475.D	4	01/05/12	DC	01/05/12	OP5109	E3G280
OP5109-MSD	3G07476.D	4	01/05/12	DC	01/05/12	OP5109	E3G280
D30800-1	3G07480.D	1	01/05/12	DC	01/05/12	OP5109	E3G280

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

D30800-1

CAS No.	Compound	D30800-1		Spike	MS	MS	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	%		
83-32-9	Acenaphthene	ND		90.2	66.4	74	68.0	75	2	10-155/30
120-12-7	Anthracene	ND		90.2	79.0	88	82.9	92	5	10-155/30
56-55-3	Benzo(a)anthracene	ND		90.2	89.7	99	92.3	102	3	10-175/30
50-32-8	Benzo(a)pyrene	ND		90.2	78.6	87	82.5	92	5	10-164/30
205-99-2	Benzo(b)fluoranthene	ND		90.2	86.1	95	90.5	100	5	10-165/30
207-08-9	Benzo(k)fluoranthene	ND		90.2	67.9	75	66.1	73	3	10-178/30
218-01-9	Chrysene	ND		90.2	70.9	79	74.5	83	5	10-147/30
53-70-3	Dibenzo(a,h)anthracene	ND		90.2	74.2	82	76.9	85	4	10-144/30
206-44-0	Fluoranthene	ND		90.2	82.9	92	90.7	101	9	10-207/30
86-73-7	Fluorene	ND		90.2	79.7	88	85.6	95	7	10-163/30
193-39-5	Indeno(1,2,3-cd)pyrene	ND		90.2	88.1	98	92.4	103	5	10-180/30
91-20-3	Naphthalene	20.7		90.2	92.7	80	95.0	82	2	10-198/30
129-00-0	Pyrene	ND		90.2	75.1	83	78.6	87	5	10-189/30

CAS No.	Surrogate Recoveries	MS	MSD	D30800-1	Limits
4165-60-0	Nitrobenzene-d5	60%	61%	49%	10-145%
321-60-8	2-Fluorobiphenyl	71%	71%	50%	10-130%
1718-51-0	Terphenyl-d14	73%	77%	61%	22-130%



GC Volatiles

QC Data Summaries

7

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GGB820-MB	GB14494.D	1	01/05/12	SK	n/a	n/a	GGB820

The QC reported here applies to the following samples:

Method: SW846 8015B

D30800-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	10	5.0	mg/kg	

CAS No.	Surrogate Recoveries	Limits
120-82-1	1,2,4-Trichlorobenzene	104% 60-140%

Blank Spike Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GGB820-BS	GB14495.D	1	01/05/12	SK	n/a	n/a	GGB820

The QC reported here applies to the following samples:

Method: SW846 8015B

D30800-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	Limits
	TPH-GRO (C6-C10)	110	115	105	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
120-82-1	1,2,4-Trichlorobenzene	115%	60-140%

7.2.1

7

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D30796-1MS	GB14497.D	1	01/05/12	SK	n/a	n/a	GGB820
D30796-1MSD	GB14498.D	1	01/05/12	SK	n/a	n/a	GGB820
D30796-1	GB14496.D	1	01/05/12	SK	n/a	n/a	GGB820

The QC reported here applies to the following samples:

Method: SW846 8015B

D30800-1

7.3.1

CAS No.	Compound	D30796-1		Spike	MS	MS	MSD	MSD	RPD	Limits Rec/RPD
		mg/kg	Q	mg/kg	mg/kg	%	mg/kg	%		
	TPH-GRO (C6-C10)	ND		140	143	102	146	104	2	70-130/30
CAS No.	Surrogate Recoveries	MS	MSD	D30796-1		Limits				
120-82-1	1,2,4-Trichlorobenzene	110%	113%	102%		60-140%				



GC Semi-volatiles

QC Data Summaries

∞

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5105-MB	FD12670.D	1	01/05/12	TR	01/05/12	OP5105	GFD657

The QC reported here applies to the following samples:

Method: SW846-8015B

D30800-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	13	8.7	mg/kg	

CAS No.	Surrogate Recoveries	Limits
84-15-1	o-Terphenyl	96% 43-136%

8.1.1

8

Blank Spike Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5105-BS	FD12671.D	1	01/05/12	TR	01/05/12	OP5105	GFD657

The QC reported here applies to the following samples:

Method: SW846-8015B

D30800-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	Limits
	TPH-DRO (C10-C28)	667	499	75	58-130

CAS No.	Surrogate Recoveries	BSP	Limits
84-15-1	o-Terphenyl	85%	43-136%

8.2.1
8

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D30800

Account: KRWCCOL KRW Consulting, Inc.

Project: XOM FRU 297-20A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5105-MS	FD12672.D	1	01/05/12	TR	01/05/12	OP5105	GFD657
OP5105-MSD	FD12673.D	1	01/05/12	TR	01/05/12	OP5105	GFD657
D30779-3	FD12679.D	10	01/05/12	TR	01/05/12	OP5105	GFD657

The QC reported here applies to the following samples:

Method: SW846-8015B

D30800-1

CAS No.	Compound	D30779-3		Spike	MS	MS	MSD	MSD	RPD	Limits Rec/RPD
		mg/kg	Q	mg/kg	mg/kg	%	mg/kg	%		
	TPH-DRO (C10-C28)	5840		691	4940	715* a	4610	666* a	7	20-183/43

CAS No.	Surrogate Recoveries	MS	MSD	D30779-3	Limits
84-15-1	o-Terphenyl	101%	99%	116%	43-136%

(a) Outside control limits due to high level in sample relative to spike amount.

8.3.1

8



Metals Analysis

QC Data Summaries

6

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: mg/kg

Prep Date:

01/06/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	10	.59	.59		
Antimony	3.0	.31	.31		
Arsenic	2.5	.59	.59		
Barium	1.0	.11	.11	0.040	<1.0
Beryllium	1.0	.044	.1		
Boron	5.0	.48	.48		
Cadmium	1.0	.027	.27	0.0	<1.0
Calcium	40	.96	1.1		
Chromium	1.0	.018	.031	-0.050	<1.0
Cobalt	0.50	.035	.035		
Copper	1.0	.085	.16	-0.030	<1.0
Iron	7.0	.34	2		
Lead	5.0	.16	.21	-0.040	<5.0
Lithium	0.20	.028	.031		
Magnesium	20	.58	1.4		
Manganese	0.50	.0053	.012		
Molybdenum	1.0	.045	.054		
Nickel	3.0	.043	.099	-0.020	<3.0
Phosphorus	10	1.1	1.2		
Potassium	200	5.5	9.2		
Selenium	5.0	.38	.5	0.27	<5.0
Silicon	5.0	.38	.51		
Silver	3.0	.018	.051	-0.11	<3.0
Sodium	40	11	11		
Strontium	5.0		.017		
Thallium	1.0	.29	.34		
Tin	5.0	.55	1.3		
Titanium	1.0	.011	.1		
Uranium	5.0	.15	.2		
Vanadium	1.0	.016	.025		
Zinc	3.0	.028	.06	-0.060	<3.0

Associated samples MP6610: D30800-1

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

9.1.1

9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6610
 Matrix Type: SOLID

Methods: SW846 6010C
 Units: mg/kg

Prep Date:

01/06/12

Metal	D30796-1 Original MS	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium	691	1030	220	154.4N(a) 75-125
Beryllium				
Boron				
Cadmium	0.045	46.6	54.9	84.8 75-125
Calcium				
Chromium	37.7	82.3	54.9	81.3 75-125
Cobalt				
Copper	5.6	54.5	54.9	89.1 75-125
Iron				
Lead	9.9	102	110	83.9 75-125
Lithium				
Magnesium				
Manganese				
Molybdenum				
Nickel	12.6	55.2	54.9	77.6 75-125
Phosphorus				
Potassium				
Selenium	1.0	89.7	110	80.8 75-125
Silicon				
Silver	0.034	19.5	22	88.7 75-125
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	37.0	80.2	54.9	78.7 75-125

Associated samples MP6610: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: mg/kg

Prep Date:

Metal

- (N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested
(a) Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

9.1.2
9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6610
 Matrix Type: SOLID

Methods: SW846 6010C
 Units: mg/kg

Prep Date:

01/06/12

Metal	D30796-1 Original	MSD	Spikelot MPICPALL	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	anr					
Barium	691	937	224	109.9	9.5	20
Beryllium						
Boron						
Cadmium	0.045	48.4	56	86.4	3.8	20
Calcium						
Chromium	37.7	86.5	56	87.2	5.0	20
Cobalt						
Copper	5.6	55.7	56	89.5	2.2	20
Iron						
Lead	9.9	106	112	85.9	3.8	20
Lithium						
Magnesium						
Manganese						
Molybdenum						
Nickel	12.6	58.2	56	81.5	5.3	20
Phosphorus						
Potassium						
Selenium	1.0	92.9	112	82.1	3.5	20
Silicon						
Silver	0.034	20.1	22.4	89.6	3.0	20
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc	37.0	82.8	56	81.8	3.2	20

Associated samples MP6610: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: mg/kg

Prep Date:

Metal

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

9.1.2
9

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6610
 Matrix Type: SOLID

Methods: SW846 6010C
 Units: mg/kg

Prep Date:

01/06/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium	190	200	95.0	80-120
Beryllium				
Boron				
Cadmium	48.3	50	96.6	80-120
Calcium				
Chromium	50.2	50	100.4	80-120
Cobalt				
Copper	49.4	50	98.8	80-120
Iron				
Lead	99.7	100	99.7	80-120
Lithium				
Magnesium				
Manganese				
Molybdenum				
Nickel	48.3	50	96.6	80-120
Phosphorus				
Potassium				
Selenium	94.3	100	94.3	80-120
Silicon				
Silver	20.0	20	100.0	80-120
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	48.0	50	96.0	80-120

Associated samples MP6610: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

9.1.3
9

SERIAL DILUTION RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6610
 Matrix Type: SOLID

Methods: SW846 6010C
 Units: ug/l

Prep Date: 01/06/12

Metal	D30796-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium	6170	7680	24.4*(a)	0-10
Beryllium				
Boron				
Cadmium	0.400	0.00	100.0(b)	0-10
Calcium				
Chromium	337	359	6.5	0-10
Cobalt				
Copper	49.6	43.5	12.3*(c)	0-10
Iron				
Lead	88.1	69.0	21.7*(c)	0-10
Lithium				
Magnesium				
Manganese				
Molybdenum				
Nickel	112	128	13.9*(c)	0-10
Phosphorus				
Potassium				
Selenium	9.30	0.00	100.0(b)	0-10
Silicon				
Silver	0.300	0.00	100.0(b)	0-10
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	330	382	15.5*(c)	0-10

Associated samples MP6610: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6610
Matrix Type: SOLID

Methods: SW846 6010C
Units: ug/l

Prep Date:

Metal

- (anr) Analyte not requested
(a) Serial dilution indicates possible matrix interference and/or sample nonhomogeneity.
(b) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
(c) Serial dilution indicates possible matrix interference.

9.1.4
9

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6611
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date:

01/06/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.14	1.3		
Antimony	0.20	.001	.012		
Arsenic	0.40	.049	.1	0.15	<0.40
Barium	1.0	.0035	.025		
Beryllium	0.10	.0075	.055		
Boron	20	.97	.6		
Cadmium	0.050	.023	.034		
Calcium	200	1.8	9.5		
Chromium	1.0	.021	.041		
Cobalt	0.10	.0033	.0085		
Copper	1.0	.011	.055		
Iron	20	.81	18		
Lead	0.25	.0012	.023		
Magnesium	50	.067	.6		
Manganese	0.50	.007	.039		
Molybdenum	0.50	.0044	.025		
Nickel	1.0	.0029	.031		
Phosphorus	30	1.8	3.5		
Potassium	100	2	6		
Selenium	0.20	.075	.19		
Silver	0.050	.0008	.022		
Sodium	250	.8	3		
Strontium	10	.004	.024		
Thallium	0.10	.015	.013		
Tin	5.0	.006	.15		
Titanium	1.0	.035	.12		
Uranium	0.25	.00038	.008		
Vanadium	2.0	.052	.19		
Zinc	5.0	.039	.23		

Associated samples MP6611: D30800-1

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6611
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date:

01/06/12

Metal	D30796-1 Original MS	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	3.3	116	110	102.7 75-125
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6611: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6611
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date:

01/06/12

Metal	D30796-1 Original	MSD	Spikelot MPICPALL	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	3.3	119	112	103.4	2.6	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP6611: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6611
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date: 01/06/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	109	100	109.0	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6611: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

9.2.3
9

SERIAL DILUTION RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6611
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: ug/l

Prep Date: 01/06/12

Metal	D30796-1 Original	SDL 5:25	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	29.6	33.0	11.3*(a)	0-10
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6611: D30800-1

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested
 (a) Serial dilution indicates possible matrix interference.

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6612
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

01/06/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	30	30		
Antimony	150	16	16		
Arsenic	130	30	30		
Barium	50	5.5	5.5		
Beryllium	50	2.2	2.5		
Boron	250	24	24		
Cadmium	50	1.4	1.4		
Calcium	2000	48	75	-6.5	<2000
Chromium	50	.9	4		
Cobalt	25	1.8	1.8		
Copper	50	4.3	14		
Iron	350	17	65		
Lead	250	8	11		
Lithium	10	1.4	6		
Magnesium	1000	29	50	10.0	<1000
Manganese	25	.27	1.6		
Molybdenum	50	2.3	4.4		
Nickel	150	2.2	5		
Phosphorus	500	55	100		
Potassium	5000	280	280		
Selenium	250	19	19		
Silicon	250	19	19		
Silver	150	.9	1.6		
Sodium	2000	570	570	-15	<2000
Strontium	25		1.3		
Thallium	50	15	15		
Tin	250	28	50		
Titanium	50	.55	1.6		
Uranium	250	7.5	18		
Vanadium	50	.8	1.1		
Zinc	150	1.4	9		

Associated samples MP6612: D30800-1A

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6612
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

9.3.1

9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6612
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 01/06/12

Metal	D30797-1A Original MS	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	277000	414000	125000	109.6
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	170	125000	125000	99.9
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	475000	604000	125000	103.2
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6612: D30800-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6612
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

Metal

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

9.3.2
9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6612
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 01/06/12

Metal	D30797-1A Original MSD	Spikelot MPICPALL % Rec	MSD RPD	QC Limit
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	277000	423000	125000	116.8
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	170	126000	125000	100.7
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	475000	622000	125000	117.6
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6612: D30800-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800

Account: KRWCCOL - KRW Consulting, Inc.

Project: XOM FRU 297-20A

QC Batch ID: MP6612
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

Metal

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

9.3.2
9

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800
 Account: KRWCCOL - KRW Consulting, Inc.
 Project: XOM FRU 297-20A

QC Batch ID: MP6612
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 01/06/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	134000	125000	107.2	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	127000	125000	101.6	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	123000	125000	98.4	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6612: D30800-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800

Account: KRWCCOL - KRW Consulting, Inc.

Project: XOM FRU 297-20A

QC Batch ID: MP6612
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

9.3.3

9

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6625
Matrix Type: SOLID

Methods: SW846 7471B
Units: mg/kg

Prep Date: 01/10/12

Metal	RL	IDL	MDL	MB raw	final
Mercury	0.10	.0011	.013	0.0033	<0.10

Associated samples MP6625: D30800-1

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

9.4.1
9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6625
Matrix Type: SOLID

Methods: SW846 7471B
Units: mg/kg

Prep Date: 01/10/12

Metal	D30793-1 Original MS	Spikelot HGWSR1	QC % Rec	QC Limits
Mercury	0.0070	0.50	0.492	100.1 75-125

Associated samples MP6625: D30800-1

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

9.4.2
9

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6625
Matrix Type: SOLID

Methods: SW846 7471B
Units: mg/kg

Prep Date:

01/10/12

Metal	D30793-1 Original MSD	Spikelot HGWSR1	MSD % Rec	RPD	QC Limit
Mercury	0.0070	0.48	0.473	100.0	4.1

Associated samples MP6625: D30800-1

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

9.4.2
9

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

QC Batch ID: MP6625
Matrix Type: SOLID

Methods: SW846 7471B
Units: mg/kg

Prep Date: 01/10/12

Metal	BSP Result	Spikelot HGWSR1	QC % Rec	QC Limits
Mercury	0.44	0.4	110.0	80-120

Associated samples MP6625: D30800-1

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

9.4.3
9



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Specific Conductivity pH	GP6259/GN13165 GN13152	1.0	<1.0	umhos/cm su	10008 8.00	10100 7.97	100.6 99.6	90-110% 99.3-100.7%

Associated Samples:

Batch GN13152: D30800-1

Batch GP6259: D30800-1

(*) Outside of QC limits

10.1

10

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D30800
Account: KRWCCOL - KRW Consulting, Inc.
Project: XOM FRU 297-20A

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Redox Potential Vs H2	GN13150	D30796-1	mv	394	396	0.5	0-20%

Associated Samples:
Batch GN13150: D30800-1
(*) Outside of QC limits



Misc. Forms

Custody Documents and Other Forms

(Accutest Labs of New England, Inc.)

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

4036 Youngfield St., Wheat Ridge, CO 80033
303-425-6021 FAX: 303-425-6854

D30800: Chain of Custody

Page 1 of 2

Accutest Labs of New England, Inc.



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D30800

Client: AMS

Immediate Client Services Action Required: No

Date / Time Received: 1/6/2012

Delivery Method:

Client Service Action Required at Login: No

Project:

No. Coolers:

1

Airbill #'s:

Cooler Security Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature Y or N

- | | | |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | Infrared gun | |
| 3. Cooler media: | Ice (bag) | |

Quality Control Preservatio Y or N N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample rcvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | |
|---|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Sufficient volume rcvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

Accutest Laboratories
V:508.481.6200

495 Technology Center West, Bldg One
F: 508.481.7753

Marlborough, MA
www.accutest.com

111
11

D30800: Chain of Custody

Page 2 of 2



General Chemistry

QC Data Summaries

(Accutest Labs of New England, Inc.)

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D30800
Account: ALMS - Accutest Mountain States
Project: KRWCCOL: XOM FRU 297-20A

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Chromium, Hexavalent	GP14024/GN37508	0.40	0.0	mg/kg	40	43.4	108.5	80-120%
Chromium, Hexavalent	GP14024/GN37508			mg/kg	650	771	118.6	80-120%

Associated Samples:
Batch GP14024: D30800-1
(*) Outside of QC limits

12.1

12

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D30800
Account: ALMS - Accutest Mountain States
Project: KRWCCOL: XOM FRU 297-20A

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Chromium, Hexavalent	GP14024/GN37508	D30796-1	mg/kg	0.57	0.59	3.4	0-20%

Associated Samples:
Batch GP14024: D30800-1
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D30800
Account: ALMS - Accutest Mountain States
Project: KRWCCOL: XOM FRU 297-20A

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Chromium, Hexavalent	GP14024/GN37508	D30796-1	mg/kg	0.57	44.9	49.6	109.1	75-125%
Chromium, Hexavalent	GP14024/GN37508	D30796-1	mg/kg	0.57	1430	1520	106.5	75-125%

Associated Samples:

Batch GP14024: D30800-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits