

FORM

2

Rev  
12/05

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400154312

Date Received:

02/28/2012

PluggingBond SuretyID

20070004

## APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

## 2. TYPE OF WELL

OIL ☒ GAS ☐ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☒ MULTIPLE ☐ COMMINGLE ☐Refiling ☐Sidetrack ☐3. Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC4. COGCC Operator Number: 89605. Address: P O BOX 21974City: BAKERSFIELD State: CA Zip: 933906. Contact Name: Keith Caplan Phone: (720)440-6112 Fax: (720)279-2331Email: KCaplan@bonanzacrk.com7. Well Name: North Platte Well Number: 33-34

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 7100

## WELL LOCATION INFORMATION

10. QtrQtr: SESW Sec: 34 Twp: 5N Rng: 63W Meridian: 6Latitude: 40.349070 Longitude: -104.423330Footage at Surface: 124 feet FNL/FSL 2251 feet FEL/FWL FSL11. Field Name: Wattenberg Field Number: 9075012. Ground Elevation: 4529 13. County: WELD

## 14. GPS Data:

Date of Measurement: 04/09/2011 PDOP Reading: 1.1 Instrument Operator's Name: Aaron Lund15. If well is ☒ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**Footage at Top of Prod Zone: FNL/FSL 1980 FSL 1980 FEL 1980 FEL 1980  
Bottom Hole: FNL/FSL 1980 FSL 1980 FEL 1980 FEL 1980  
Sec: 34 Twp: 5N Rng: 63W Sec: 34 Twp: 5N Rng: 63W16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No17. Distance to the nearest building, public road, above ground utility or railroad: 170 ft18. Distance to nearest property line: 2251 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 915 ft

## 20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Niobrara-Codell	NB-CD		40	NWSE

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: \_\_\_\_\_23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No23b. If 23 is No: ☒ Surface Owners Agreement Attached or ☐ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

T4N R62W: Sec. 3: NW/4 Sec. 5: All Sec. 7: SW/4 NW/4, W/2 SW/4 Sec. 17: NE/4, N/2 NW/4 Sec. 18: N/2 N/2 T4N-R63W: Sec. 1: Lots 1 and 2, S/2 N/2, S/2 Sec. 2: NE/4, NE/4 SE/4, N/2 NW/4 Sec. 12: NE/4, E/2 NW/4, E/2 SE/4 T5N-R62W: Sec. 3: Lot 2, SW/4 NE/4, W/2 SE/4 Sec. 15: W/2 E/2, W/2 Sec. 17: ALL Sec. 18: Lots 1-4, E/2 W/2, SE/4 Sec. 19: All, except NW/4 NW/4 Sec. 20: W/2 Sec. 21: All Sec. 29: All Sec. 31: All Sec. 33: N/2 T5N-R63W: Sec. 24: W/2 Sec. 34: SE/4 NE/4, SE/4 Sec. 35: S/2 Sec. 36: SW/4 SW/4

25. Distance to Nearest Mineral Lease Line: 1980 ft

26. Total Acres in Lease: 8437

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☐ No

31. Mud disposal: ☒ Offsite ☐ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☒ Land Spreading ☐ Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24#	0	410	170	410	0
1ST	7+7/8	4+1/2	11.6#	0	7,100	154	7,100	6,250

32. BOP Equipment Type: ☒ Annular Preventer ☐ Double Ram ☐ Rotating Head ☐ None

33. Comments Conductor casing will not be used on this well. Bonanza Creek requests approval of Rule 318Aa exception location: Wellhead is to be located outside of a GWA drilling window. Waiver and exception request attached.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No


36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Keith Caplan

Title: Sr. Operations Tech Date: 2/28/2012 Email: KCaplan@bonanzacrk.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 3/23/2012

#### API NUMBER

05 123 35297 00

Permit Number: \_\_\_\_\_ Expiration Date: 3/22/2014

#### CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 48 hour notice of MIRU to John Montoya by e-mail at John.Montoya@state.co.us. Indicate Spud Notice in the subject line and provide the following information: Operator Name, Well Name and Number, API #, Spud Date, Contact Name, Contact Phone #, Email Address. Submit Form 42 electronically after April 1 for spud notice.
- 2) Provide cement coverage from TD to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 3) Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Operator must meet water well sampling requirements as per Rule 318A.

Well head is 170 feet from a public road; derrick height (ground to crown) cannot exceed 113 feet.

### **Attachment Check List**

Att Doc Num	Name
2331820	SURFACE CASING CHECK
400154312	FORM 2 SUBMITTED
400256005	WAIVERS
400256006	VARIANCE REQUEST
400256007	SURFACE AGRMT/SURETY
400256008	PLAT
400256009	DEVIATED DRILLING PLAN
400256011	DIRECTIONAL DATA

Total Attach: 8 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	No LGD or public comment received; final review completed.	3/22/2012 12:49:08 PM
Permit	Operator revised property line distance per K. Caplan	2/29/2012 10:35:08 AM
Permit	Need property line waiver and request.	2/29/2012 6:55:20 AM

Total: 3 comment(s)

### **BMP**

<b><u>Type</u></b>	<b><u>Comment</u></b>

Total: 0 comment(s)