

FORM  
2A

Rev  
04/01

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400247969

Date Received:

02/16/2012

## Oil and Gas Location Assessment

New Location       Amend Existing Location      Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

**428309**

Expiration Date:

**03/24/2015**

This location assessment is included as part of a permit application.

### 1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

### 2. Operator

Operator Number: 10000

Name: BP AMERICA PRODUCTION COMPANY

Address: 501 WESTLAKE PARK BLVD

City: HOUSTON      State: TX      Zip: 77079

### 3. Contact Information

Name: Patti Campbell

Phone: (970) 335-3828

Fax: (970) 335-3837

email: patricia.campbell@bp.com

### 4. Location Identification:

Name: Anderson GC C      Number: 2 & 3

County: LA PLATA

Quarter: NWSE      Section: 24      Township: 34N      Range: 8W      Meridian: M      Ground Elevation: 6670

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1496 feet FSL, from North or South section line, and 1564 feet FEL, from East or West section line.

Latitude: 37.173490      Longitude: -107.664600      PDOP Reading: 1.5      Date of Measurement: 05/16/2011

Instrument Operator's Name: Bill Mitchell

### 5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text" value="1"/>	Wells: <input type="text" value="2"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text"/>	Water Tanks: <input type="text" value="1"/>	Separators: <input type="text" value="4"/>	Electric Motors: <input type="text" value="3"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text" value="1"/>	Cavity Pumps: <input type="text" value="2"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text" value="2"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text" value="1"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text" value="1"/>	VOC Combustor: <input type="text"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: Electric control box-1. Two proposed wells and associated equipment onsite included in numbers above.

### 6. Construction:

Date planned to commence construction: 12/18/2013 Size of disturbed area during construction in acres: 1.46  
Estimated date that interim reclamation will begin: 12/18/2014 Size of location after interim reclamation in acres: 1.10  
Estimated post-construction ground elevation: 6670 Will a closed loop system be used for drilling fluids: Yes   
Will salt sections be encountered during drilling: Yes  No  Is H2S anticipated? Yes  No   
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes  No   
Mud disposal: Offsite  Onsite  Method: Land Farming  Land Spreading  Disposal Facility   
Other: Recycle/Reuse

### 7. Surface Owner:

Name: \_\_\_\_\_ Phone: \_\_\_\_\_  
Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Date of Rule 306 surface owner consultation: \_\_\_\_\_  
Surface Owner:  Fee  State  Federal  Indian  
Mineral Owner:  Fee  State  Federal  Indian  
The surface owner is:  the mineral owner  committed to an oil and gas lease  
 is the executer of the oil and gas lease  the applicant  
The right to construct the location is granted by:  oil and gas lease  Surface Use Agreement  Right of Way  
 applicant is owner  
Surface damage assurance if no agreement is in place:  \$2000  \$5000  Blanket Surety ID \_\_\_\_\_

### 8. Reclamation Financial Assurance:

Well Surety ID: 20010158  Gas Facility Surety ID: \_\_\_\_\_  Waste Mgnt. Surety ID: \_\_\_\_\_

### 9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes  No   
Distance, in feet, to nearest building: 706, public road: 1501, above ground utilit: 1330  
, railroad: 72022, property line: 179

### 10. Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
Subdivided:  Industrial  Commercial  Residential

### 11. Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
Subdivided:  Industrial  Commercial  Residential

### 12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 12. Bayfield silty clay loam, seeped, 1 to 3 percent slopes

NRCS Map Unit Name: \_\_\_\_\_  
NRCS Map Unit Name: \_\_\_\_\_

**13. Plant Community:**

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No   
Plant species from:  NRCS or,  field observation Date of observation: \_\_\_\_\_  
List individual species: Tufted hairgrass, Nebraska sedge, Slender wheatgrass, Willow, Baltic rush, Rocky Mountain iris

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): \_\_\_\_\_

**14. Water Resources:**

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area:  No  Yes Was a Rule 901.e. Sensitive Areas Determination performed:  No  Yes  
Distance (in feet) to nearest surface water: 73, water well: 742, depth to ground water: 20  
Is the location in a riparian area:  No  Yes Was an Army Corps of Engineers Section 404 permit filed  No  Yes  
Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  
 No  0-300 ft. zone  301-500 ft. zone  501-2640 ft. zone  
If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:  No  Yes

**15. Comments:**

1. DOW consultation is via the BP San Juan Basin Colorado Wildlife Mitigation Plan (WMP) dated March 2011; 6. Size of disturbed area during construction is for a new 2 well pad; 7. SUA attached to related Form 2 contains the waiver to the 30 day notice (Rule 305) and consultation (Rule 306); 13. Noxious weeds are controlled by an ongoing weed control plan; 14. Sensitive Area Determination Data: Area determined to be sensitive due to an intermittent stream at 178 feet.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.  
Signed: \_\_\_\_\_ Date: 02/16/2012 Email: patricia.campbell@bp.com  
Print Name: Patricia Campbell Title: Regulatory Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 3/25/2012

**CONDITIONS OF APPROVAL, IF ANY:**

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

**SITE SPECIFIC COAs:**

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.

Any pit constructed to hold liquids, must be lined or a closed loop system (which operator has indicated on the Form 2A) must be implemented during drilling.

Operator must ensure 110 percent secondary containment for any volume of fluids (excluding freshwater) contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings that will be reused/recycled must also meet the applicable standards of table 910-1. However, if the drill cuttings are to remain onsite, the following exceptions to meeting the 910-1 standards will be applicable: COGCC and CDPHE have decided that operators do not need to request variances from CDPHE for instances where pit contents do not meet the Table 910-1 values for pH, electrical conductivity (EC), or sodium adsorption ration (SAR). However, operators shall attempt, where practicable, to meet the pH, EC, and SAR values, but must ensure that the remaining pit contents are covered with a minimum of 3 feet of backfill and soil. The soil horizons must be replaced in their original relative position, and reclaimed in accordance with the 1000 Series Rules. The backfill and replaced soil must meet Table 910-1 ph, EC, and SAR values, with consideration given to background levels in native soils.

**Attachment Check List**

Att Doc Num	Name
2034158	CORRESPONDENCE
400247969	FORM 2A APPROVED
400248017	LOCATION PICTURES
400248018	LOCATION DRAWING
400248019	SURFACE PLAN
400248020	HYDROLOGY MAP
400248021	ACCESS ROAD MAP
400248022	NRCS MAP UNIT DESC
400248023	CONST. LAYOUT DRAWINGS
400248024	CONST. LAYOUT DRAWINGS
400248025	CONST. LAYOUT DRAWINGS
400248026	CONST. LAYOUT DRAWINGS
400248028	MULTI-WELL PLAN
400248029	PROPOSED BMPs
400264751	FORM 2A SUBMITTED

Total Attach: 15 Files

**General Comments**

<b>User Group</b>	<b>Comment</b>	<b>Comment Date</b>
Permit	Final review completed.	3/21/2012 8:43:33 AM
DOW	This location is covered under the Wildlife Mitigation Plan. Efforts have been undertaken to avoid, minimize, and mitigate impacts to wildlife resource. These include site specific measures and a commitment to offset the direct habitat impacts through conservation and land preservation actions.	2/17/2012 3:24:58 PM
OGLA	Initiated/Completed OGLA Form 2A review on 02-17-12 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks, and cuttings low moisture content COAs from operator on 02-17-12; received acknowledgement of COAs from operator on 02-17-12; passed by CPW on 02-17-12 with site included in WMP acceptable; passed OGLA Form 2A review on 03-09-12 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks, and cuttings low moisture content COAs.	2/17/2012 8:13:27 AM

Total: 3 comment(s)

**BMP**

<b><u>Type</u></b>	<b><u>Comment</u></b>
Storm Water/Erosion Control	Covered in the field wide Storm Water Management Plan. Supplemental site specific SWMP is attached.
Wildlife	Covered in the BP San Juan Basin Colorado Wildlife Mitigation Plan (WMP) dated March 2011.

Total: 2 comment(s)