

---

# **BILL BARRETT CORPORATION E-BILL**

---

**DIXON FED 32B-23-692  
MAMM CREEK  
Garfield County , Colorado**

**Cement Surface Casing**  
**04-Apr-2012**

**Job Site Documents**

## The Road to Excellence Starts with Safety

Sold To #: 343492	Ship To #: 343492	Quote #:	Sales Order #: 9405512
Customer: BILL BARRETT CORPORATION E-BILL	Customer Rep: Lauer, Casey		
Well Name: DIXON FED	Well #: 32B-23-692	API/UWI #: 05-045-21121	
Field: MAMM CREEK	City (SAP): DENVER	County/Parish: Garfield	State: Colorado
Lat: N 39.515 deg. OR N 39 deg. 30 min. 52.441 secs.	Long: W 107.635 deg. OR W -108 deg. 21 min. 54.313 secs.		
Contractor: ProPetro Services Inc.	Rig/Platform Name/Num: ProPetro		
Job Purpose: Cement Surface Casing			
Well Type: Development Well	Job Type: Cement Surface Casing		
Sales Person: METLI, MARSHALL	Srvc Supervisor: TRIPLETT, MICHEAL	MBU ID Emp #: 447908	

## Job Personnel

HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #
HARDRICK, RAYMOND Frank	21	391324	TRIPLETT, MICHEAL Anthony	21	447908	WEAVER, CARLTON Russell	21	457698

## Equipment

HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way
10867423	120 mile	10951245	120 mile	11542767	120 mile	11562538	120 mile
11808835	120 mile						

## Job Hours

Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours
04/04/2012	22	1						

**TOTAL** Total is the sum of each column separately

Job				Job Times			
Formation Name				Date	Time	Time Zone	
Formation Depth (MD)	Top	Bottom		Called Out	04 - Apr - 2012	12:00	MST
Form Type	BHST			On Location	04 - Apr - 2012	15:00	MST
Job depth MD	805. ft			Job Started	04 - Apr - 2012	20:42	MST
Water Depth	Wk Ht Above Floor			Job Completed	04 - Apr - 2012	21:38	MST
Perforation Depth (MD)	From	To		Departed Loc	04 - Apr - 2012	21:45	MST

## Well Data

Description	New / Used	Max pressure psig	Size in	ID in	Weight lbm/ft	Thread	Grade	Top MD ft	Bottom MD ft	Top TVD ft	Bottom TVD ft
-------------	------------	-------------------	---------	-------	---------------	--------	-------	-----------	--------------	------------	---------------

Sales/Rental/3<sup>rd</sup> Party (HES)

Description	Qty	Qty uom	Depth	Supplier
R/A DENSOMETER W/CHART RECORDER,/JOB,ZI	1	JOB		
ADC (AUTO DENSITY CTRL) SYS, /JOB,ZI	1	JOB		
PORT. DATA ACQUIS. W/OPTICEM RT W/HES	1	EA		
PLUG,CMTG,TOP,9 5/8,HWE,8.16 MIN/9.06 MA	1	EA		

## Tools and Accessories

Type	Size	Qty	Make	Depth	Type	Size	Qty	Make	Depth	Type	Size	Qty	Make
Guide Shoe					Packer					Top Plug			
Float Shoe					Bridge Plug					Bottom Plug			
Float Collar					Retainer					SSR plug set			
Insert Float										Plug Container			
Stage Tool										Centralizers			

## Miscellaneous Materials

Gelling Agt	Conc	Surfactant	Conc	Acid Type	Qty	Conc	%
Treatment Fld	Conc	Inhibitor	Conc	Sand Type	Size	Qty	

## Fluid Data

Stage/Plug #: 1									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbm/gal	Yield ft <sup>3</sup> /sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk

1	Water Spacer		20.00	bbl	8.34			4		
2	Lead Cement	VERSACEM (TM) SYSTEM (452010)	120.0	sacks	12.3	2.38	13.77	6	13.77	
	13.77 Gal	FRESH WATER								
3	Tail Cement	SWIFTCEM (TM) SYSTEM (452990)	120.0	sacks	14.2	1.43	6.85	6	6.85	
	6.85 Gal	FRESH WATER								
4	Displacement		56.00	bbl	8.33			6		
<b>Calculated Values</b>		<b>Pressures</b>		<b>Volumes</b>						
Displacement	57.3	Shut In: Instant		Lost Returns	0	Cement Slurry	81	Pad		
Top Of Cement	SURFACE	5 Min		Cement Returns	20	Actual Displacement		Treatment		
Frac Gradient		15 Min		Spacers	20	Load and Breakdown		Total Job	160	
<b>Rates</b>										
Circulating	0	Mixing	6	Displacement	6	Avg. Job			6	
Cement Left In Pipe	Amount	44.85 ft	Reason	Shoe Joint						
Frac Ring # 1 @	ID		Frac ring # 2 @	ID		Frac Ring # 3 @	ID		Frac Ring # 4 @	ID
The Information Stated Herein Is Correct				Customer Representative Signature						

*The Road to Excellence Starts with Safety*

<b>Sold To #:</b> 343492	<b>Ship To #:</b> 343492	<b>Quote #:</b>	<b>Sales Order #:</b> 9405512
<b>Customer:</b> BILL BARRETT CORPORATION E-BILL		<b>Customer Rep:</b> Lauer, Casey	
<b>Well Name:</b> DIXON FED		<b>Well #:</b> 32B-23-692	<b>API/UWI #:</b> 05-045-21121
<b>Field:</b> MAMM CREEK	<b>City (SAP):</b> DENVER	<b>County/Parish:</b> Garfield	<b>State:</b> Colorado
<b>Legal Description:</b>			
<b>Lat:</b> N 39.515 deg. OR N 39 deg. 30 min. 52.441 secs.		<b>Long:</b> W 107.635 deg. OR W -108 deg. 21 min. 54.313 secs.	
<b>Contractor:</b> ProPetro Services Inc.		<b>Rig/Platform Name/Num:</b> ProPetro	
<b>Job Purpose:</b> Cement Surface Casing			<b>Ticket Amount:</b>
<b>Well Type:</b> Development Well		<b>Job Type:</b> Cement Surface Casing	
<b>Sales Person:</b> METLI, MARSHALL		<b>Srvc Supervisor:</b> TRIPLETT, MICHEAL	<b>MBU ID Emp #:</b> 447908

Activity Description	Date/Time	Cht #	Rate bbl/ min	Volume bbl		Pressure psig		Comments
				Stage	Total	Tubing	Casing	
Arrive At Loc	04/04/2012 15:00							CEMENT ARRIVED ON LOCATION, REST OF CREW ON LOCATION FROM PREVIOUS JOB.
Assessment Of Location Safety Meeting	04/04/2012 15:05							REVIEWED EMERGENCY PLAN, ASSESSED WORK AREA AND SPOTTED EQUIPMENT.
Pre-Rig Up Safety Meeting	04/04/2012 20:15							ENTIRE CREW, WALKED THROUGH RIG UP LOOKING FOR HAZARDS.
Rig-Up Equipment	04/04/2012 20:20							1 PICK UP, 1 HT400 PUMP TRUCK, 1 660 BULK CEMENT TRUCK, 1 SCREW IN HEAD WITH PLUG,
Pre-Job Safety Meeting	04/04/2012 20:30							ENTIRE CREW AND RIG CREW.
Start Job	04/04/2012 20:42							TD 805' TP 786.38' SJ 44.85' FC 741.53', 9 5/8 36# CASING IN 12 1/2" HOLE. AIR DRILLED HOLE.
Pump Water	04/04/2012 20:43		2	2			4.0	FILL LINES BEFORE TESTING
Pressure Test	04/04/2012 20:45						3000.0	HELD PRESSURE FOR 2 MIN, PRESSURE HELD, NO LEAKS.
Activity Description	Date/Time	Cht #	Rate bbl/ min	Volume bbl		Pressure psig		Comments
				Stage	Total	Tubing	Casing	

Pump Spacer 1	04/04/2012 20:50		4	20			60.0	FRESH WATER, PUMPED AT 2 BPM UNTIL CEMENT TUB UP TO WEIGHT AND WEIGHED WITH SCALES, SPED RATE TO 6 BPM AT 6 BBLs GONE.
Pump Lead Cement	04/04/2012 20:58		6	50.9			120.0	120 SKS VERSACEM, 12.3 PPG, 2.38 CUFT/SK, 13.77 GAL/SK.
Pump Tail Cement	04/04/2012 21:08		6	30.6			180.0	120 SKS VERSACEM, 14.2 PPG, 1.43 CUFT/SK, 6.85 GAL/SK.
Shutdown	04/04/2012 21:12							
Drop Top Plug	04/04/2012 21:21							VARIIFIED PLUG LEFT CONTAINER.
Pump Displacement	04/04/2012 21:22		6	57.3			220.0	FRESH WATER, CEMENT TO SURFACE AT 33 BBLs GONE, 20 BBLs OF CEMENT TO SURFACE. DID NOT USE ANY SUGAR.
Slow Rate	04/04/2012 21:31		2	47.3			200.0	SLOWED RATE TO 2 BPM TO BUMP PLUG.
Bump Plug	04/04/2012 21:35						250.0	PLUG LANDED AT 250 PSI, BUMPED UP TO 900 PSI AND HELD FOR 2 MIN.
Check Floats	04/04/2012 21:37							FLOATS HELD, WHEN RELEASED PRESSURE GOT 3/4 BBL OF WATER BACK TO TRUCK.
End Job	04/04/2012 21:38							RETURNS TO SURFACE AT 24 BBLs GONE ON TAIL CEMENT GOOD RETURNS REMAINDER, DID NOT RECIPROCATATE PIPE.NO ADDITIONAL HOURS, NO SUGAR USED.
Post-Job Safety Meeting (Pre Rig-Down)	04/04/2012 21:39							ENTIRE CREW
Rig-Down Equipment	04/04/2012 21:44							
Other	04/04/2012 21:45							CREW WILL STAY ON LOCATION FOR NEXT JOB.