

FORM INSP
Rev 05/11

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
04/11/2012

Document Number:
662300406

Overall Inspection:
Satisfactory

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Tracking Type	Inspector Name: <u>NEIDEL, KRIS</u>
	<u>427022</u>	<u>427088</u>		

Operator Information:

OGCC Operator Number: 10255 Name of Operator: QUICKSILVER RESOURCES INC
 Address: 801 CHERRY ST - #3700 UNIT 19
 City: FT WORTH State: TX Zip: 76102

Contact Information:

Contact Name	Phone	Email	Comment
Chavira, David	817-240-5609	dchavira@qrinc.com	

Compliance Summary:

QtrQtr: SE SW Sec: 33 Twp: 7N Range: 87W

Inspector Comment:

circulated for 2 hrs prior to pumping cement. Pumped 200 sacks of 13.5 cement, displaced with 200 sacks of 15.6 lbm/gal. 68.5bbl return to surface. inspector waited 40 mins to check column fall back, there was very little (column still above surface of the ground).

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
427022	WELL	XX	12/21/2011		107-06248	PIRTLAW PARTNERS Ltd 24-33	<input checked="" type="checkbox"/>
427088	LOCATION	AC	12/27/2011		-	PIRTLAW PARTNERS Ltd 24-33	<input type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: <u> </u>	Drilling Pits: <u> 1 </u>	Wells: <u> 1 </u>	Production Pits: <u> </u>
Condensate Tanks: <u> 2 </u>	Water Tanks: <u> 1 </u>	Separators: <u> 2 </u>	Electric Motors: <u> </u>
Gas or Diesel Mortors: <u> 1 </u>	Cavity Pumps: <u> </u>	LACT Unit: <u> </u>	Pump Jacks: <u> 1 </u>
Electric Generators: <u> </u>	Gas Pipeline: <u> </u>	Oil Pipeline: <u> </u>	Water Pipeline: <u> </u>
Gas Compressors: <u> </u>	VOC Combustor: <u> </u>	Oil Tanks: <u> 2 </u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u> </u>	Fuel Tanks: <u> </u>

Location

Emergency Contact Number: (S/U/V) _____ Corrective Date: _____
 Comment: _____
 Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/>	Multiple Spills and Releases?			

Venting:	
Yes/No	Comment

Flaring:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

Predrill

Location ID: 427088

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>The drilling pit, if constructed, must be lined, or a closed loop system (which operator has indicated on the Form 2A) must be implemented during drilling. All cuttings generated during drilling with OBM/high chloride mud must be kept in the lined drilling pit, or placed either in containers or on a lined/bermed portion of the well pad; prior to analysis and/or offsite disposal.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The access road will be constructed to prevent sediment migration from the access road to nearby surface water or any drainages leading to other nearby surface waters.</p>	11/08/2011

Comment: _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Wildlife	<p>Quicksilver will construct and drill the pad and well outside of the period between March 15 and July 30.</p> <p>Quicksilver will construct and or drill any subsequent wells outside of the period between March 15 and July 30.</p> <p>Quicksilver will conduct post-development well site visitations between the hours of 10:00 a.m. and 3:00 p.m. and reduce well site visitations between March 15 and July 30 in sharp-tail lek and production areas.</p> <p>Quicksilver agrees to use hospital grade mufflers for compressors, pump jacks or other motors necessary to run operations at the site. Mufflers will be pointed upward to dissipate potential vibration.</p> <p>Interim and final reclamation will match existing vegetation.</p> <p>Quicksilver will include a weed management plan and implement the plan as part of reclamation.</p>
Site Specific	Wattle, Earthen Berm, Diversion Ditch, Rock Sock Check Dam, Sediment Trap, Rock Armour, Cut and Fill Slope

Comment:

CA: **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Well

Facility ID: 427022 API Number: 107-06248 Status: XX Insp. Status: DG

Data retrieval failed for the subreport 'Subreport0' located at: \\dardensterling\oFormP
Data retrieval failed for the subreport 'Subreport10' located at: \\dardensterling\oFormP

Cement

Cement Contractor

Contractor Name: Halliburton-

Contractor Phone: _____

Surface Casing

Cement Volume (sx): 200

Circulate to Surface: YES

Cement Fall Back: NO

Top Job, 1" Volume: NO

Intermediate Casing

Cement Volume (sxs): _____

Good Return During Job: _____

Production Casing

Cement Volume (sx): _____

Good Return During Job: _____

Plugging Operations

Depth Plugs(feet range): _____

Cement Volume (sx): _____

Good Return During Job: _____

Cement Type: _____

Comment:

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment:

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location:

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment:

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____

Storm Water:						
Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/U/V: _____ Corrective Date: _____

Comment: _____

CA: _____