

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400273409

Date Received:

04/17/2012

Oil and Gas Location Assessment

New Location

Amend Existing Location

Location#: 336028

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

336028

Expiration Date:

05/30/2015

This location assessment is included as part of a permit application.

1. CONSULTATION

This location is included in a Comprehensive Drilling Plan. CDP # _____

This location is in a sensitive wildlife habitat area.

This location is in a wildlife restricted surface occupancy area.

This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 10079

Name: ANTERO RESOURCES PICEANCE CORPORATION

Address: 1625 17TH ST STE 300

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Shauna Redican

Phone: (303) 357-6820

Fax: (303) 357-7315

email: sredican@anteroresources.com

4. Location Identification:

Name: River Ranch

Number: C Pad

County: GARFIELD

Quarter: NESW Section: 8 Township: 6S Range: 92W Meridian: 6 Ground Elevation: 5384

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 2165 feet FSL, from North or South section line, and 2184 feet FWL, from East or West section line.

Latitude: 39.539840 Longitude: -107.692390 PDOP Reading: 1.9 Date of Measurement: 09/01/2006

Instrument Operator's Name: SAMUEL D PHELPS

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/>	Wells: <input type="checkbox"/> <u>6</u>	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/> <u>2</u>	Water Tanks: <input type="checkbox"/> <u>4</u>	Separators: <input type="checkbox"/> <u>4</u>	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/> <u>1</u>	Pump Jacks: <input type="checkbox"/>	Pigging Station: <input type="checkbox"/> <u>1</u>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="checkbox"/> <u>1</u>	Oil Pipeline: <input type="checkbox"/> <u>1</u>	Water Pipeline: <input type="checkbox"/> <u>1</u>	Flare: <input type="checkbox"/>
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="checkbox"/> <u>1</u>	Oil Tanks: <input type="checkbox"/>	Fuel Tanks: <input type="checkbox"/>	

Other: See attached Equipment List

6. Construction:

Date planned to commence construction: 05/11/2012 Size of disturbed area during construction in acres: 2.87
 Estimated date that interim reclamation will begin: 11/11/2012 Size of location after interim reclamation in acres: 1.87
 Estimated post-construction ground elevation: 5384 Will a closed loop system be used for drilling fluids: Yes
 Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
 Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
 Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
 Other: ONSITE IF APPLICABLE

7. Surface Owner:

Name: _____ Phone: _____
 Address: _____ Fax: _____
 Address: _____ Email: _____
 City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: 11/01/2010
 Surface Owner: Fee State Federal Indian
 Mineral Owner: Fee State Federal Indian
 The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
 The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
 Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: 20040071 Gas Facility Surety ID: _____ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
 Distance, in feet, to nearest building: 1904, public road: 2146, above ground utilit: 5280
 , railroad: 2970, property line: 716

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: Map Unit Symbol: 27 - Halaquepts, nearly level

NRCS Map Unit Name: _____
NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No
Plant species from: NRCS or, field observation Date of observation: 03/22/2012
List individual species: Sagebrush and Grasses

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes
Distance (in feet) to nearest surface water: 1645, water well: 1626, depth to ground water: 6
Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes
Is the location within a Rule 317B Surface Water Suppl Area buffer zone:
 No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:

This pad is built, however since we are proposing to expand the pad size approximately 80' to a portion of the South and 40' East as shown on the Construction Layout Drawing, we are submitting this Form 2A as required. The Reference Area is undisturbed ground immediately adjacent and to the North of the well pad, as shown in the "Looking North" location photo. #4 The River Ranch C4 well was used as the reference point for well distance measurements. No above ground utility is noted on the COGCC maps within 5280 of well location. #6 Mud Disposal: Antero will bury cuttings onsite if disposal meets Table 910 and if there is a provision in SUA which allows for such operation. #14 Water Resources: The depth to ground water was determined by using static water level data of Permit 13565A /Receipt 9113620. The distance to nearest surface water was measured to the river North of the pad location. Since location is in a SWH area, Antero contacted CDOW prior to submittal of this APD (see attached BMPs). The multi-well plan has been updated to reflect the proposed BHL change for River Ranch C2; the permit re-file with the updated BHL for this well will be submitted later this month.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 04/17/2012 Email: sredican@anteroresources.com
Print Name: Shauna Redican Title: Permit Representative

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: 5/31/2012



**CONDITIONS OF
APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.

If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1.

Attachment Check List

Att Doc Num	Name
2034342	CORRESPONDENCE
400273409	FORM 2A SUBMITTED
400273505	317B NOTIFICATION
400273506	ACCESS ROAD MAP
400273507	CONST. LAYOUT DRAWINGS
400273508	LOCATION DRAWING
400273509	LOCATION PICTURES
400273510	HYDROLOGY MAP
400273511	NRCS MAP UNIT DESC
400273512	EQUIPMENT LIST
400273513	PROPOSED BMPs
400273514	MULTI-WELL PLAN
400273515	SURFACE AGRMT/SURETY
400273516	OTHER

Total Attach: 14 Files

General Comments

User Group	Comment	Comment Date
Permit	Took off hold--APD approved; spacing & pooling unit approval at May hearing.	5/31/2012 2:57:48 PM
OGLA	ON HOLD pending May hearing on spacing & pooling application	5/18/2012 3:55:04 PM
Permit	Took off hold-oper. has requested approval of 2A prior to APD approval in order to begin pad expansion work. LGD & pub. comments waived. Final Review--passed.	5/16/2012 10:50:51 AM
Permit	On hold--APD on hold pending May hearing on spacing & pooling application.	5/14/2012 3:17:07 PM
OGLA	Initiated/Completed OGLA Form 2A review on 04-22-12 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs from operator on 04-22-12; received acknowledgement of COAs from operator on 04-26-12; changed to sensitive area due to shallow GW (6' bgs); passed by CPW on 04-20-12 with WMP acceptable; passed OGLA Form 2A review on 05-14-12 by Dave Kubeczko; fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs.	4/22/2012 6:40:00 PM
DOW	This is an expansion request for an existing pad located 1 mile east of Silt. The site falls within a Mule Deer critical winter concentration area SWH. The sensitivities associated with the SWH are sufficiently addressed by Anteros 2010 WMP as well as the BMPs attached to the 2A request form. By Bill Buchholz on 20 April 2012	4/20/2012 3:32:54 PM

Total: 6 comment(s)

BMP

Type	Comment
Planning	<p>PLANNING INFRASTRUCTURE AND DEVELOPMENT ACTIVITIES:</p> <ul style="list-style-type: none"> • Directional drilling will be implemented to minimize habitat loss and habitat fragmentation • Remote monitoring using SCADA systems to reduce truck traffic, fugitive dust • Water pipeline infrastructure will be installed concurrently with the gas pipeline infrastructure where possible. • SPCC inspections will be conducted quarterly • Water used for well completions will be recycled as practicable • Baseline and post drilling/completion water well testing will be performed for permitted water wells within ½ mile of down-hole location • Annual planning meeting to be conducted with Rifle-Silt-New Castle Community
General Housekeeping	<p>INVASIVE NON-NATIVE VEGETATION CONTROL:</p> <ul style="list-style-type: none"> • Weed management plan will be developed and implemented to monitor and control noxious and invasive weeds • Noxious weed control includes three treatments per year • Existing weed infestations will be mapped prior to the development of each pad, access road and pipeline when practicable • Reclamation/revegetation will be used as a weed management tool
Site Specific	<p>PUBLIC WATER SYSTEM PROTECTION SECTION 317B:</p> <ul style="list-style-type: none"> • Best management practices will be implemented to contain any unintentional releases of fluids for locations within 500 feet of surface water • Locations within 500 feet of surface water will ensure 110 percent secondary containment for any volume of fluids contained at a well site during drilling and completion operations

Storm Water/Erosion Control	<p>STORWATER MANAGEMENT:</p> <ul style="list-style-type: none"> • Facilities will be operated with a Water Quality Control Division (WQCD) stormwater construction permit. • Stormwater BMPs in accordance with the Stormwater Management Plan will be implemented in a manner that minimizes erosion, transport of sediment offsite, and site degradation. • Inspections will be conducted every two weeks or monthly and in accordance with WQCD General Permit to confirm that applicable BMPs are in place, maintained and functioning properly.
Drilling/Completion Operations	<p>DRILLING AND PRODUCTION:</p> <ul style="list-style-type: none"> • No reserve, drill cuttings or frac/flowback pits will be constructed • Well pads will be constructed with perimeter berm on downslope area • Well pads, access roads will be graveled to reduce fugitive dust, sediment run-off • Above-ground facilities will be located to minimize visual effects (e.g. production tanks will be low profile tanks and painted to mitigate visual impacts.) • Combustor controls will be used to mitigate odors from production tanks • Well completions will utilize flowback completion technologies and/or flares to reduce odors from plug drillout, and venting of salable and non-salable gas • High level alarms will be installed on production tanks • Production tank containment area will be lined with plastic
Wildlife	<p>MITIGATION PLAN BEST MANAGEMENT PRACTICES:</p> <ul style="list-style-type: none"> • Closed loop (pitless) drilling system. • Participation in raptor and other birds (great blue heron) monitoring and surveying with protocol to be developed by CDOW and implemented by Antero when practicable. • Buried water and gas pipelines as means to reduce truck traffic. • Seasonal raptor RSOs for species not included in new COGCC rules will be considered where practicable. • Avoidance/seclusion area in the northeast corner of the CDP (Burning Mountain) unless lease expiration warrants development. • Restricted rig operation to less than 2 per section within the big game seclusion areas during the winter (to be determined in consultation with CDOW). • Maintaining a ¼ mile no surface occupancy buffer around active bald eagle nests. • New pad construction not to exceed 3 acres. • Pad density not to exceed 1 pad per 120 acres. • Bury all gas and water pipelines adjacent to roads whenever possible. • The mitigation opportunities/projects will be defined by the Mitigation Plan for each well pad. • The mitigation opportunities/projects will be determined cooperatively with the CDOW during the annual Antero Mitigation Plan Review. • CDOW Actions to Minimize Adverse Impacts to Wildlife Resources is attached to the March 22, 2010 Mitigation Plan

Total: 6 comment(s)