

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400280674

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10261
2. Name of Operator: BAYSWATER EXPLORATION AND PRODUCTION
3. Address: 730 17TH ST STE 610
City: DENVER State: CO Zip: 80202
4. Contact Name: CLAYTON DOKE
Phone: (970) 669-7411
Fax: (970) 669-4077

5. API Number 05-123-34743-00
6. County: WELD
7. Well Name: Bosworth-Bailey
Well Number: 16-31
8. Location: QtrQtr: SESE Section: 31 Township: 7N Range: 66W Meridian: 6
9. Field Name: EATON Field Code: 19350

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/12/2012 End Date: 03/12/2012 Date of First Production this formation: 04/12/2012

Perforations Top: 7378 Bottom: 7394 No. Holes: 64 Hole size: 042/100

Provide a brief summary of the formation treatment: Open Hole: ☐

274,325 gals, 177,262 gals SLF, 180,120 lbs 30/50 White

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 6532 Max pressure during treatment (psi): 5383

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 0.25

Type of gas used in treatment: Number of staged intervals: 1

Total acid used in treatment (bbl): Max frac gradient (psi/ft): 0.94

Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 6532

Fresh water used in treatment (bbl): 2311 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 177262 Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: PIPELINE

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/24/2012 Hours: 12 Bbl oil: 96 Mcf Gas: 91 Bbl H2O: 8

Calculated 24 hour rate: Bbl oil: 192 Mcf Gas: 182 Bbl H2O: 16 GOR: 948

Test Method: Flowing Casing PSI: 1950 Tubing PSI: Choke Size: 012/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1323 API Gravity Oil: 44

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: JONATHAN RUNGE

Title: Consultant Date: _____ Email jrunge@petersonenergy.com
:

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

User Group **Comment** **Comment Date**

--	--	--

Total: 0 comment(s)