

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400244246 Date Received: 04/18/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185 2. Name of Operator: ENCANA OIL & GAS (USA) INC 3. Address: 370 17TH ST STE 1700 City: DENVER State: CO Zip: 80202- 4. Contact Name: Sheilla Reed-High Phone: (720) 876-3678 Fax: (720) 876-3678

5. API Number 05-123-33108-00 6. County: WELD 7. Well Name: ARISTOCRAT ANGUS Well Number: 4-2-3 8. Location: QtrQtr: 3 Section: 3 Township: 3N Range: 65W Meridian: 6 9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: Treatment Date: 12/18/2011 End Date: Date of First Production this formation: Perforations Top: 7149 Bottom: 7165 No. Holes: 32 Hole size: 0.42

Provide a brief summary of the formation treatment:

Open Hole: [ ]

Set CFP @7210'. 12-18-11 Frac'd the CDL 7149' -7165' w/85,554 gal 22 # pHaserFrac Hybrid cross linked gel containing 250,000 # 30/50 sand. 12-18-11

This formation is commingled with another formation: [X] Yes [ ] No

Total fluid used in treatment (bbl): Max pressure during treatment (psi): Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): Type of gas used in treatment: Number of staged intervals: Total acid used in treatment (bbl): Max frac gradient (psi/ft): Recycled water used in treatment (bbl): Flowback volume recovered (bbl): Fresh water used in treatment (bbl): Disposition method for flowback: Total proppant used (lbs): Rule 805 green completion techniques were utilized: [ ]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR: Test Method: Casing PSI: Tubing PSI: Choke Size: Gas Disposition: Gas Type: Btu Gas: API Gravity Oil: Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 6934 Bottom: 7650 No. Holes: 232 Hole size: 0.42

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Drilled out CFP @ 6980'. 03-21-12.  
Set CBP @ 7080'.  
Drilled out CBP @ 7080', CFP @ 7130' CFP @ 7210', to commingle the JSND-NBRR-CDL. 04-12-12

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 04/15/2012 Hours: 24 Bbl oil: 10 Mcf Gas: 462 Bbl H2O: 63

Calculated 24 hour rate: Bbl oil: 10 Mcf Gas: 462 Bbl H2O: 63 GOR: 46200

Test Method: FLOWING Casing PSI: 887 Tubing PSI: 575 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1270 API Gravity Oil: 62

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7617 Tbg setting date: 04/12/2012 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: J SAND Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: 12/18/2011 End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 7632 Bottom: 7650 No. Holes: 36 Hole size: 0.42

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Frac'd the J-Sand 7632'- 7650', (36 holes) w/ 64,344 gal 18 # pHaserFrac Hybrid cross linked gel containing 250,000# 20/40 Sand. 12-18-11

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: 12/19/2011 End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 6934 Bottom: 7165 No. Holes: 196 Hole size: 0.42

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: 12/18/2011 End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 6934 Bottom: 7040 No. Holes: 164 Hole size: 0.42

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Set CFP @ 7130'. 12-18-11. Frac'd the NBRR "C" 7007'-7040' w/53,298 gals 18# pHaserFrac Hybrid crosslinked gel containing 125,000# 30/50 sand. Set CFP @ 6980'. 12-18-11. Frac'd the NBRR "B" 6934'-6950' w/53,970 gals 18 # pHaserFrac Hybrid cross linked gel containing Hybrid cross linked gel containing 125,000# 30/50 sand. 12-18-11

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

Comment: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sheilla Reed-High

Title: Drilling and Compl. Tech. Date: 4/18/2012 Email sheilla.reedhigh@Encana.com

**Attachment Check List**

Att Doc Num	Name
400244246	FORM 5A SUBMITTED
400273893	WELLBORE DIAGRAM

Total Attach: 2 Files

**General Comments**

User Group	Comment	Comment Date

Total: 0 comment(s)