

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400297701

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1625 BROADWAY STE 2200

City: DENVER State: CO Zip: 80202

4. Contact Name: Tania McNutt

Phone: (303) 228-4392

Fax: (303) 228-4286

5. API Number 05-123-34562-00

7. Well Name: NOVACEK C

8. Location: QtrQtr: SESE Section: 21 Township: 4N Range: 64W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 28-27D

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/11/2012</u>		End Date: <u>03/11/2012</u>		Date of First Production this formation: <u>03/12/2012</u>	
Perforations	Top: <u>6959</u>	Bottom: <u>6971</u>	No. Holes: <u>48</u>	Hole size: <u>0.41</u>	

Provide a brief summary of the formation treatment: Open Hole: ☐

Pumped 219,930 lbs of Ottawa Proppant and 89,050 gallons of 15% HCL, Slick Water and Silverstim
 Commingle the Niobrara and Codell

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>2361</u>	Max pressure during treatment (psi): <u>4642</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Number of staged intervals: <u>7</u>
Total acid used in treatment (bbl): _____	Max frac gradient (psi/ft): <u>0.97</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>219930</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

Bridge Plug Depth: _____ Sacks cement on top: _____

FORMATION: <u>NIOBRARA-CODELL</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/11/2012</u>		End Date: <u>03/11/2012</u>		Date of First Production this formation: <u>03/12/2012</u>	
Perforations	Top: <u>6768</u>	Bottom: <u>6971</u>	No. Holes: <u>96</u>	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____		Max pressure during treatment (psi): _____			
Total gas used in treatment (mcf): _____		Fluid density at initial fracture (lbs/gal): _____			
Type of gas used in treatment: _____		Number of staged intervals: _____			
Total acid used in treatment (bbl): _____		Max frac gradient (psi/ft): _____			
Recycled water used in treatment (bbl): _____		Flowback volume recovered (bbl): _____			
Fresh water used in treatment (bbl): _____		Disposition method for flowback: _____			
Total proppant used (lbs): _____		Rule 805 green completion techniques were utilized: <input type="checkbox"/>			
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: <u>03/16/2012</u>	Hours: <u>24</u>	Bbl oil: <u>105</u>	Mcf Gas: <u>341</u>	Bbl H2O: <u>66</u>	
Calculated 24 hour rate:	Bbl oil: <u>105</u>	Mcf Gas: <u>341</u>	Bbl H2O: <u>66</u>	GOR: <u>3248</u>	
Test Method: <u>FLOWING</u>	Casing PSI: <u>910</u>	Tubing PSI: _____	Choke Size: <u>12/64</u>		
Gas Disposition: <u>SOLD</u>	Gas Type: <u>WET</u>	Btu Gas: <u>1308</u>	API Gravity Oil: <u>53</u>		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
Bridge Plug Depth: _____	Sacks cement on top: _____				

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 03/11/2012 End Date: 03/11/2012 Date of First Production this formation: 03/12/2012
Perforations Top: 6768 Bottom: 6861 No. Holes: 48 Hole size: 0.69
Provide a brief summary of the formation treatment: Open Hole: ☐

Pumped 235,347 lbs of Ottawa Proppant and 153,416 gallons of Slick Water and Silverstim
Commingle the Niobrara and Codell

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): 3908 Max pressure during treatment (psi): 4697
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Number of staged intervals: 7
Total acid used in treatment (bbl): Max frac gradient (psi/ft): 0.97
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE
Total proppant used (lbs): 235347 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
Bridge Plug Depth: Sacks cement on top:

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Tania McNutt
Title: Regulatory Analyst Date: Email: tmcnutt@nobleenergyinc.com

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)