

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400274750

Date Received:

04/20/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185
2. Name of Operator: ENCANA OIL & GAS (USA) INC
3. Address: 370 17TH ST STE 1700
City: DENVER State: CO Zip: 80202-
4. Contact Name: Sheilla Reed-High
Phone: (720) 876-3678
Fax: (720) 876-4678

5. API Number 05-123-31974-00
6. County: WELD
7. Well Name: KENNEDY
Well Number: 8-4-21
8. Location: QtrQtr: SENE Section: 21 Township: 2N Range: 68W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type:
Treatment Date: 01/23/2012 End Date: Date of First Production this formation:
Perforations Top: 7696 Bottom: 7718 No. Holes: 44 Hole size: 0.42

Provide a brief summary of the formation treatment:

Open Hole: ☐

Set CFP @ 7760'. 01-23-12
Frac'd the Codell 7696' - 7718', (44 holes) w/ 206,556 gals slick water containing
154,000# 30/50 sand. 01-23-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Number of staged intervals:

Total acid used in treatment (bbl): Max frac gradient (psi/ft):

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 7475 Bottom: 8165 No. Holes: 172 Hole size: 0.42

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CBP @ 7380'. 02-29-12
 Drilled out CBP, CFP's to commingle the JSND-NBRR-CDL. 03-03-12

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Number of staged intervals: _____

Total acid used in treatment (bbl): _____ Max frac gradient (psi/ft): _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/07/2012 Hours: 24 Bbl oil: 40 Mcf Gas: 267 Bbl H2O: 3

Calculated 24 hour rate: Bbl oil: 40 Mcf Gas: 267 Bbl H2O: 3 GOR: 6675

Test Method: FLOWING Casing PSI: 904 Tubing PSI: 305 Choke Size: 14/46

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1264 API Gravity Oil: 50

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8120 Tbg setting date: 03/03/2012 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

Bridge Plug Depth: _____ Sacks cement on top: _____

FORMATION: J SAND Status: PRODUCING Treatment Type: _____

Treatment Date: 01/23/2012 End Date: _____ Date of First Production this formation: _____

Perforations Top: 8141 Bottom: 8165 No. Holes: 48 Hole size: 0.42

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Frac'd the J-Sand 8141'- 8165', (48 holes) w/ 65,436 gal 18 # pHaserFrac Hybrid cross linked gel containing 252,820# 20/40 Sand. 01-23-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Number of staged intervals: _____

Total acid used in treatment (bbl): _____ Max frac gradient (psi/ft): _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

Bridge Plug Depth: _____ Sacks cement on top: _____

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: _____
Treatment Date: 01/23/2012 End Date: _____ Date of First Production this formation: _____
Perforations Top: 7475 Bottom: 7728 No. Holes: 124 Hole size: 0.42
Provide a brief summary of the formation treatment: _____ Open Hole: ☐
This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Number of staged intervals: _____
Total acid used in treatment (bbl): _____ Max frac gradient (psi/ft): _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
Bridge Plug Depth: _____ Sacks cement on top: _____

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: _____
Treatment Date: 01/23/2012 End Date: _____ Date of First Production this formation: _____
Perforations Top: 7475 Bottom: 7495 No. Holes: 80 Hole size: 0.42
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CFP @ 7540'. 01-23-12
Frac'd the Niobrara 7475' – 7495' (80 holes), w/ 220,164 gals slick water containing
160,320# 30/50 sand. 01-23-12

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Number of staged intervals: _____
Total acid used in treatment (bbl): _____ Max frac gradient (psi/ft): _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
Bridge Plug Depth: _____ Sacks cement on top: _____

Comment: _____

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Sheilla Reed-High
Title: Drilling and Compl. Tech. Date: 4/20/2012 Email: sheilla.reedhigh@Encana.com
:

Attachment Check List

Att Doc Num	Name
400274750	FORM 5A SUBMITTED
400274796	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)