

FORM 5A

Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400299349

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322 4. Contact Name: Andrea Rawson
2. Name of Operator: NOBLE ENERGY INC Phone: (303) 228-4253
3. Address: 1625 BROADWAY STE 2200 Fax: (303) 228-4286
City: DENVER State: CO Zip: 80202

5. API Number 05-123-18072-00 6. County: WELD
7. Well Name: NIX Well Number: 28-814
8. Location: QtrQtr: SENE Section: 28 Township: 4N Range: 64W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 01/14/2012 End Date: 01/14/2012 Date of First Production this formation: 04/17/1994

Perforations Top: 6855 Bottom: 6864 No. Holes: 36 Hole size:

Provide a brief summary of the formation treatment: Open Hole: [ ]

Re-Frac'd Codell w/ 124224 gals of Slick Water and Vistar with 237407#'s of Ottawa sand.

This formation is commingled with another formation: [X] Yes [ ] No

Total fluid used in treatment (bbl): 2958 Max pressure during treatment (psi): 7551

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Number of staged intervals: 6

Total acid used in treatment (bbl): Max frac gradient (psi/ft): 0.90

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 237407 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 02/09/2012 Hours: 24 Bbl oil: 15 Mcf Gas: 179 Bbl H2O: 10

Calculated 24 hour rate: Bbl oil: 15 Mcf Gas: 179 Bbl H2O: 10 GOR: 11933

Test Method: Flowing Casing PSI: 600 Tubing PSI: 200 Choke Size: 14

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1302 API Gravity Oil: 58

Tubing Size: 2 + 1/16 Tubing Setting Depth: 6837 Tbg setting date: 01/31/2012 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

Bridge Plug Depth: Sacks cement on top:

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Andrea Rawson

Title: Regulatory Specialist Date: \_\_\_\_\_ Email: arawson@nobleenergyinc.com  
:

### **Attachment Check List**

Att Doc Num	Name
400299373	WELLBORE DIAGRAM

Total Attach: 1 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)