

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400307388

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100264  
2. Name of Operator: XTO ENERGY INC  
3. Address: 382 CR 3100  
City: AZTEC State: NM Zip: 87410  
4. Contact Name: DEE JOHNSON  
Phone: (505) 333-3164  
Fax: (505) 333-3670

5. API Number 05-071-09867-00  
6. County: LAS ANIMAS  
7. Well Name: APACHE CANYON  
Well Number: 20-15  
8. Location: QtrQtr: SWSE Section: 20 Township: 34S Range: 67W Meridian: 6  
9. Field Name: PURGATOIRE RIVER Field Code: 70830

Completed Interval

FORMATION: RATON-VERMEJO COALS Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 06/01/2012 End Date: 06/11/2012 Date of First Production this formation: 07/05/2012

Perforations Top: 505 Bottom: 2288 No. Holes: 116 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

Pumped 4750 gals 15% HCl acid. Frac'd w/268,364 gals 20# Delta 140 w/sandwedge OS carrying 468,820# 16/30 Brady sand.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 6390 Max pressure during treatment (psi): 2778

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Max frac gradient (psi/ft): 1.34

Total acid used in treatment (bbl): 114 Number of staged intervals: 5

Recycled water used in treatment (bbl): 6391 Flowback volume recovered (bbl): 25959

Fresh water used in treatment (bbl): 0 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 468820 Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: PRESSURE

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 07/12/2012 Hours: 24 Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 26 Bbl H2O: 114 GOR: 0

Test Method: Pumping Casing PSI: 21 Tubing PSI: 3 Choke Size:

Gas Disposition: SOLD Gas Type: COAL GAS Btu Gas: 1009 API Gravity Oil: 1

Tubing Size: 2 + 7/8 Tubing Setting Depth: 2361 Tbg setting date: 06/19/2012 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

|  |
|--|
|  |
|--|

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: DOLENA C JOHNSON

Title: REG COMPLIANCE TECH Date: \_\_\_\_\_ Email: dee\_johnson@xtoenergy.com  
:

### **Attachment Check List**

| Att Doc Num | Name             |
|-------------|------------------|
| 400307394   | WELLBORE DIAGRAM |

Total Attach: 1 Files

### **General Comments**

| <b><u>User Group</u></b> | <b><u>Comment</u></b> | <b><u>Comment Date</u></b> |
|--------------------------|-----------------------|----------------------------|
|                          |                       |                            |

Total: 0 comment(s)