

## **P&A Procedure for the N Parachute EF07A-20 C29 595**

### **Encana Oil and Gas**

29-5S-95W Garfield County, Colo.

20" @120' TOC at Surface

9 5/8" @ 2,821' TOC at Surface

PBTD at surface casing shoe, well never finished

MIRU, NDWH, NUBOP

RIH with work string to TD

Set 40 sxs of cement (105' in 9 5/8")

POH, NDBOP

RIH to 100' circulate cement to surface

Cut off the wellhead

Top off cement if necessary in annulus

Weld a plate with well information, RDMO

All cement is 15.8# class G neat with a 1.15 cuft/sack yield

**Well Name:** N Parachute EF07A-20 C29 595

**API #:** 05045154890000

**Location:** Sec. 29-5S-95W

**KB:** 7,030 (20' AGL)


**GL:** 7,010'

**County/St:** Garfield, CO


**Created By:** T. Gallagher

**Date:** 7/27/2012

**Current Wellbore**



30" Hole  
20" Conductor set @ 120'  
Cemented to surface



13-1/2" Hole  
9-5/8", 36#, J-55 csg set @ 2,821'  
Cemented to surface w/ 956 sx

N Parachute EF07A-20 C29 595

API #: 05045154890000

Location: Sec. 29-5S-95W

KB: 7,030 (20' AGL)

GL: 7,010'

County/St: Garfield, CO

Created By: T. Gallagher

Date: 7/27/2012

Proposed Wellbore

