

FORM
5A

Rev
06/12

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400314725

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC
3. Address: 1001 17TH STREET - SUITE #1200
City: DENVER State: CO Zip: 80202
4. Contact Name: Julie Lawson
Phone: (303) 260-4533
Fax: (303) 629-8268

5. API Number 05-103-11794-00
6. County: RIO BLANCO
7. Well Name: Federal
Well Number: RGU 531-1-298
8. Location: QtrQtr: LOT21 Section: 1 Township: 2s Range: 98w Meridian: 6
9. Field Name: SULPHUR CREEK Field Code: 80090

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/14/2012 End Date: 03/14/2012 Date of First Production this formation: 03/17/2012

Perforations Top: 11367 Bottom: 11539 No. Holes: 15 Hole size: 0.35

Provide a brief summary of the formation treatment: Open Hole: ☐

709.8 GAL 10% HCL; 79350# 30/50 SAND; 2250# 100-MESH SAND; 3063.3 BBLS SLICKWATER

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3080

Max pressure during treatment (psi):

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Max frac gradient (psi/ft): 0.64

Total acid used in treatment (bbl): 16

Number of staged intervals: 1

Recycled water used in treatment (bbl): 3063

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 81600

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>CORCORAN</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/13/2012</u>		End Date: <u>03/14/2012</u>		Date of First Production this formation: <u>03/17/2012</u>	
Perforations	Top: <u>11562</u>	Bottom: <u>11900</u>	No. Holes: <u>24</u>	Hole size: <u>0.35</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

942.2 GAL 10% HCL; 184325# 30/50 SAND; 5250# 100-MESH SAND 6719.4 BBLS SLICKWATER

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>6741</u>	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.43</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.62</u>
Total acid used in treatment (bbl): <u>22</u>	Number of staged intervals: <u>2</u>
Recycled water used in treatment (bbl): <u>6719</u>	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>189575</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>SEGO</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/13/2012</u>		End Date: <u>03/13/2012</u>		Date of First Production this formation: <u>03/17/2012</u>	
Perforations	Top: <u>11926</u>	Bottom: <u>12192</u>	No. Holes: <u>30</u>	Hole size: <u>0.35</u>	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
1222.2 GAL 10% HCL; 242925# 30/50 SAND; 7000# 100-MESH SAND; 9042.2 BBLS SLICKWATER					
This formation is commingled with another formation:			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Total fluid used in treatment (bbl): <u>9071</u>			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): <u>8.43</u>		
Type of gas used in treatment: _____			Max frac gradient (psi/ft): <u>0.62</u>		
Total acid used in treatment (bbl): <u>29</u>			Number of staged intervals: <u>2</u>		
Recycled water used in treatment (bbl): <u>9042</u>			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: <u>RECYCLE</u>		
Total proppant used (lbs): <u>249925</u>			Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>		
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate:	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: 					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____		** Sacks cement on top: _____		** Wireline and Cement Job Summary must be attached.	

FORMATION: <u>WILLIAMS FORK - CAMEO</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/14/2012</u>		End Date: <u>03/16/2012</u>		Date of First Production this formation: <u>03/17/2012</u>	
Perforations	Top: <u>9001</u>	Bottom: <u>11099</u>	No. Holes: <u>152</u>	Hole size: <u>0.35</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

3457 GAL 10% HCL; 1149100# 30/50 SAND; 37100# 100-MESH SAND; 40802.9 BBLS SLICKWATER

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>40885</u>	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.43</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.59</u>
Total acid used in treatment (bbl): <u>82</u>	Number of staged intervals: <u>7</u>
Recycled water used in treatment (bbl): <u>40802</u>	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>1186200</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-ILES Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/13/2012 End Date: 03/16/2012 Date of First Production this formation: 03/17/2012

Perforations Top: 9001 Bottom: 12192 No. Holes: 221 Hole size: 0.35

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

6331.2 GAL 10% HCL; 1655700# 30/50 SAND; 51600# 100-MESH SAND; 59627.7 BBLS SLICKWATER

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 12192 Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: _____ Max frac gradient (psi/ft): 0.59

Total acid used in treatment (bbl): 150 Number of staged intervals: 10

Recycled water used in treatment (bbl): 59627 Flowback volume recovered (bbl): 29385

Fresh water used in treatment (bbl): _____ Disposition method for flowback: RECYCLE

Total proppant used (lbs): 1707300 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/30/2012 Hours: 24 Bbl oil: 0 Mcf Gas: 1770 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 1770 Bbl H2O: 0 GOR: 0

Test Method: Flowing Casing PSI: 2365 Tubing PSI: 1590 Choke Size: 18/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1109 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 11627 Tbg setting date: 04/27/2012 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

*All flowback water entries are total estimates based on comingled volumes.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Julie Lawson

Title: Permit Tech II Date: _____ Email: julie.lawson@wpenergy.com

Attachment Check List

Att Doc Num	Name
400314744	WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)