

FORM
5A

Rev
06/12

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400282878

Date Received:

05/16/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: JOEL MALEFYT
Phone: (720) 929-6828
Fax: (720) 929-7828

5. API Number 05-123-20855-00
6. County: WELD
7. Well Name: KLITZ
Well Number: 9-26A
8. Location: QtrQtr: NESE Section: 26 Township: 2N Range: 67W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type:
Treatment Date: 11/01/2010 End Date: Date of First Production this formation: 11/05/2010
Perforations Top: 7546 Bottom: 7564 No. Holes: 54 Hole size: 0.38

Provide a brief summary of the formation treatment:

Open Hole: ☐

PERF CODL 7546-7564 HOLES 54 SIZE .38

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl):

Max pressure during treatment (psi):

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment:

Max frac gradient (psi/ft):

Total acid used in treatment (bbl):

Number of staged intervals:

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback:

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: _____
Treatment Date: 04/17/2012 End Date: _____ Date of First Production this formation: 04/25/2012
Perforations Top: 7332 Bottom: 8030 No. Holes: 162 Hole size: 0.38
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PERF NBRR 7332-7410 HOLES 38 SIZE .38
PERF CODL 7546-7564 HOLES 54 SIZE .38
PERF JSND 7990-8030 HOLES 70 SIZE .35

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/26/2012 Hours: 24 Bbl oil: 5 Mcf Gas: 150 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 5 Mcf Gas: 150 Bbl H2O: 0 GOR: 30000
Test Method: FLOWING Casing PSI: 730 Tubing PSI: 638 Choke Size: 12/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1291 API Gravity Oil: 49
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7975 Tbg setting date: 04/18/2012 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: J SAND Status: PRODUCING Treatment Type: _____
Treatment Date: 04/17/2012 End Date: _____ Date of First Production this formation: 05/16/2002
Perforations Top: 7990 Bottom: 8030 No. Holes: 70 Hole size: 0.35
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PERF JSND 7990-8030 HOLES 70 SIZE .35
4/17/2012 REMOVED SD PLUG TO COMMINGLE JSND WITH NB/CD
4/25/2012 PRODUCTION OF JSND COMMINGLED WITH NB/CD

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: _____
Treatment Date: 11/01/2010 End Date: _____ Date of First Production this formation: 11/05/2010
Perforations Top: 7332 Bottom: 7564 No. Holes: 92 Hole size: 0.38
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PERF NBRR 7332-7410 HOLES 38 SIZE .38
PERF CODL 7546-7564 HOLES 54 SIZE .38

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: _____
Treatment Date: 11/01/2010 End Date: _____ Date of First Production this formation: 11/05/2010
Perforations Top: 7332 Bottom: 7410 No. Holes: 38 Hole size: 0.38
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PERF NBRR 7332-7410 HOLES 38 SIZE .38

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment: _____

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: JOEL MALEFYT
Title: REGULATORY ANALYST Date: 5/16/2012 Email: JOEL.MALEFYT@ANADARKO.COM

Attachment Check List

Att Doc Num	Name
400282878	FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date
Permit	Changed Codell bottom perfs to 7564' per previous panel. changed J-NB-CD bottom perf to 8030' per previous panel.	8/13/2012 2:13:18 PM

Total: 1 comment(s)