

Halde Redi-Mix, Inc.

Main Office 46321 Hwy. 24 • Burlington, CO 80807 • 719-346-0352

14105 CO RD 43.3 • Cheyenne Wells, CO 80810

21637 Hwy. 40/287 • Limon, CO 80828

Kerry Halde 719-340-0329

17520

DATE: 4/28 20__

NAME: Wiepking No _____

MAIL ADD.: _____

DEL'Y ADD.: Napoli #8 TIME _____

QUAN.	UNIT/REFERENCE	UNIT PRICE	AMOUNT
	YDS SK. <u>100</u>		
	FIBER		
	AIR ENTRAINMENT		
<u>600</u>	WATER REDUCER		
	for 60' of 13 ³ / ₈ casing		
	Cemented in		
	Service Charge 2 yds. or less		

TOTAL MINUTES ALLOWED = @ UNLOADING TIME

GALLONS OF WATER ADDED =

I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above address.

X

CAUTION: Freshly mixed cement, mortar, concrete or ground may cause skin injury. Avoid contact with skin where possible and wash exposed skin area promptly with water. If any cement mixtures get into eyes, rinse immediately and repeatedly with water and get prompt attention.

KEEP OUT OF REACH OF CHILDREN

CITY TAX

STATE TAX

TOTAL

MILEAGE	DRIVER	TRUCK #
UNLOADING TIME	START	STOP
		TOTAL

**CONSOLIDATED**

On Wall Services, LLC

92

PO Box 884, Chanute, KS 66720
820-431-9210 or 800-457-8876

**FIELD TICKET & TREATMENT REPORT
CEMENT**

TICKET NUMBER 33808

LOCATION Chitina MS

FOREMAN Miles Shaw

Fuzzy McCall, etc.

DATE		CUSTOMER #		WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
4-27-12		9160		Napali #8		17	105	55 N	Linn Co
CUSTOMER Working Fullerton				Linn Co 55 South Highway S 2 Eastside		TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS						463	Carl D		
CITY						439	Collyer/Rushmore		
STATE		ZIP CODE							

JOB TYPE <u>Surface</u>	HOLE SIZE <u>12 1/4</u>	HOLE DEPTH <u>304'</u>	CASING SIZE & WEIGHT <u>8 3/4 24.6</u>
CASING DEPTH <u>298.37</u>	DRILL PIPE	TUBING	OTHER
SLURRY WEIGHT <u>14.7</u>	SLURRY VOL	WATER gal/hr	CEMENT LEFT In CASING
DISPLACEMENT <u>17 3/4 bbls</u>	DISPLACEMENT PSI	MIX PSI	RATE

REMARKS: Safety meeting & Dig up on School Rig #1 Circulate casing
mixed 165 sls common 22 calcum 28 grt dis place 17 3/4 bbls water
Shot in
Cement did Circulate 5 bbls

Thanks M,tes & Crew

[illegible]

Page 3797

AUTHORIZATION

Ralph Stanley

249424

TITLE Deleg. Smith

SALES TAX	245.68
ESTIMATED TOTAL	5994.56
DATE 4-27-2012	

DATE 4-27-2012

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

TICKET NUMBER 34528
LOCATION Oakley, KS
FOREMAN Kelly Gabe

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COLOR COUNTY
5-16-12	9160	Napoli #8	17	105	550	Lincoln
CUSTOMER Wheipking Fullerton			Limon 55 E & N into			
MAILING ADDRESS			TRUCK #	DRIVER	TRUCK #	DRIVER
			399	Damon		
			4166			
CITY						
STATE						
ZIP CODE						

JOB TYPE Prod HOLE SIZE 7 7/8 HOLE DEPTH 2900 CASING SIZE & WEIGHT 5 1/2 12 #
CASING DEPTH _____ DRILL PIPE _____ TUBING DV TOP of # 80 OTHER _____
SLURRY WEIGHT 14 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 41.16
DISPLACEMENT 182 bbl DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Safety meeting, Rigged up on Murfin drilling rig #25, Hooked up to circulate with 1000 psi in for 1 1/2 hrs, finished running pipe, circulated for 1 1/2 hrs, pumped 5 bbl water mud flush 5 bbl water, 10 sks RH 10 sks MH, 270 sks class H 10% salt + 5# Kol-seal 20 gal, cleared pumps & lines, released plug, displaced with 180 bbl water, 200 # lift pressure Plug landed @ 1500# Released pressure, float held

that equip - Turbolizer on J #5, 2, 3, 5, 13, 14, 16, 18, 19, 20, 23, 23, 24
regular cent. #79+80 Baskets, 3 + 79

*Thank You
Kelly Gabe*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401P	1	PUMP CHARGE	4050.00	4050.00
5406	100	MILEAGE	5.00	500.00
1115A	290 SKS	CLASS H cement	19.30	5597.00
1111	1377 #	salt	.45	619.65
1104	1450 #	Kol-seal	1.56	812.00
118B	545 #	Bentonite	1.25	136.25
1107	73 #	Flo-seal	2.83	205.86
1144G	500 gal	mud flush	1.00	500.00
5407A	13.63	Ten mileage delivery	1.67	2276.00
41159	1	5 1/2 AFU Float shoe (I)	413.00	413.00
4454	1	5 1/2 Latch down ass. (I)	303.00	303.00
4136	12	5 1/2 Turbo centralizer (I)	72.00	864.00
4130	2	5 1/2 centralizer (I)	58.00	116.00
4104	2	5 1/2 basket (w)	276.00	552.00
4285	1	5 1/2 port collar (I)	2075.00	2075.00
				19,019.76
				1901.98
				17117.78
			SALES TAX	856.01
			ESTIMATED TOTAL	17973.79

Ravin 3737

2:00AM 5-17-12 *Smith*
AUTHORIZATION *Danny Smith*

249971
TITLE *OO-man*

DATE 5-17-12

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT
CEMENT**

TICKET NUMBER 34492

LOCATION On Hwy

FOREMAN

uniles show

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
5-21-12	9100	Napapi 48	17	10S	55W	Lincoln
CUSTOMER Weighting - Fullerton			Limon SS			
MAILING ADDRESS						
CITY		STATE	ZIP CODE			
JOB TYPE Port Collar			HOLE SIZE			

JOB TYPE <u>P-8 Collar</u>	HOLE SIZE _____	HOLE DEPTH _____	CASING SIZE & WEIGHT <u>5 1/2</u>
CASING DEPTH _____	DRILL PIPE _____	TUBING <u>2 7/8</u>	OTHER _____
SLURRY WEIGHT <u>12.8</u>	SLURRY VOL _____	WATER gal/sk _____	CEMENT LEFT in CASING <u>P-Collar 4452</u>
DISPLACEMENT <u>25.8</u>	DISPLACEMENT PSI _____	MIX PSI _____	RATE _____
REMARKS: <u>C-8</u>			

REMARKS: Safety meeting on Codell well service. Rig up. Press closed Port Collar to 1500*. Open tool out circulation taking rate 3 BBL/min @ 600* mix 32 SPS class 'H', 20% oil, 60% oil, 5% Kiesel, 1% oil seal. Press started climbing from 1000* - 2000*. Blew out rubber shot BOP Displace 15 BBL Press @ 3000*. Released press + close Port Collar Press to 1500*. Run 6 SPS reverse Tag clean the long way with 140 BBL water. Releases Port Collar to 1500* and shot in (returned 40 BBL cement + cement water)

Thanks Tuzzy crew

[illegible]

Ravin 3737

AUTHORIZATION

TITLE

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.