

Allison, Rick

From: JDGarrett@nobleenergyinc.com
Sent: Thursday, August 16, 2012 4:18 PM
To: Allison, Rick
Subject: RE: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448and 400305452)

The surface owner was very clear that he does not want access roads to cross fence lines, but he prefers them to be along a section line wherever possible. That why we have to go around that way.

Justin Garrett
Regulatory
(303) 228-4449
JDGarrett@nobleenergyinc.com

From: "Allison, Rick" <Rick.Allison@state.co.us>
To: <JDGarrett@nobleenergyinc.com>
Date: 08/16/2012 04:14 PM
Subject: RE: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448and 400305452)

Justin – thank you for the clarification. What is the reason for the access road running parallel to the county road?
Rick

From: JDGarrett@nobleenergyinc.com [<mailto:JDGarrett@nobleenergyinc.com>]
Sent: Thursday, August 16, 2012 3:53 PM
To: Allison, Rick
Subject: Fw: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448and 400305452)

I think I may have misread your original question on the access road maps. Here are the directions into the location beginning from the intersection of WCR 69 & WCR 68:

E 1.25 miles, N 1.25 miles, W 1 mile, SW .25 mile, S .4 mile, E into location for the Wells Ranch State USX AA16-66-1HNL.

The section of access road that is S .4 mile does run parallel to WCR 69.

The directions for the Wells Ranch State USX AA16-64-1HNL are the same up to that point, where instead of S .4 mile, you would go S .6 mile, E into location.

I hope this clarifies any issues with the access road map. All of this road up to E into location already exists as it is shown on the location drawing.

The distance to the house from the 16-64-1HN is 2630' SE (I was measuring from the wrong well before. Sorry.)
The distance to the house from the 16-66-1HN is 3410' SE

Justin Garrett
Regulatory
(303) 228-4449
JDGarrett@nobleenergyinc.com

----- Forwarded by Justin Garrett/Denver/NobleEnergy/Samedan on 08/16/2012 03:04 PM -----

From: "Allison, Rick" <Rick.Allison@state.co.us>
To: <JDGarrett@nobleenergyinc.com>

Date: 08/16/2012 12:33 PM
Subject: RE: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448 and 400305452)

Justin

Please revise the Access Road Maps to correctly reflect the access route to each location.

There should be two difference distances to the house, one for each location. Please provide a revised distance for each location.

Rick

From: JDGarrett@nobleenergyinc.com [<mailto:JDGarrett@nobleenergyinc.com>]
Sent: Thursday, August 16, 2012 9:38 AM
To: Allison, Rick
Subject: Re: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448 and 400305452)

You are correct on both counts.

1. The access road will be from County Road 68.
2. The building is a house. Please revise the distance to nearest building to 2460' E.

Justin Garrett
Regulatory
(303) 228-4449
JDGarrett@nobleenergyinc.com

From: "Allison, Rick" <Rick.Allison@state.co.us>
To: <JDGarrett@nobleenergyinc.com>
Date: 08/03/2012 01:25 PM
Subject: Wells Ranch State USX AA 16-64-1HNL and 16-66-1HNL Form 2A (400305448 and 400305452)

•

Justin,

I am reviewing the subject Form 2As and have the following questions:

1. Access Road: The Access Road Maps show the proposed access to be parallel to County Road 69. Is that correct? Or will access to each location be from County Road 68 as indicated on the three other approved locations in this section. (Location ID#s 428799, 428404, 428993).
2. The Location Drawing and Form 2A for both locations indicate the nearest building is almost 1 mile from the proposed locations. There appears to be a building present in 2011 aerial photographs and located in the SWSE Section 14. What is that building? We may need to revise the distance to nearest building.

Thank you.

Rick Allison, P.G.
Oil and Gas Location Assessment Specialist
Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801
Denver, CO 80203
303-894-2100 ext 5102

The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.

The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.

The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.