



FIELD RECEIPT NO. 1001901901

CUSTOMER ENSIGN UNITED STATES DRILLING				CREDIT APPROVAL NO.	PURCHASE ORDER NO.	CUSTOMER NUMBER 20015430 - 20015430	INVOICE NUMBER		
MAIL INVOICE TO :		STREET OR BOX NUMBER 1700 BROADWAY, STE 777 PO BOX 17805			CITY DENVER	STATE Colorado	ZIP CODE 80217		
DATE WORK COMPLETED	MO.	DAY	YEAR	BHI REPRESENTATIVE	WELL API NO:	WELL TYPE :			
	04	14	2012	BARLEN M JOYNER	05123345410000	New Well			
DISTRICT BJS, BRIGHTON				JOB DEPTH (ft) 740		WELL CLASS : Gas			
WELL NAME AND NUMBER SRC GCC 10VD				TD WELL DEPTH (ft) 750		GAS USED ON JOB : No Gas			
WELL LOCATION :	LEGAL DESCRIPTION 10-5N-66W			COUNTY/PARISH Weld	STATE Colorado	JOB TYPE CODE : Surface			
PRODUCT CODE	DESCRIPTION				UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	
								% DISC.	
								NET AMOUNT	
F053A	Cement Pumping, 0 - 1000 ft				4hrs	1	3,200.000	3,200.00	
F090	Fuel per pump charge - cement				pump/hr	2	70.250	140.50	
J050	Cement Head				job	1	830.000	830.00	
J225	Data Acquisition, Cement, Standard				job	1	2,130.000	2,130.00	
J390	Mileage, Heavy Vehicle				miles	66	11.850	782.10	
J391	Mileage, Auto, Pick-Up or Treating Van				miles	66	6.700	442.20	
SUB-TOTAL FOR Equipment							7,524.80	60.84%	2,948.54
J401	Bulk Delivery, Dry Products				ton-mi	506	3.940	1,993.64	62%
SUB-TOTAL FOR Freight/Delivery Charges							1,993.64	62.00%	757.58
P.O.# 210532							24,382.61	61.11%	9,482.72
FIELD ESTIMATE									

ARRIVE LOCATION : MO. DAY YEAR TIME 04 14 2012 04:31	SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER. <div style="text-align: center;"> CUSTOMER AUTHORIZED AGENT </div>	SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER. <div style="text-align: center;"> CUSTOMER AUTHORIZED AGENT BHI APPROVED X </div>
CUSTOMER REP. RON BLACKMAN SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS		




BJ Services JobMaster Program Version 3.50

Job Number: 1001901901

Customer: Ensign

Well Name: SRC GCC 10VD



CEMENT JOB REPORT



CUSTOMER ENSIGN UNITED STATES DRILL		DATE 14-APR-12		F.R. # 1001901901		SERV. SUPV. BARLEN M JOYNER	
LEASE & WELL NAME SRC GCC 10VD - API 05123345410000		LOCATION 10-5N-66W		COUNTY-PARISH-BLOCK Weld Colorado			
DISTRICT Brighton		DRILLING CONTRACTOR RIG # ENSIGN 33		TYPE OF JOB Surface			

SIZE & TYPE OF PLUGS	LIST CSG HARDWARE	MECHANICAL BARRIERS	MD	TVD	HANGER TYPES	MD	TVD
Cement Plug, Rubber, Top 8-5/8 in	Cement Basket, Slip On, 8-5/8 in						
	Centralizer, with Pins, 8-5/8 in						
	Float Collar, Al Flap, 8-5/8 - 8rd						
	Float Shoe 8-5/8 - 8rd						

MATERIALS FURNISHED BY BJ		LAB REPORT NO.	SACKS OF CEMENT	SLURRY WGT PPG	SLURRY YLD FT ³	WATER GPS	PUMP TIME HR:MIN	Bbl SLURRY	Bbl MIX WATER
Fresh Water			0	8.34	0	0	00:00	44.6	
Fresh Water + Dye			0	8.34	0	0	00:00	10	
Type III + 2% CaCl ₂ + .25% CF			318	14.5	1.41	6.82	02:30	79.96	51.67
Available Mix Water 500 Bbl.		Available Displ. Fluid 400 Bbl.			TOTAL			134.56	51.67

HOLE		TBG-CSG-D.P.				COLLAR DEPTHS						
SIZE	% EXCESS	DEPTH	ID	OD	WGT.	TYPE	MD	TVD	GRADE	SHOE	FLOAT	STAGE
12.25	0	750	8.097	8.625	24	CSG	740	740	J-55	740	700	0

LAST CASING			PKR-CMT RET-BR PL-LINER			PERF. DEPTH			TOP CONN		WELL FLUID	
ID	OD	WGT	TYPE	MD	TVD	BRAND & TYPE	DEPTH	TOP	BYM	SIZE	THREAD	WGT.
NO LINER						0				8.625	8RD	9.3

DISPL. VOLUME		DISPL. FLUID		CAL. PSI		CAL. MAX PSI		OP. MAX		MAX TBG PSI		MAX CSG PSI		MIX WATER	
VOLUME	UOM	TYPE	WGT.	BUMP PLUG	TO REV.	SQ. PSI	RATED	Operator	RATED	Operator	RATED	Operator	RATED	Operator	
44.6	BBLS	Fresh Water	8.34	237	0	0	0	0	0	0	2360	2000			RIG TANK

Circulation Prior to Job																			
Circulated Well: Rig <input checked="" type="checkbox"/> BJ <input type="checkbox"/>					Circulation Time: .5					Circulation Rate: 5.4 BPM									
Mud Density In: 9.3 LBS/GAL					Mud Density Out: 9.3 LBS/GAL					PV & YP Mud In: 39					PV & YP Mud Out: 39				
Gas Present: NO <input checked="" type="checkbox"/> YES					Units:					Solids Present at End of Circulation: NO <input checked="" type="checkbox"/> YES									

Displacement And Mud Removal														
Displaced By: Rig <input type="checkbox"/> BJ <input checked="" type="checkbox"/>					Amount Bled Back After Job: 0 BBLS									
Returns During Job: <input type="checkbox"/> NONE <input type="checkbox"/> PARTIAL <input checked="" type="checkbox"/> FULL					Method Used to Verify Returns: VISUAL									
Cement Returns at Surface: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO					Were Returns Planned at Surface: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES									
Pipe Movement: <input type="checkbox"/> ROTATION <input checked="" type="checkbox"/> RECIPROCATION <input type="checkbox"/> NONE <input type="checkbox"/> UNABLE DUE TO STUCK PIPE														
Centralizers: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES					Quantity: 3					Type: <input checked="" type="checkbox"/> BOW <input type="checkbox"/> RIGID				
Job Pumped Through: <input type="checkbox"/> CHOKE MANIFOLD <input type="checkbox"/> SQUEEZE MANIFOLD <input checked="" type="checkbox"/> MANIFOLD <input type="checkbox"/> NO MANIFOLD														

Plugs																			
Number of Attempts by BJ: 0					Competition: 0					Wiper Balls Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES Quantity:									
Plug Catcher Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES										Parabow Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES									
Was There a Bottom: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES										Top of Plug: 0 FT					Bottom of Plug: 0 FT				

Squeezes (Update Original Treatment Report for Primary Job)									
BLOCK SQUEEZE		SHOE SQUEEZE		TOP OF LINER SQUEEZE		PLANNED		UNPLANNED <input checked="" type="checkbox"/>	
Liner Packer: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		Bond Log: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		PSI Applied: 0		Fluid Weight: 0 LBS/GAL			

Casing Test (Update Original Treatment Report for Primary Job)									
Casing Test Pressure: 0 PSI		With 0 LBS/GAL		Mud		Time Held: 00 Hours 00 Minutes			

EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: NONE

CEMENT JOB REPORT




Shoe Test (Update Original Treatment Report for Primary Job)

Depth Drilled out of Shoe: 0 FT Target EMW: 0 LBS/GAL Actual EMW: 0 LBS/GAL
 Number of Times Tests Conducted: 0 Mud Weight When Test was Conducted: 0 LBS/GAL

Problems Before Job (I.E. Running Casing, Circulating Well, ETC)
 NONE

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)
 NONE

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)
 NONE

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES	3458 PSI
						CIRCULATING WELL - RIG	<input checked="" type="checkbox"/> BJ <input type="checkbox"/>
02:00	0	0	0	0	N/A	YARD CALL	
04:31	0	0	0	0	N/A	ARRIVE ON LOCATION (33 MILES) RUNNING CASING	
06:24	0	0	0	0	N/A	SPOT TRUCKS	
06:27	0	0	0	0	N/A	PRE-RIG UP SAFETY MEETING	
06:50	0	0	0	0	N/A	SAFETY MEETING	
07:20	3458	0	0	0	WATER	PRESSURE TEST	
07:23	248	0	6	30	WATER	FRESH WATER SPACER	
07:29	296	0	6	10	WATER	FRESH WATER + DYE SPACER	
07:35	297	0	5.3	78	CMT	BATCH UP, WEIGH AND PUMP 318 SX OF Type III + 0.08 lbs/sack Static Free + 2% Cacl2 + 0.25 lbs/sack Cello Flake @ 14.5 PPG	
08:00	0	0	0	0	N/A	DROP BALL AND RELEASE PLUG	
08:03	321	0	6	30	WATER	START DISPLACEMENT	
08:08	273	0	4.8	10	WATER	DROP RATE	
08:10	206	0	2.4	4.5	WATER	DROP RATE	
08:13	253	0	2.4	44.5	WATER	BUMP PLUG	
08:13	571	0	0	0	N/A	PLUG DOWN @ 44.5 BBLS	
08:15	0	0	0	0	N/A	PRE-RIG DOWN SAFETY MEETING	
08:50	0	0	0	0	N/A	TIME OFF LOCATION	
BUMPED PLUG Y N	PSI TO BUMP PLUG 253	TEST FLOAT EQUIP. Y N	BBLCMT RETURNS/ REVERSED 10	TOTAL BBL. PUMPED 162.5	PSI LEFT ON CSG 559	SPOT TOP OUT CEMENT Y N	Service Supervisor Signature: 



FIELD RECEIPT NO. 1001901901

CUSTOMER				CREDIT APPROVAL NO.		PURCHASE ORDER NO.		CUSTOMER NUMBER		INVOICE NUMBER	
ENSIGN UNITED STATES DRILLING								20015430 - 20015430			
MAIL		STREET OR BOX NUMBER				CITY		STATE		ZIP CODE	
INVOICE TO :		1700 BROADWAY, STE 777 PO BOX 17805				DENVER		Colorado		80217	
DATE WORK COMPLETED	MO.	DAY	YEAR	BHI REPRESENTATIVE		WELL API NO:		WELL TYPE :			
	04	14	2012	BARLEN M JOYNER		05123345410000		New Well			
DISTRICT				JOB DEPTH (ft)				WELL CLASS :			
BJS, BRIGHTON				740				Gas			
WELL NAME AND NUMBER				TD WELL DEPTH (ft)				GAS USED ON JOB :			
SRC GCC 10VD				750				No Gas			
WELL LOCATION :		LEGAL DESCRIPTION		COUNTY/PARISH		STATE		JOB TYPE CODE :			
		10-5N-66W		Weld		Colorado		Surface			
PRODUCT CODE	DESCRIPTION				UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT	
100112	Calcium Chloride				lbs	598	1.290	771.42	62%	293.14	
100295	Cello Flake				lbs	80	5.100	408.00	62%	155.04	
488019	FP-6L				gals	3	104.250	312.75	62%	118.85	
499632	Granulated Sugar				lbs	50	3.840	192.00	62%	72.96	
499680	Static Free				lbs	26	40.700	1,058.20	62%	402.12	
499703	Type III Cement				sacks	318	31.700	10,080.60	62%	3,830.63	
SUB-TOTAL FOR Product Material								12,822.97	62.00%	4,872.74	
A152	Personnel Per Diem Chrg - Cement Svc				ea	1	210.000	210.00	0%	210.00	
M100	Bulk Materials Service Charge				cu ft	336	5.450	1,831.20	62%	695.86	
SUB-TOTAL FOR Service Charges								2,041.20	55.62%	905.86	
ARRIVE LOCATION :						SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.			SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.		
MO. DAY YEAR TIME 04 14 2012 04:31											
CUSTOMER REP.									CUSTOMER AUTHORIZED AGENT		
RON BLACKMAN									X		
SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS									BHI APPROVED		
									X		
						CUSTOMER AUTHORIZED AGENT					