

**FORM
2A**Rev
04/01**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400313334

Date Received:

08/08/2012

Oil and Gas Location Assessment☒ New Location ☐ Amend Existing Location Location#: _____

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

430110

Expiration Date:

08/30/2015☐ This location assessment is included as part of a permit application.**1. CONSULTATION**

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☒ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850

Name: WPX ENERGY ROCKY MOUNTAIN LLC

Address: 1001 17TH STREET - SUITE #1200

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Greg Davis

Phone: (303) 606-4071

Fax: (303) 629-8268

email: greg.j.davis@wpxenergy.com

4. Location Identification:

Name: Smith Gulch Frac Pad Number: _____

County: GARFIELD

QuarterQuarter: NWNE Section: 32 Township: 7S Range: 96W Meridian: 6 Ground Elevation: 5148

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 568 feet FNL, from North or South section line, and 1581 feet FEL, from East or West section line.

Latitude: 39.398822 Longitude: -108.129403 PDOP Reading: 4.2 Date of Measurement: 05/11/2012

Instrument Operator's Name: Ben Johnson

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text"/>	Water Tanks: <input type="text"/>	Separators: <input type="text"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: 100 Frac Tanks

6. Construction:

Date planned to commence construction: 10/15/2012 Size of disturbed area during construction in acres: 4.15
Estimated date that interim reclamation will begin: 09/02/2013 Size of location after interim reclamation in acres: 0.18
Estimated post-construction ground elevation: 5149 Will a closed loop system be used for drilling fluids: Yes ☐
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☐ Onsite ☐ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☐
Other: _____

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
The surface owner is: ☐ the mineral owner ☐ committed to an oil and gas lease
☐ is the executer of the oil and gas lease ☒ the applicant
The right to construct the location is granted by: ☐ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way
☒ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID _____

8. Reclamation Financial Assurance:

☒ Well Surety ID: 20030107 ☐ Gas Facility Surety ID: _____ ☐ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 5400, public road: 1598, above ground utilit: 3190
, railroad: 3890, property line: 589

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 66 Torriorthents-Camborthids-Rock outcrop complex, steep

NRCS Map Unit Name: 4. Arvada loam, 6 to 20 percent slopes

NRCS Map Unit Name:

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 05/11/2012

List individual species: Sage, Wheatgrass

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe):

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☐ No ☒ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☐ No ☒ Yes

Distance (in feet) to nearest surface water: 216, water well: 5032, depth to ground water: 6

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

Reference area pictures to be submitted at a later date.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Date: 08/08/2012 Email: greg.j.davis@wpenergy.com

Print Name: Greg Davis Title: Supervisor Permits

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 8/31/2012

CONDITIONS OF
APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Location is in a sensitive area because of proximity to surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at frac tank water transfer/storage site during completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the location will be stabilized, inspected at regular intervals (every 14 days at a minimum during the construction phase and at least every 30 days during operations period), and maintained in good condition.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or permanent buried pipelines.

Additional containment shall be required where temporary or permanent pumps and other necessary equipment or chemicals are located.

Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any reconfiguration of the pipeline network. Operator shall maintain pipeline pressure testing records throughout operations of the water transfer facility. The records will be made available to COGCC upon request.

Operator has indicated that this facility may be in operation from 3 to 5 years. Should the operation of this facility continue more than three years, a Form 28 shall be submitted and approved prior to the expiration of this Form 2A.

The area of the frac pad where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.

Operator must routinely inspect the entire length of the surface pipeline to ensure integrity.

Operator must ensure 110 percent secondary containment for any potential volume of fluids that may be released from the surface pipeline at all stream, intermittent stream, ditch, and drainage crossings.

Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.

Attachment Check List

Att Doc Num	Name
2034511	NRCS MAP UNIT DESC
2034512	CORRESPONDENCE
400313334	FORM 2A SUBMITTED
400314101	CONST. LAYOUT DRAWINGS
400314102	HYDROLOGY MAP
400314106	LOCATION DRAWING
400314108	NRCS MAP UNIT DESC
400314109	OTHER
400314110	PROPOSED BMPs
400314113	REFERENCE AREA MAP
400314115	SENSITIVE AREA DATA
400314117	ACCESS ROAD MAP
400314119	TOPO MAP
400314125	LOCATION PICTURES

Total Attach: 14 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	No LGD or public comments. Final Review--passed.	8/31/2012 12:20:07 PM
OGLA	Initiated/Completed OGLA Form 2A review on 08-31-12 by Dave Kubeczko; placed fluid containment and spill/release BMP, frac tank overflow protection, three year use period, and surface pipeline protection COAs on Form 2A and sent email to operator on 08-31-12; passed by CPW on 08-10-12 with operator submitted BMPs (with permit application) acceptable; passed OGLA Form 2A review on 08-31-12 by Dave Kubeczko; fluid containment and spill/release BMP, frac tank overflow protection, three year use period, and surface pipeline protection COAs.	8/31/2012 8:26:48 AM
LGD	Passed DB	8/23/2012 9:31:07 AM
DOW	This location is adjacent to mule deer critical winter range. No significant wildlife impacts are anticipated based upon the submitted BMPs submitted with this application. by:Jim Komatinsky August 10, 2012 10:35 am	8/10/2012 10:34:34 AM

Total: 4 comment(s)

BMP

<u>Type</u>	<u>Comment</u>
Interim Reclamation	<p>Production/Reclamation</p> <ul style="list-style-type: none"> • Gate access roads where necessary to minimize/control access to "crucial habitats" • Install automated emergency response systems (e.g., high tank alarms, emergency shut- down systems, etc.). • Implement fugitive dust control program • Avoid direct discharge of pipeline hydrostatic test water to any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river. • Locate above-ground facilities to minimize the visual effect (e.g., low profile equipment, appropriate paint color, vegetation screening in wooded areas, etc.). • Skim and eliminate oil from produced water ponds and fluid pits at a rate sufficient to prevent oiling of birds or other wildlife that could gain access to the pit. • Apply an aggressive, integrated, noxious and invasive weed management plan. Utilize an adaptive management strategy that permits effective responses to monitored findings and reflects local site and geologic conditions • Map the occurrence of existing weed infestations prior to development to effectively monitor and target areas that will likely become issues after development. • Evaluate the utility of soil amendment application or consider importing topsoil to achieve effective reclamation. • Use locally adapted seed whenever available and approved by landowner. • Use appropriately diverse reclamation seed mixes that mirror an appropriate reference area for the site being reclaimed where approved by landowner. • Conduct seeding in a manner that ensures that seedbed preparation and planting techniques are targeted toward the varied needs of grasses, forbs and shrubs (e.g., seed forbs and shrubs separately from grasses, broadcast big sagebrush but drill grasses, etc.) • Emphasize bunchgrass over sod-forming grasses in seed mixes in order to provide more effective wildlife cover and to facilitate forb and shrub establishment. • Seed during appropriate season to increase likelihood of reclamation success • Do not include aggressive, non-native grasses in reclamation seed mixes • Choose reference areas as goals for reclamation that have high wildlife value, with attributes such a diverse and productive understory of vegetation, productive and palatable shrubs, and a high prevalence of native species. • Establish vegetation with total perennial non-invasive plant cover of at least eighty (80) percent of pre-disturbance or reference area levels. • Establish vegetation with plant diversity of non-invasive species which is at least half that of pre-disturbance or reference area levels. Quantify diversity of vegetation using a metric that considers only species with at least 3 percent relative plant cover.

- Establish permanent and monumented photo points and vegetation measurement plots or transects; monitor at least annually until plant cover, composition, and diversity standards have been met.
- Observe and maintain a performance standard for reclamation success characterized by the establishment of a self-sustaining, vigorous, diverse, locally appropriate plant community on the site, with a density sufficient to control erosion and non-native plant invasion and diversity sufficient to allow for normal plant community development.
- Use early and effective reclamation techniques, including interim reclamation to accelerate return of disturbed areas for use by wildlife
- Remove all unnecessary infrastructure during the production phase.
- Reclaim reserve pits as quickly as practical after drilling and ensure that pit contents do not contaminate soil.
- Remediate hydrocarbon spills on disturbed areas prior to reclamation.
- Complete final reclamation activities so that seeding occurs during the first optimal season following plugging and abandonment of oil and gas wells.
- Perform interim reclamation to final reclamation species composition and establishment standards.
- Perform interim reclamation on all disturbed areas not needed for active support of production operations
- Remove and properly dispose of degraded silt fencing and erosion control materials after their utility has expired
- Remove and properly dispose of pit contents where contamination of surface water, groundwater, or soil by pit contents cannot be effectively prevented
- Apply certified weed free mulch and crimp or tacy to remain in place to reclaim areas for seed preservation and moisture retention
- Control weeds in areas surrounding reclamation areas in order to reduce weed competition
- Educate employees and contractors about weed issues
- Where possible, fence livestock and/or wildlife out of newly reclaimed areas until reclamation standards have been met and plants are capable of sustaining herbivory
- Conduct necessary reclamation and invasive plant monitoring.
- Census and assess the utilization of the reclaimed areas by the target species
- Maintain pre and post development site inspection records and monitor operations for compliance
- Utilize GIS technologies to assess the extent of disturbance and document the reclamation progression and the footprint of disturbances
- Identify native species for which commercial seed sources are not available. Provide support to contractors for developing cultivation and seed production techniques for needed species
- Conduct reclamation field trials to match seed mixes, soil preparation techniques, and planting methods to local conditions.

General Housekeeping	<p>General</p> <ul style="list-style-type: none"> • Prepare plans and studies to support wildlife conservation and protection • Contribute to and participate in wildlife studies and research efforts related to oil and gas activity's relationship to wildlife • Treat/control noxious weeds/plants including Tamarisk • Assist CDOW in obtaining access to private lands for wildlife research and conservation • Focus BMPs on critical wildlife seclusion and "crucial habitats" • Contribute to organizations that acquire/manage habitat • Continue to Support Operation Game Thief • Continue to support CDOW sportsman's programs • Participate in wildlife seminars and conferences (e.g. AFWA) • Focus Ranch and Property Management (Williams' owned/managed properties) on wildlife resources • Identify conservation easement opportunities on Williams-owned/managed properties • Acquire water rights and irrigate key habitat areas • Restrict and/or manage grazing to benefit wildlife • Fence and restrict activities in locations that provide high value habitat • Construct habitat improvement projects as practical • Enforce policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.). • Inventory, monitor and remove obsolete, degraded, or hazardous fencing on Williams owned property • Support research to test the effectiveness of specific Best Management Practices
Construction	<p>Construction</p> <ul style="list-style-type: none"> • Schedule necessary construction in stream courses to avoid critical spawning times. • Surface roads to ensure that the anticipated volume of traffic and the weight and speed of vehicles using the road do not cause environmental damage, including generation of fugitive dust and contribution of sediment to downstream areas. • Protect culvert inlets from erosion and sedimentation and install energy dissipation structures at outfalls • Use the minimum right-of-way width and vegetation mats where pipelines cross riparian areas and streams wherever possible • Construct fluid pit fences and nets that are capable of withstanding animal pressure and environmental conditions and that are appropriately sized for the wildlife encountered. • Install impermeable barriers beneath fluid pits to protect groundwater, riparian areas and wetlands. • Salvage topsoil from all road construction and other rights-of-way and re-apply during interim and final reclamation. • Strip and segregate topsoil prior to construction. Appropriately configure topsoil piles and immediately seed to control erosion, prevent weed establishment and maintain soil microbial activity

Planning	<p>Planning</p> <ul style="list-style-type: none"> • Conduct wildlife surveys to determine presence of game/non-game species/habitat • Identify and Protect “crucial habitats” • Site access roads, pads and facilities in locations that minimize habitat impacts • Identify private and Federal land seclusion areas where drilling will be voluntarily deferred in critical seasonal habitats • Identify and protect migration corridors • Minimize well pad density to the extent possible • Minimize the number, size and distribution of well pads and locate pads along existing roads where possible. • Cluster well pads in the least environmentally sensitive areas. • Plan pipelines routes ahead of time to avoid field fitting and reduce excessive ROW widths and reclamation. • Adequately size infrastructure and facilities to accommodate both current and future gas production.
Drilling/Completion Operations	<p>Drilling/Completions</p> <ul style="list-style-type: none"> • Continue application of BMPs to prevent wildlife from entering pits including fencing and netting where appropriate • Limit days/hours operations where practical to minimize disturbance and traffic • Promptly report spills that affect wildlife to the CDOW. • Store and stage emergency spill response equipment at strategic locations so that it is available to expedite effective spill response. • Limit parking to already disturbed areas that have not yet been reclaimed • Screen water suction hoses to exclude fish. • Reduce noise by using effective sound dampening devices or techniques (e.g., hospital-grade mufflers, equipment housing, insulation, installation of sound barriers, earthen berms, vegetative buffers, etc.).

Total: 5 comment(s)