

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400323077

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185	4. Contact Name: Sheilla Reed-High
2. Name of Operator: ENCANA OIL & GAS (USA) INC	Phone: (720) 876-3678
3. Address: 370 17TH ST STE 1700	Fax: (720) 876-4678
City: DENVER State: CO Zip: 80202-	

5. API Number 05-123-32979-00	6. County: WELD
7. Well Name: WOOLLEY	Well Number: 11-7
8. Location: QtrQtr: NENW Section: 7 Township: 1N Range: 68W Meridian: 6	
9. Field Name: WATTENBERG	Field Code: 90750

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>04/09/2012</u>		End Date: <u>04/24/2012</u>		Date of First Production this formation: <u>05/26/2012</u>	
Perforations	Top: <u>7970</u>	Bottom: <u>7984</u>	No. Holes: <u>42</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CFP @ 8180'. 04-09-12  
 Frac'd Codell 7970' – 7984', (42 holes) w/ 88,074 gal 22 # pHaserFrac Hybrid cross linked gel containing 249,300 # 30/50 sand. 04-09-12

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>2746</u>	Max pressure during treatment (psi): <u>4163</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.74</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): <u>2746</u>	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>249300</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_      \*\* Sacks cement on top: \_\_\_\_\_      \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_  
Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 05/26/2012  
Perforations Top: 7741 Bottom: 8420 No. Holes: 130 Hole size: 0.42  
Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CBP @ 7690'. 04-22-12  
Drilled out CBP @ 7690', CFP @ 7830', 8180' to commingle the JSND-NBRR-CDL. 04-24-12

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
Type of gas used in treatment: \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_  
Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 05/27/2012 Hours: 24 Bbl oil: 72 Mcf Gas: 578 Bbl H2O: 95  
Calculated 24 hour rate: Bbl oil: 72 Mcf Gas: 578 Bbl H2O: 95 GOR: 8027  
Test Method: FLOWING Casing PSI: 1393 Tubing PSI: 644 Choke Size: 14/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1207 API Gravity Oil: 50  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8366 Tbg setting date: 04/24/2012 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>04/09/2012</u>		End Date: <u>04/24/2012</u>		Date of First Production this formation: <u>05/26/2012</u>	
Perforations	Top: <u>8400</u>	Bottom: <u>8420</u>	No. Holes: <u>40</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Frac'd the J-Sand 8400'– 8420', (40 holes) w/ 67,452 gal 18 # pHaserFrac Hybrid cross linked gel containing 249,600# 20/40 Sand. 04-09-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>3991</u>	Max pressure during treatment (psi): <u>3239</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.57</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): <u>3991</u>	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>249600</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate:	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/09/2012 End Date: 04/24/2012 Date of First Production this formation: 05/26/2012

Perforations Top: 7741 Bottom: 7984 No. Holes: 90 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION  
Treatment Date: 04/09/2012 End Date: 04/24/2012 Date of First Production this formation: 05/26/2012  
Perforations Top: 7741 Bottom: 7753 No. Holes: 48 Hole size: 0.42  
Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @7830'. 04-10-12  
Frac'd the Niobrara 7741'-7753' (48 holes), w/ 99,372 gals 18 # pHaserFrac Hybrid cross linked gel containing 248,670# 30/50 sand. 04-11-12

This formation is commingled with another formation: ☒ Yes ☐ No  
Total fluid used in treatment (bbl): 3297 Max pressure during treatment (psi): 3927  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: Max frac gradient (psi/ft): 0.70  
Total acid used in treatment (bbl): Number of staged intervals: 1  
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):  
Fresh water used in treatment (bbl): 3297 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 248660 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

**Test Information:**

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:  
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:  
Test Method: Casing PSI: Tubing PSI: Choke Size:  
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:  
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:  
Reason for Non-Production:  
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Sheilla Reed-High  
Title: Drilling and Compl. Tech. Date: Email: sheilla.reedhigh@Encana.com

**Attachment Check List**

Att Doc Num	Name
400323078	WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

User Group	Comment	Comment Date

Total: 0 comment(s)