

# Map Unit Description

Lincoln County, Colorado

144 Kimst loam, 3 to 12 percent slopes

## Setting

Elevation: 4400 to 6000 feet  
Mean annual precipitation: 11 to 16 inches  
Mean annual air temperature: 46 to 52 degrees F  
Frost-free period: 135 to 155 days

## Composition

Kimst and similar soils: 90 percent  
Minor components: 10 percent

## Description of Kimst

### Setting

Landform: Hills  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Alluvium and/or eolian deposits

### Properties and Qualities

Slope: 3 to 12 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20 to 0.60 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 15 percent  
Gypsum maximum: 0 percent  
Available water capacity: High (about 10.7 inches)

### Interpretive Groups

Land capability (non irrigated): 6e  
Ecological site: Loamy Plains (R067BY002CO)

### Typical Profile

0 to 5 inches: loam  
5 to 60 inches: sandy clay loam

## Minor Components

Apishapa, rarely ponded soils  
Percent of map unit: 3 percent  
Landform: Depressions  
Ecological site: Plains Swale (R067XY010CO)

### Arvada soils

Percent of map unit: 3 percent  
Landform: Fans, drainageways  
Other vegetative classification: Salt Flat (069AY033CO\_1)

### Vona soils

Percent of map unit: 2 percent  
Landform: Hills  
Other vegetative classification: SANDY PLAINS (067XY024CO\_1)

### Karval soils

Percent of map unit: 2 percent  
Landform: Hills  
Other vegetative classification: GRAVEL BREAKS (067XY063CO\_1)