

FORM

2

Rev  
12/05

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400311629

Date Received:

08/15/2012

PluggingBond SuretyID

20100017

## APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

## 2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_  
 SINGLE ZONE ☒ MULTIPLE ☐ COMMINGLE ☐

Refiling ☐Sidetrack ☐3. Name of Operator: ENCANA OIL & GAS (USA) INC4. COGCC Operator Number: 1001855. Address: 370 17TH ST STE 1700City: DENVER State: CO Zip: 80202-56326. Contact Name: JENNIFER LIND Phone: (720)876-5890 Fax: (720)876-6890Email: JENNIFER.LIND@ENCANA.COM7. Well Name: IONE Well Number: 2C-2H

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 11853

## WELL LOCATION INFORMATION

10. QtrQtr: NENW Sec: 2 Twp: 2N Rng: 66W Meridian: 6Latitude: 40.173110 Longitude: -104.748800

Footage at Surface: 509 feet FNL 1390 feet FNL/FSL FWL

11. Field Name: WATTENBERG Field Number: 9075012. Ground Elevation: 5046 13. County: WELD

## 14. GPS Data:

Date of Measurement: 07/27/2012 PDOP Reading: 1.9 Instrument Operator's Name: RICE15. If well is ☐ Directional ☒ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: 602 FNL 1119 FNL/FSL FWL 460 FSL 1125 FWL  
 Sec: 2 Twp: 2N Rng: 66W Sec: 2 Twp: 2N Rng: 66W

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No17. Distance to the nearest building, public road, above ground utility or railroad: 1458 ft18. Distance to nearest property line: 509 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 67 ft

## 20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR		640	GWA

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian23. Is the Surface Owner also the Mineral Owner? ☒ Yes ☐ No Surface Surety ID#: \_\_\_\_\_23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☒ Yes ☐ No23b. If 23 is No: ☐ Surface Owners Agreement Attached or ☐ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

T2N-R66W-SEC.2: ALL; SEC.4: S/2; SEC.8: NE/4, SW/4; SEC.10: E/2, NW/4

25. Distance to Nearest Mineral Lease Line: 460 ft

26. Total Acres in Lease: 1760

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☒ No

31. Mud disposal: ☒ Offsite ☐ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☒ Land Spreading ☐ Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	22	16	30	0	80	80	80	0
SURF	12+1/4	9+5/8	40	0	884	241	884	0
1ST	8+3/4	7	26	0	7,633	934	7,633	584
2ND	6+1/8	4+1/2	13.5	0	11,853	373	11,853	7,333

32. BOP Equipment Type: ☒ Annular Preventer ☒ Double Ram ☒ Rotating Head ☐ None

33. Comments ENCANA REQUESTS THE APPROVAL OF A RULE 318A(I).a.1 AND 318A(I).c.1 EXCEPTION LOCATION AS THE WELL HEAD WILL BE LOCATED OUTSIDE A GWA DRILLING WINDOW AND FURTHER THAN 50' FROM AN EXISTING WELL - REQUEST LETTER AND WAIVERS ATTACHED. ENCANA ALSO REQUESTS THE OMISSION OF OPEN HOLE LOGS - REQUEST LETTER ATTACHED. PROPOSED SPACING UNIT IS T2N-R66W-SEC.2: ALL. ENCANA PLANS TO DRILL 13 HORIZONTAL WELLS SPACED ACROSS SECTION 2 AND BELIEVE THIS CONFIGURATION WILL EFFECTIVELY DRAIN THE 640 ACRE SPACING UNIT. ENCANA WILL COMPLY WITH COGCC POLICY FOR BRADENHEAD MONITORING DURING HYDRAULIC FRACTURING TREATMENTS IN THE GREATER WATTENBERG AREA DATED MAY 29, 2012.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: JENNIFER LIND

Title: REGULATORY ANALYST Date: 8/15/2012 Email: JENNIFER.LIND@ENCANA.C

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 9/14/2012

#### API NUMBER

05 123 36093 00

Permit Number: \_\_\_\_\_ Expiration Date: 9/13/2014

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

Operator must meet water well testing requirements per Rule 318A.

- 1) Provide notice of MIRU via an electronic Form 42.
- 2) Comply with Rule 317.i and provide cement coverage from the 7" casing TD to a minimum of 200' above the Niobrara. Verify coverage with a cement bond log.

### **Attachment Check List**

Att Doc Num	Name
1695204	VARIANCE REQUEST
2171254	CORRESPONDENCE
2481785	SURFACE CASING CHECK
400311629	FORM 2 SUBMITTED
400316428	PROPOSED SPACING UNIT
400316431	EXCEPTION LOC REQUEST
400316432	EXCEPTION LOC WAIVERS
400316433	MINERAL LEASE MAP
400316435	OTHER
400316436	TOPO MAP
400316437	30 DAY NOTICE LETTER
400316438	WELL LOCATION PLAT
400316440	DEVIATED DRILLING PLAN
400316441	DIRECTIONAL DATA

Total Attach: 14 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Final Review Completed. No LGD or public comment received.	9/14/2012 10:58:37 AM
Permit	Operator requests approval of a Rule 318Am exception location: Wellbore is to be located less than 150' from an existing wellbore. Request and waivers attached.	9/14/2012 10:47:44 AM
Permit	Changed Objective formation from CODELL to NIOBRARA & changed distance to nearest well from 444' to 67' per operator. Added 318A.m letter. ok to pass.	8/28/2012 3:40:47 PM
Permit	Added Bradenhead Monitoring & Anti-collision BMP's per operator.	8/24/2012 3:16:05 PM
Permit	Reviewed and Approved Operator's request for omission of open hole logs.	8/24/2012 3:10:55 PM
Permit	Operator requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Request and waivers attached.	8/24/2012 3:01:21 PM
Permit	ON HOLD: Requested addition of Anti-collision BMP & Bradenhead Monitoring BMP. Emailed Engineering about PA'd well within 300' of production zone. Requested change distance to nearest well from 444' to 67' and requesting 318A.m letter.	8/24/2012 2:58:36 PM
Engineer	Deviation drilling plan shows Niobrara as object formation, APD shows Codell. Corrected 8-28-12.	8/24/2012 2:44:24 PM
Engineer	Evaluated offset wells for adequate coverage.	8/24/2012 2:38:14 PM

Total: 9 comment(s)

**BMP**

<b><u>Type</u></b>	<b><u>Comment</u></b>
Drilling/Completion Operations	Anti-collision: Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5.
Drilling/Completion Operations	Operator will comply with COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012. (attached)

Total: 2 comment(s)