




State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: 66561	4. Contact Name: Chris Clark	Complete the Attachment Checklist OP OGCC
2. Name of Operator: OXY USA, Inc., Attn: Glenda Jones	Phone: 970-263-3651	
3. Address: P.O. Box 27757 City: Houston State: TX Zip: 77227-7757	Fax:	
5. API Number: 05-077-09264-00	OGCC Facility ID Number:	Survey Plat
6. Well/Facility Name: Hells Gulch 23-11B Fed.	7. Well/Facility Number: 23-11B	Directional Survey
8. Location (Qtr/Qtr, Sec, Twp, Rng, Meridian): NWNW Section 26, T8S, R92W 6th P.M.		Surface Eqpm Diagram
9. County: Mesa	10. Field Name: Alkali Creek	Technical Info Page X
11. Federal, Indian or State Lease Number: COC 66918		Other

General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)	
Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/> FNL/FSL <input type="checkbox"/> FEL/FWL
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/> attach directional survey
Bottomhole location Qtr/Qtr, Sec, Twp, Rng, Mer	
Latitude	Distance to nearest property line
Longitude	Distance to nearest bldg, public rd, utility or RR
Ground Elevation	Distance to nearest lease line
	Is location in a High Density Area (rule 603b)? Yes/No
	Distance to nearest well same formation
	Surface owner consultation date:
GPS DATA:	
Date of Measurement	PDOP Reading
	Instrument Operator's Name
<input type="checkbox"/> CHANGE SPACING UNIT	<input type="checkbox"/> Remove from surface bond
Formation	Signed surface use agreement attached
Formation Code	
Spacing order number	
Unit Acreage	
Unit configuration	
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):	<input type="checkbox"/> CHANGE WELL NAME
Effective Date:	From:
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual	To:
	Effective Date:
<input type="checkbox"/> ABANDONED LOCATION:	<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No	Date well shut in or temporarily abandoned:
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No	Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No
Date Ready for Inspection:	MIT required if shut in longer than two years. Date of last MIT
<input type="checkbox"/> SPUD DATE:	<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK	
*submit cbl and cement job summaries	
Method used	Cementing tool setting/perf depth
Cement volume	Cement top
Cement bottom	Date
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.	
Final reclamation will commence on approximately	
<input type="checkbox"/> Final reclamation is completed and site is ready for inspection.	

Technical Engineering/Environmental Notice

<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Report of Work Done	
Approximate Start Date: August 1, 2012	Date Work Completed:	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)		
<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: Bradenhead PSI to Sales	for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed:
Print Name: Chris Clark

Date: 8/7/12 Email: Chris.Clark@oxy.com
Title: Piceance Regulatory Lead

COGCC Approved:

Title: PE II

Date: 9/19/2012

CONDITIONS OF APPROVAL, IF ANY:



TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

RECEIVED

AUG 07 2012

COGCC

1. OGCC Operator Number: 66561 API Number: 05-077-09264-00
2. Name of Operator: OXY USA, Inc. OGCC Facility ID #
3. Well/Facility Name: Hells Gulch Federal Well/Facility Number: 23-11B
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWNW Section 26, T8S, R92W 6th P.M.

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

OXY USA, Inc. has experienced and reported to the COGCC elevated bradenhead pressures from the Hells Gulch Federal 23-11B well being located in the Bradenhead NTO area for the Buzzard, Mamm Creek, and Rulison fields. Oxy USA, Inc. is seeking approval from the COGCC to plumb the bradenhead gasses into the gas gathering system for the associated well. Oxy has determined the source of the pressure to be nuisance gas emanating from the Wasatch formation.


Attached is a 3D piping diagram showing our proposed piping modification. The line will be constructed of threaded schedule 80 pipe and equipped with two block valves, two check valves and a pressure transducer which will be integrated into our remote monitoring system. The gathering system at this location consistently runs less than 150 psi, and is generally running ~110-120psi. Keeping the bradenhead open and venting into this system will allow any excess pressure which might build in excess of 150psi to vent.

The pressure transducer on the bradenhead will be integrated into our ICONIX system which will allow for remote monitoring along with the ability to set alarms as warranted to assure that the bradenhead does not operate in a over pressured manner. If/when we experience extended upsets causing high line pressure our Lease Operators will manually set the valves to bleed any excess (<150psi) pressure to the product ion tank battery located on site.

At least annually the bradenhead will be closed in and tested as detailed, with the appropriate notifications required by the NTO dated July 8, 2010 for bradenhead pressure testing in the Buzzard, Mamm Creek and Rulison fields.

At anytime where the configuration of the gathering system is changed and we are no longer able to operate the system consistently under 150psi we will take appropriate measures in coordination with the COGCC to assure that the bradenhead pressure is operated in a safe and compliant manner.

RECEIVED
AUG 07 2012
COGCC



NOTES:									
REVISIONS									
REV	NO.	DATE	DESCRIPTION	BY	CHKD	APP'D	DATE	DESCRIPTION	BY
1			ISSUED FOR CONSTRUCTION						
2			ISSUED FOR CONSTRUCTION						
3			ISSUED FOR CONSTRUCTION						
4			ISSUED FOR CONSTRUCTION						
5			ISSUED FOR CONSTRUCTION						
6			ISSUED FOR CONSTRUCTION						
7			ISSUED FOR CONSTRUCTION						
8			ISSUED FOR CONSTRUCTION						
9			ISSUED FOR CONSTRUCTION						
10			ISSUED FOR CONSTRUCTION						
11			ISSUED FOR CONSTRUCTION						
12			ISSUED FOR CONSTRUCTION						
13			ISSUED FOR CONSTRUCTION						
14			ISSUED FOR CONSTRUCTION						
15			ISSUED FOR CONSTRUCTION						
16			ISSUED FOR CONSTRUCTION						
17			ISSUED FOR CONSTRUCTION						
18			ISSUED FOR CONSTRUCTION						
19			ISSUED FOR CONSTRUCTION						
20			ISSUED FOR CONSTRUCTION						
21			ISSUED FOR CONSTRUCTION						
22			ISSUED FOR CONSTRUCTION						
23			ISSUED FOR CONSTRUCTION						
24			ISSUED FOR CONSTRUCTION						
25			ISSUED FOR CONSTRUCTION						
26			ISSUED FOR CONSTRUCTION						
27			ISSUED FOR CONSTRUCTION						
28			ISSUED FOR CONSTRUCTION						
29			ISSUED FOR CONSTRUCTION						
30			ISSUED FOR CONSTRUCTION						
31			ISSUED FOR CONSTRUCTION						
32			ISSUED FOR CONSTRUCTION						
33			ISSUED FOR CONSTRUCTION						
34			ISSUED FOR CONSTRUCTION						
35			ISSUED FOR CONSTRUCTION						
36			ISSUED FOR CONSTRUCTION						
37			ISSUED FOR CONSTRUCTION						
38			ISSUED FOR CONSTRUCTION						
39			ISSUED FOR CONSTRUCTION						
40			ISSUED FOR CONSTRUCTION						
41			ISSUED FOR CONSTRUCTION						
42			ISSUED FOR CONSTRUCTION						
43			ISSUED FOR CONSTRUCTION						
44			ISSUED FOR CONSTRUCTION						
45			ISSUED FOR CONSTRUCTION						
46			ISSUED FOR CONSTRUCTION						
47			ISSUED FOR CONSTRUCTION						
48			ISSUED FOR CONSTRUCTION						
49			ISSUED FOR CONSTRUCTION						
50			ISSUED FOR CONSTRUCTION						
51			ISSUED FOR CONSTRUCTION						
52			ISSUED FOR CONSTRUCTION						
53			ISSUED FOR CONSTRUCTION						
54			ISSUED FOR CONSTRUCTION						
55			ISSUED FOR CONSTRUCTION						
56			ISSUED FOR CONSTRUCTION						
57			ISSUED FOR CONSTRUCTION						
58			ISSUED FOR CONSTRUCTION						
59			ISSUED FOR CONSTRUCTION						
60			ISSUED FOR CONSTRUCTION						
61			ISSUED FOR CONSTRUCTION						
62			ISSUED FOR CONSTRUCTION						
63			ISSUED FOR CONSTRUCTION						
64			ISSUED FOR CONSTRUCTION						
65			ISSUED FOR CONSTRUCTION						
66			ISSUED FOR CONSTRUCTION						
67			ISSUED FOR CONSTRUCTION						
68			ISSUED FOR CONSTRUCTION						
69			ISSUED FOR CONSTRUCTION						
70			ISSUED FOR CONSTRUCTION						
71			ISSUED FOR CONSTRUCTION						
72			ISSUED FOR CONSTRUCTION						
73			ISSUED FOR CONSTRUCTION						
74			ISSUED FOR CONSTRUCTION						
75			ISSUED FOR CONSTRUCTION						
76			ISSUED FOR CONSTRUCTION						
77			ISSUED FOR CONSTRUCTION						
78			ISSUED FOR CONSTRUCTION						
79			ISSUED FOR CONSTRUCTION						
80			ISSUED FOR CONSTRUCTION						
81			ISSUED FOR CONSTRUCTION						
82			ISSUED FOR CONSTRUCTION						
83			ISSUED FOR CONSTRUCTION						
84			ISSUED FOR CONSTRUCTION						
85			ISSUED FOR CONSTRUCTION						
86			ISSUED FOR CONSTRUCTION						
87			ISSUED FOR CONSTRUCTION						
88			ISSUED FOR CONSTRUCTION						
89			ISSUED FOR CONSTRUCTION						
90			ISSUED FOR CONSTRUCTION						
91			ISSUED FOR CONSTRUCTION						
92			ISSUED FOR CONSTRUCTION						
93			ISSUED FOR CONSTRUCTION						
94			ISSUED FOR CONSTRUCTION						
95			ISSUED FOR CONSTRUCTION						
96			ISSUED FOR CONSTRUCTION						
97			ISSUED FOR CONSTRUCTION						
98			ISSUED FOR CONSTRUCTION						
99			ISSUED FOR CONSTRUCTION						
100			ISSUED FOR CONSTRUCTION						



OXY USA WTP
WELLHEAD
3D DRAWING
2012-07-028