

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400316905 Date Received: 08/16/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322 2. Name of Operator: NOBLE ENERGY INC 3. Address: 1625 BROADWAY STE 2200 City: DENVER State: CO Zip: 80202 4. Contact Name: Eileen Roberts Phone: (303) 2284330 Fax: (303) 2284286

5. API Number 05-123-34457-00 6. County: WELD 7. Well Name: Sandy Hills PC 8. Location: QtrQtr: SWNW Section: 17 Township: 4N Range: 64W Meridian: 6 9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/13/2012 End Date: 02/13/2012 Date of First Production this formation: 02/21/2012 Perforations Top: 7326 Bottom: 10875 No. Holes: 0 Hole size: 0

Provide a brief summary of the formation treatment: Open Hole: [ ]

Frac'd the Niobrara w/ 2177708 glas of Silverstim and Slick Water with 3,652,404#'s of Ottawa sand.

This formation is commingled with another formation: [ ] Yes [X] No

Total fluid used in treatment (bbl): 55689 Max pressure during treatment (psi): 3951 Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.43 Type of gas used in treatment: Min frac gradient (psi/ft): 0.95 Total acid used in treatment (bbl): 0 Number of staged intervals: 17 Recycled water used in treatment (bbl): Flowback volume recovered (bbl): Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE Total proppant used (lbs): 7170702 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/02/2012 Hours: 24 Bbl oil: 244 Mcf Gas: 896 Bbl H2O: 166 Calculated 24 hour rate: Bbl oil: 244 Mcf Gas: 896 Bbl H2O: 166 GOR: 3672 Test Method: FLOWING Casing PSI: 2400 Tubing PSI: 0 Choke Size: 016/64 Gas Disposition: SOLD Gas Type: WET Btu Gas: 1264 API Gravity Oil: 54 Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Eileen Roberts

Title: Regulatory Specialist Date: 8/16/2012 Email: eroberts@nobleenergyinc.com  
:

### **Attachment Check List**

Att Doc Num	Name
400316905	FORM 5A SUBMITTED

Total Attach: 1 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)