

FORM
INSPRev
05/11

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:

09/10/2012

Document Number:

663800490

Overall Inspection:

Satisfactory

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Tracking Type	Inspector Name
	426545	426533		LONGWORTH, MIKE

Operator Information:

OGCC Operator Number: 10301 Name of Operator: DEJOUR ENERGY (USA) CORPORATION

Address: 1401 17TH STREET #1000

City: DENVER

State: CO

Zip: 80202

Contact Information:

Contact Name	Phone	Email	Comment
		ngmut@dejour.com	

Compliance Summary:

QtrQtr: SWSE Sec: 21 Twp: 6S Range: 91W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
426529	WELL	XX	11/17/2011		045-21180	FEDERAL 6/7-14-21	
426539	WELL	XX	11/17/2011		045-21181	FEDERAL 6/7-15-21	
426544	WELL	XX	11/17/2011		045-21182	FEDERAL 6/7-13-21	
426545	WELL	XX	11/17/2011		045-21183	FEDERAL 6/7-16-21	X
427243	WELL	XX	01/06/2012		045-21277	PWD Federal 21-6-91	

Equipment:

Location Inventory

Special Purpose Pits:	Drilling Pits:	1	Wells:	9	Production Pits:	1
Condensate Tanks:	3	Water Tanks:	2	Separators:	4	Electric Motors:
Gas or Diesel Mortors:		Cavity Pumps:		LACT Unit:		Pump Jacks:
Electric Generators:		Gas Pipeline:	1	Oil Pipeline:		Water Pipeline:
Gas Compressors:		VOC Combustor:	1	Oil Tanks:		Dehydrator Units:
Multi-Well Pits:		Pigging Station:	1	Flare:		Fuel Tanks:

Location

Lease Road:

Type	Satisfactory/Unsatisfactory	comment	Corrective Action	Date
Access	Satisfactory			
Main	Satisfactory	Storm water BMPS need maintainece		10/26/2012

Signs/Marker:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
DRILLING/RECOMP	Satisfactory			

Emergency Contact Number: (S/U/V) _____ Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
TRASH	Satisfactory			

Spills:				
Type	Area	Volume	Corrective action	CA Date

☐ Multiple Spills and Releases?

Fencing:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
LOCATION	Satisfactory			

Venting:			
Yes/No	Comment		

Flaring:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

Predrill

Location ID: 426533

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczko	<p>SITE SPECIFIC COAs:</p> <p>Notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to construction of the pit.</p> <p>A Form 15 Earthen Pit Permit must be submitted to the COGCC Location Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and approval must be obtained prior to construction of the completion/flowback fluids/production pit.</p> <p>Notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to start of pit and fracing operations.</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids</p>	10/07/2011

contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.

If there are changes to the pit construction (i.e. changes from the submitted construction layout drawings), then the operator must submit a professional engineer (PE) approved/stamped as-built drawing (plan view and cross-sections) of the completion/flowback/production pit within 30 calendar days of construction.

The completion/flowback fluids/production pit must be fenced and netted. The operator must maintain the fencing and netting until the pit is closed in accordance with Rule 905. Closure of Pits, and Buried or Partially Buried Produced Water Vessels.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

A surface water sample from the unnamed stream located to the northeast shall be collected prior to pit use and every 12 months to evaluate potential impacts from pit operations. At a minimum, the surface water samples will be analyze for the following parameters: major cations/anions (chloride, fluoride, sulfate, sodium); total dissolved solids (TDS); and BTEX/DRO.

Prior to pit closure, operator must submit E&P waste disposal information (if different from the Form 15) via a Form 4 Sundry Notice to the COGCC Location Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Environmental Supervisor for Western Colorado (alex.fischer@state.co.us) for approval.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

The liner in the cuttings pits must be removed and disposed of offsite prior to final disposal of drill cuttings in the pit.

Comment:**CA:****Date:****Wildlife BMPs:****Comment:****CA:****Date:****Stormwater:**

Erosion BMPs	Present	Other BMPs	Present
--------------	---------	------------	---------

Inspector Name: LONGWORTH, MIKE

Corrective Action: _____		Date: _____	
Comments: Erosion BMPs: _____			
Other BMPs: _____			
Comment: _____			
Staking: _____			
On Site Inspection (305):			
<u>Surface Owner Contact Information:</u>			
Name: _____		Address: _____	
Phone Number: _____		Cell Phone: _____	
<u>Operator Rep. Contact Information:</u>			
Landman Name: _____		Phone Number: _____	
Date Onsite Request Received: _____		Date of Rule 306 Consultation: _____	
Request LGD Attendance: _____			
<u>LGD Contact Information:</u>			
Name: _____		Phone Number: _____	
		Agreed to Attend: _____	
<u>Summary of Landowner Issues:</u>			
<u>Summary of Operator Response to Landowner Issues:</u>			
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>			

Facility

Facility ID: 426545	Type: WELL	API Number: 045-21183	Status: XX	Insp. Status: DG
---------------------	------------	-----------------------	------------	------------------

Well Drilling

Rig: Rig Name: Frontier #7 Pusher/Rig Manager: John Morris
Permit Posted: _____ Access Sign: Satisfactory

Well Control Equipment:

Pipe Ram: _____ Blind Ram: _____ Hydril Type: _____
Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____

Drill Fluids Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
Multi-Well: _____ Disposal Location: _____

Comment:

Cement surface job

Cement**Cement Contractor**

Contractor Name: _____

Contractor Phone: _____

Surface Casing

Cement Volume (sx): _____

Circulate to Surface: YES

Cement Fall Back: _____

Top Job, 1" Volume: NO

Intermediate Casing

Cement Volume (sxs): _____

Good Return During Job: _____

Production Casing

Cement Volume (sx): _____

Good Return During Job: _____

Plugging Operations

Depth Plugs(feet range): _____

Cement Volume (sx): _____

Good Return During Job: _____

Cement Type: _____

Comment: _____

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____
 1003c. Compacted areas have been cross ripped? _____
 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____
 Debris removed _____ No disturbance /Location never built _____
 Access Roads Regraded _____ Contoured _____ Culverts removed _____
 Gravel removed _____
 Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____
 Compaction alleviation _____ Dust and erosion control _____
 Non cropland: Revegetated 80% _____ Cropland: perennial forage _____
 Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Multi-Well Location ☐

Inspector Name: LONGWORTH, MIKE

Storm Water:						
Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Silt Fences	Pass	Check Dams	Pass			
Ditches	Pass	Ditches	Pass			
Berms	Pass	Berms	Pass			
Waddles	Pass	Retention Ponds	Pass			
Blankets	Pass	Compaction	Pass			
Seeding		Waddles	Pass			
Compaction	Pass	Blankets	Pass			
Drains	Pass	Drains	Pass			

S/U/V: Satisfactory Corrective Date: _____

Comment:

CA: