

Kubeczko, Dave

Subject: FW: CPW recommended BMPs for Entek's Robidoux 13-7H

Scan No 1293014

CPW CORRESPONDENCE and PROPOSED BMPs

2A#400313097

From: David Smith [<mailto:DSmith@entekenergy.com>]
Sent: Monday, September 17, 2012 3:19 PM
To: Davidson, Jacob; Warren, Michael
Cc: Kubeczko, Dave
Subject: RE: CPW recommended BMPs for Entek's Robidoux 13-7H

Jacob,
Entek will comply with the recommended BMP's below.
Dave Smith

David R. Smith
ENTEK GRB LLC
Land Manager
535 16th Street, Suite 620
Denver, CO 80202
Direct: 720.210.9130
Cell: 303.807.6487
Email: dsmith@entekenergy.com



From: Davidson, Jacob [<mailto:Jacob.Davidson@state.co.us>]
Sent: Friday, September 14, 2012 8:39 AM
To: David Smith; Warren, Michael
Cc: Kubeczko, Dave
Subject: CPW recommended BMPs for Entek's Robidoux 13-7H

Hi there David. I visited the Robidoux 13-7H location with some of your staff and the landowners yesterday.

Given the surface owners preferences, here are CPW's recommended BMPs.

1. Follow Entek company guidelines to minimize wildlife mortality from vehicle collisions on roads.
2. Include a weed management plan and implement the plan as part of reclamation.

CPW would appreciate your concurrence with the proposed BMP's. Form 2A comments for this location are due on September 24, 2012.

Please let me know if you have questions.

Thank you for your consideration,

Jacob Davidson

Land Use Specialist

Colorado Parks and Wildlife

Jacob.Davidson@state.co.us

Office: (970) 878-6069

Cell: (970) 756-5226