

FORM
6Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

2171250

Date Received:

08/30/2012

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10148

Contact Name: ART CHILDERS

Name of Operator: KLABZUBA OIL & GAS INC

Phone: (303) 382-2170

Address: 930 WEST 1ST ST 4TH FLR

Fax: (303) 299-9087

City: FT WORTH State: TX Zip: 76102

Email: ACHILDERS@KLABZUBA.COM

For "Intent" 24 hour notice required,

Name: _____ Tel: _____

COGCC contact:

Email: _____

API Number 05-087-05540-00

Well Name: GLENN

Well Number: J-1

Location: QtrQtr: SENW Section: 31 Township: 2N Range: 57W Meridian: 6

County: MORGAN

Federal, Indian or State Lease Number: _____

Field Name: ADENA

Field Number: 700

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.095443

Longitude: -103.803271

GPS Data:

Date of Measurement: 10/13/2011

PDOP Reading: 3.7

GPS Instrument Operator's Name: Theresa McCollom

Reason for Abandonment: ☐ Dry ☐ Production for Sub-economic ☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes ☐ No Estimated Depth: _____Fish in Hole: ☐ Yes ☐ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
J SAND	5627	5635		CEMENT	-5382

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	99	90	99	0	
1ST	7+7/8	5+1/2	14	5,717	250	5,717	4,070	

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 30 sks cmt from 5382 ft. to 5640 ft. Plug Type: CASING Plug Tagged: ☐
Set 40 sks cmt from 600 ft. to 700 ft. Plug Type: OPEN HOLE Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 40 sacks half in. half out surface casing from 50 ft. to 150 ft. Plug Tagged: ☐

Set 15 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 1215 ft. of 5+1/2 inch casing

Plugging Date: 02/15/2007

*Wireline Contractor: NUEX WIRELINE

*Cementing Contractor: YETTER WELL SERVICE

Type of Cement and Additives Used: PORTLAND

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No

*ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: ART CHILDERS

Title: ENGINEERING MANAGER

Date: 6/17/2008

Email: ACHILDERS@KLABZUBA.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: JENKINS, STEVE

Date: 10/17/2012

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
2171250	FORM 6 SUBSEQUENT SUBMITTED
2171251	WELLBORE DIAGRAM
2171252	CEMENT JOB SUMMARY

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Old style form 5 doc #75931. This is an old clean up. Well was transferred to Black Raven Energy after it was plugged.	9/7/2012 9:35:13 AM

Total: 1 comment(s)